


We Claim:

1. A compound of formula 1



wherein:

- 5 Y is N or CR¹²;

R¹ is selected from C₆₋₁₂ aryl, 5-12 membered heteroaryl, C₃₋₁₂ cycloalkyl, 3-12 membered heteroalicyclic, -O(CR⁶R⁷)_nR⁴, -C(O)R⁴, -C(O)OR⁴, -CN, -NO₂, -S(O)_mR⁴, -SO₂NR⁴R⁵, -C(O)NR⁴R⁵, -NR⁴C(O)R⁵, -C(=NR⁶)NR⁴R⁵, C₁₋₈ alkyl, C₂₋₈ alkenyl, and C₂₋₈ alkynyl; and each hydrogen in R¹ is optionally substituted by one or more R³ groups;

- 10 R² is hydrogen, halogen, C₁₋₁₂ alkyl, C₂₋₁₂ alkenyl, C₂₋₁₂ alkynyl, C₃₋₁₂ cycloalkyl, C₆₋₁₂ aryl, 3-12 membered heteroalicyclic, 5-12 membered heteroaryl, -S(O)_mR⁴, -SO₂NR⁴R⁵, -S(O)₂OR⁴, -NO₂, -NR⁴R⁵, -(CR⁶R⁷)_nOR⁴, -CN, -C(O)R⁴, -OC(O)R⁴, -O(CR⁶R⁷)_nR⁴, -NR⁴C(O)R⁵, -(CR⁶R⁷)_nC(O)OR⁴, -(CR⁶R⁷)_nNCR⁴R⁵, -C(=NR⁶)NR⁴R⁵, -NR⁴C(O)NR⁵R⁶, -NR⁴S(O)_pR⁵ or -C(O)NR⁴R⁵, and each hydrogen in R² is optionally substituted by one or more R⁸ groups;

- 15 R³ is halogen, C₁₋₁₂ alkyl, C₂₋₁₂ alkenyl, C₂₋₁₂ alkynyl, C₃₋₁₂ cycloalkyl, C₆₋₁₂ aryl, 3-12 membered heteroalicyclic, 5-12 membered heteroaryl, -S(O)_mR⁴, -SO₂NR⁴R⁵, -S(O)₂OR⁴, -NO₂, -NR⁴R⁵, -(CR⁶R⁷)_nOR⁴, -CN, -C(O)R⁴, -OC(O)R⁴, -O(CR⁶R⁷)_nR⁴, -NR⁴C(O)R⁵, -(CR⁶R⁷)_nC(O)OR⁴, -(CR⁶R⁷)_nNCR⁴R⁵, -C(=NR⁶)NR⁴R⁵, -NR⁴C(O)NR⁵R⁶, -NR⁴S(O)_pR⁵ or -C(O)NR⁴R⁵, each hydrogen in R³ is optionally substituted by one or more R⁸ groups, and R³ groups on adjacent atoms may combine to
- 20 form a C₆₋₁₂ aryl, 5-12 membered heteroaryl, C₃₋₁₂ cycloalkyl or 3-12 membered heteroalicyclic group;

each R⁴, R⁵, R⁶ and R⁷ is independently hydrogen, halogen, C₁₋₁₂ alkyl, C₂₋₁₂ alkenyl, C₂₋₁₂ alkynyl, C₃₋₁₂ cycloalkyl, C₆₋₁₂ aryl, 3-12 membered heteroalicyclic, 5-12 membered heteroaryl; or any two of R⁴, R⁵, R⁶ and R⁷ bound to the same nitrogen atom may, together with the nitrogen to which they are bound, be combined to form a 3 to 12 membered heteroalicyclic or 5-12 membered heteroaryl group

25 optionally containing 1 to 3 additional heteroatoms selected from N, O, and S; or any two of R⁴, R⁵, R⁶ and R⁷ bound to the same carbon atom may be combined to form a C₃₋₁₂ cycloalkyl, C₆₋₁₂ aryl, 3-12 membered heteroalicyclic or 5-12 membered heteroaryl group; and each hydrogen in R⁴, R⁵, R⁶ and R⁷ is optionally substituted by one or more R⁸ groups;

- 30 each R⁸ is independently halogen, C₁₋₁₂ alkyl, C₂₋₁₂ alkenyl, C₂₋₁₂ alkynyl, C₃₋₁₂ cycloalkyl, C₆₋₁₂ aryl, 3-12 membered heteroalicyclic, 5-12 membered heteroaryl, -CN, -O-C₁₋₁₂ alkyl, -O-(CH₂)_nC₃₋₁₂ cycloalkyl, -O-(CH₂)_nC₆₋₁₂ aryl, -O-(CH₂)_n(3-12 membered heteroalicyclic) or -O-(CH₂)_n(5-12 membered heteroaryl); and each hydrogen in R⁸ is optionally substituted by one or more R¹¹ groups;

A¹ is $-(CR^9R^{10})_n-A^2$ except that:

(i) when Y is N and R¹ is substituted or unsubstituted aryl or substituted or unsubstituted heteroaryl, A¹ is $-(CR^9R^{10})_n-A^2$ and n is not zero; and

(ii) when Y is N and R² is H and A¹ is m-chlorobenzyl, R¹ is not unsubstituted piperazine;

each R⁹ and R¹⁰ is independently hydrogen, halogen, C₁₋₁₂ alkyl, C₃₋₁₂ cycloalkyl, C₆₋₁₂ aryl, 3-12 membered heteroalicyclic, 5-12 membered heteroaryl, -S(O)_mR⁴, -SO₂NR⁴R⁵, -S(O)₂OR⁴, -NO₂, -NR⁴R⁵, -(CR⁶R⁷)_nOR⁴, -CN, -C(O)R⁴, -OC(O)R⁴, -NR⁴C(O)R⁵, -(CR⁶R⁷)_nC(O)OR⁴, -(CR⁶R⁷)_nNCR⁴R⁵, -NR⁴C(O)NR⁵R⁶, -NR⁴S(O)_pR⁵ or -C(O)NR⁴R⁵; R⁹ and R¹⁰ may combine to form a C₃₋₁₂ cycloalkyl, 3-12 membered heteroalicyclic, C₆₋₁₂ aryl or 5-12 membered heteroaryl ring; and each hydrogen in R⁹ and R¹⁰ is optionally substituted by one or more R³ groups;

A² is C₆₋₁₂ aryl, 5-12 membered heteroaryl, C₃₋₁₂ cycloalkyl or 3-12 membered heteroalicyclic, and A² is optionally substituted by one or more R³ groups;

each R¹¹ is independently halogen, C₁₋₁₂ alkyl, C₁₋₁₂ alkoxy, C₃₋₁₂ cycloalkyl, C₆₋₁₂ aryl, 3-12 membered heteroalicyclic, 5-12 membered heteroaryl, -O-C₁₋₁₂ alkyl, -O-(CH₂)_nC₃₋₁₂ cycloalkyl, -O-(CH₂)_nC₆₋₁₂ aryl, -O-(CH₂)_n(3-12 membered heteroalicyclic), -O-(CH₂)_n(5-12 membered heteroaryl) or -CN, and each hydrogen in R¹¹ is optionally substituted by one or more groups selected from halogen, -OH, -CN, -C₁₋₁₂ alkyl which may be partially or fully halogenated, -O-C₁₋₁₂ alkyl which may be partially or fully halogenated, -CO, -SO and -SO₂;

R¹² is hydrogen, halogen, C₁₋₁₂ alkyl, C₂₋₁₂ alkenyl, C₂₋₁₂ alkynyl, C₃₋₁₂ cycloalkyl, C₆₋₁₂ aryl, 3-12 membered heteroalicyclic, 5-12 membered heteroaryl, -S(O)_mR⁴, -SO₂NR⁴R⁵, -S(O)₂OR⁴, -NO₂, -NR⁴R⁵, -(CR⁶R⁷)_nOR⁴, -CN, -C(O)R⁴, -OC(O)R⁴, -O(CR⁶R⁷)_nR⁴, -NR⁴C(O)R⁵, -(CR⁶R⁷)_nC(O)OR⁴, -(CR⁶R⁷)_nNCR⁴R⁵, -C(=NR⁶)NR⁴R⁵, -NR⁴C(O)NR⁵R⁶, -NR⁴S(O)_pR⁵ or -C(O)NR⁴R⁵, and each hydrogen in R¹² is optionally substituted by one or more R³ groups;

R¹ and R² or R¹ and R¹² may be combined together to form a C₆₋₁₂ aryl, 5-12 membered heteroaryl, C₃₋₁₂ cycloalkyl or 3-12 membered heteroalicyclic group;

m is 0, 1 or 2;

n is 0, 1, 2, 3 or 4; and

p is 1 or 2;


or a pharmaceutically acceptable salt, solvate or hydrate thereof.

2. The compound of claim 1, wherein Y is N.

3. The compound of claim 1, wherein Y is CR¹².

4. The compound of claim 1, wherein the compound has formula **1a**


- 277 -



wherein A² is C₆₋₁₂ aryl or 5-12 membered heteroaryl optionally substituted by one or more R³ groups.

5. The compound of claim 4, wherein R¹ is selected from C₆₋₁₂ aryl and 5-12 membered heteroaryl, and each hydrogen in R¹ is optionally substituted by one or more R³ groups.
6. The compound of claim 4, wherein R¹ is selected from C₃₋₁₂ cycloalkyl, 3-12 membered heteroalicyclic, -O(CR⁶R⁷)_nR⁴, -C(O)R⁴, -C(O)OR⁴, -CN, -NO₂, -S(O)_mR⁴, -SO₂NR⁴R⁵, -C(O)NR⁴R⁵, -NR⁴C(O)R⁵, -C(=NR⁶)NR⁴R⁵, C₁₋₈ alkyl, C₂₋₈ alkenyl, and C₂₋₈ alkynyl; and each hydrogen in R¹ is optionally substituted by one or more R³ groups.
7. The compound of claim 4, wherein A² is substituted by at least one halogen atom.
8. The compound of claim 4, wherein R² is hydrogen, R⁹ and R¹⁰ are independently C₁₋₄ alkyl, and A² is phenyl substituted by at least one halogen atom.
9. The compound of claim 1, wherein R¹ is a furan, thiopene, pyrrole, pyrroline, pyrrolidine, dioxolane, oxazole, thiazole, imidazole, imidazoline, imidazolidine, pyrazole, pyrazoline, pyrazolidine, isoxazole, isothiazole, oxadiazole, triazole, thiadiazole, pyran, pyridine, piperidine, dioxane, morpholine, dithiane, thiomorpholine, pyridazine, pyrimidine, pyrazine, piperazine, triazine, trithiane or phenyl group, and each hydrogen in R¹ is optionally substituted by one or more R³ groups.
10. The compound of claim 1, wherein R¹ is a fused ring heteroaryl group, and each hydrogen in R¹ is optionally substituted by one or more R³ groups.
11. The compound of claim 1, wherein R¹ is a -SO₂NR⁴R⁵ group.
12. A compound of formula 2

- 278 -



wherein:

R^1 is selected from C_{6-12} aryl, 5-12 membered heteroaryl, C_{3-12} cycloalkyl, 3-12 membered heteroalicyclic, $-O(CR^6R^7)_nR^4$, $-C(O)R^4$, $-C(O)OR^4$, $-CN$, $-NO_2$, $-S(O)_mR^4$, $-SO_2NR^4R^5$, $-C(O)NR^4R^5$, $-NR^4C(O)R^5$, $-C(=NR^6)NR^4R^5$, C_{1-8} alkyl, C_{2-8} alkenyl, and C_{2-8} alkynyl; and each hydrogen in R^1 is optionally substituted by one or more R^3 groups;

R^2 is hydrogen, halogen, C_{1-12} alkyl, C_{2-12} alkenyl, C_{2-12} alkynyl, C_{3-12} cycloalkyl, C_{6-12} aryl, 3-12 membered heteroalicyclic, 5-12 membered heteroaryl, $-S(O)_mR^4$, $-SO_2NR^4R^5$, $-S(O)_2OR^4$, $-NO_2$, $-NR^4R^5$, $-(CR^6R^7)_nOR^4$, $-CN$, $-C(O)R^4$, $-OC(O)R^4$, $-O(CR^6R^7)_nR^4$, $-NR^4C(O)R^5$, $-(CR^6R^7)_nC(O)OR^4$, $-(CR^6R^7)_nNCR^4R^5$, $-C(=NR^6)NR^4R^5$, $-NR^4C(O)NR^5R^6$, $-NR^4S(O)_pR^5$ or $-C(O)NR^4R^5$, and each hydrogen in R^2 is optionally substituted by one or more R^8 groups;

R^3 is halogen, C_{1-12} alkyl, C_{2-12} alkenyl, C_{2-12} alkynyl, C_{3-12} cycloalkyl, C_{6-12} aryl, 3-12 membered heteroalicyclic, 5-12 membered heteroaryl, $-S(O)_mR^4$, $-SO_2NR^4R^5$, $-S(O)_2OR^4$, $-NO_2$, $-NR^4R^5$, $-(CR^6R^7)_nOR^4$, $-CN$, $-C(O)R^4$, $-OC(O)R^4$, $-O(CR^6R^7)_nR^4$, $-NR^4C(O)R^5$, $-(CR^6R^7)_nC(O)OR^4$, $-(CR^6R^7)_nNCR^4R^5$, $-C(=NR^6)NR^4R^5$, $-NR^4C(O)NR^5R^6$, $-NR^4S(O)_pR^5$ or $-C(O)NR^4R^5$, each hydrogen in R^3 is optionally substituted by one or more R^8 groups, and R^3 groups on adjacent atoms may combine to form a C_{6-12} aryl, 5-12 membered heteroaryl, C_{3-12} cycloalkyl or 3-12 membered heteroalicyclic group;

each R^4 , R^5 , R^6 and R^7 is independently hydrogen, halogen, C_{1-12} alkyl, C_{2-12} alkenyl, C_{2-12} alkynyl, C_{3-12} cycloalkyl, C_{6-12} aryl, 3-12 membered heteroalicyclic, 5-12 membered heteroaryl; or any two of R^4 , R^5 , R^6 and R^7 bound to the same nitrogen atom may, together with the nitrogen to which they are bound, be combined to form a 3 to 12 membered heteroalicyclic or 5-12 membered heteroaryl group optionally containing 1 to 3 additional heteroatoms selected from N, O, and S; or any two of R^4 , R^5 , R^6 and R^7 bound to the same carbon atom may be combined to form a C_{3-12} cycloalkyl, C_{6-12} aryl, 3-12 membered heteroalicyclic or 5-12 membered heteroaryl group; and each hydrogen in R^4 , R^5 , R^6 and R^7 is optionally substituted by one or more R^8 groups;

each R^8 is independently halogen, C_{1-12} alkyl, C_{2-12} alkenyl, C_{2-12} alkynyl, C_{3-12} cycloalkyl, C_{6-12} aryl, 3-12 membered heteroalicyclic, 5-12 membered heteroaryl, $-CN$, $-O-C_{1-12}$ alkyl, $-O-(CH_2)_nC_{3-12}$ cycloalkyl, $-O-(CH_2)_nC_{6-12}$ aryl, $-O-(CH_2)_n(3-12$ membered heteroalicyclic) or $-O-(CH_2)_n(5-12$ membered heteroaryl); and each hydrogen in R^8 is optionally substituted by one or more R^{11} groups;

A^1 is $-(CR^9R^{10})_n-A^2$;

each R^9 and R^{10} is independently hydrogen, halogen, C_{1-12} alkyl, C_{3-12} cycloalkyl, C_{6-12} aryl, 3-12 membered heteroalicyclic, 5-12 membered heteroaryl, $-S(O)_mR^4$, $-SO_2NR^4R^5$, $-S(O)_2OR^4$, $-NO_2$, $-NR^4R^5$,

- 279 -

$-(CR^6R^7)_nOR^4$, $-CN$, $-C(O)R^4$, $-OC(O)R^4$, $-NR^4C(O)R^5$, $-(CR^6R^7)_nC(O)OR^4$, $-(CR^6R^7)_nNCR^4R^5$, $-NR^4C(O)NR^5R^6$, $-NR^4S(O)_pR^5$ or $-C(O)NR^4R^5$; R^9 and R^{10} may combine to form a C_{3-12} cycloalkyl, 3-12 membered heteroalicyclic, C_{6-12} aryl or 5-12 membered heteroaryl ring; and each hydrogen in R^9 and R^{10} is optionally substituted by one or more R^3 groups;

- 5 A^2 is C_{6-12} aryl, 5-12 membered heteroaryl, C_{3-12} cycloalkyl or 3-12 membered heteroalicyclic, and A^2 is optionally substituted by one or more R^3 groups;

each R^{11} is independently halogen, C_{1-12} alkyl, C_{1-12} alkoxy, C_{3-12} cycloalkyl, C_{6-12} aryl, 3-12 membered heteroalicyclic, 5-12 membered heteroaryl, $-O-C_{1-12}$ alkyl, $-O-(CH_2)_nC_{3-12}$ cycloalkyl, $-O-(CH_2)_nC_{6-12}$ aryl, $-O-(CH_2)_n(3-12 \text{ membered heteroalicyclic})$, $-O-(CH_2)_n(5-12 \text{ membered heteroaryl})$ or
 10 $-CN$, and each hydrogen in R^{11} is optionally substituted by one or more groups selected from halogen, $-OH$, $-CN$, $-C_{1-12}$ alkyl which may be partially or fully halogenated, $-O-C_{1-12}$ alkyl which may be partially or fully halogenated, $-CO$, $-SO$ and $-SO_2$;


R^{12} is hydrogen, halogen, C_{1-12} alkyl, C_{2-12} alkenyl, C_{2-12} alkynyl, C_{3-12} cycloalkyl, C_{6-12} aryl, 3-12 membered heteroalicyclic, 5-12 membered heteroaryl, $-S(O)_mR^4$, $-SO_2NR^4R^5$, $-S(O)_2OR^4$, $-NO_2$, $-NR^4R^5$,
 15 $-(CR^6R^7)_nOR^4$, $-CN$, $-C(O)R^4$, $-OC(O)R^4$, $-O(CR^6R^7)_nR^4$, $-NR^4C(O)R^5$, $-(CR^6R^7)_nC(O)OR^4$, $-(CR^6R^7)_nNCR^4R^5$, $-C(=NR^6)NR^4R^5$, $-NR^4C(O)NR^5R^6$, $-NR^4S(O)_pR^5$ or $-C(O)NR^4R^5$, and each hydrogen in R^{12} is optionally substituted by one or more R^3 groups;

R^1 and R^2 or R^1 and R^{12} may be combined together to form a C_{6-12} aryl, 5-12 membered heteroaryl, C_{3-12} cycloalkyl or 3-12 membered heteroalicyclic group;

- 20 m is 0, 1 or 2;
 n is 0, 1, 2, 3 or 4; and
 p is 1 or 2;

or a pharmaceutically acceptable salt, solvate or hydrate thereof.

- 25 13. The compound of claim 12, wherein the compound has formula 2a



wherein A^2 is C_{6-12} aryl or 5-12 membered heteroaryl optionally substituted by one or more R^3 groups.

14. The compound of claim 13, wherein R^1 is selected from C_{6-12} aryl and 5-12 membered heteroaryl, and each hydrogen in R^1 is optionally substituted by one or more R^3 groups.
 30

15. The compound of claim 13, wherein R^1 is selected from C_{3-12} cycloalkyl, 3-12 membered heteroalicyclic, $-O(CR^6R^7)_nR^4$, $-C(O)R^4$, $-C(O)OR^4$, $-CN$, $-NO_2$, $-S(O)_mR^4$, $-SO_2NR^4R^5$, $-C(O)NR^4R^5$,

- 280 -

$-\text{NR}^4\text{C}(\text{O})\text{R}^5$, $-\text{C}(=\text{NR}^6)\text{NR}^4\text{R}^5$, C_{1-8} alkyl, C_{2-8} alkenyl, and C_{2-8} alkynyl; and each hydrogen in R^1 is optionally substituted by one or more R^3 groups.

16. The compound of claim 13, wherein A^2 is substituted by at least one halogen atom.

5


17. The compound of claim 13, wherein R^2 is hydrogen, R^9 and R^{10} are independently C_{1-4} alkyl, and A^2 is phenyl substituted by at least one halogen atom.

18. The compound of claim 12, wherein R^1 is a furan, thiophene, pyrrole, pyrroline, pyrrolidine, dioxolane, oxazole, thiazole, imidazole, imidazoline, imidazolidine, pyrazole, pyrazoline, pyrazolidine, isoxazole, isothiazole, oxadiazole, triazole, thiadiazole, pyran, pyridine, piperidine, dioxane, morpholine, dithiane, thiomorpholine, pyridazine, pyrimidine, pyrazine, piperazine, triazine, trithiane or phenyl group, and each hydrogen in R^1 is optionally substituted by one or more R^3 groups.

19. The compound of claim 12, wherein R^1 is a fused ring heteroaryl group, and each hydrogen in R^1 is optionally substituted by one or more R^3 groups.

20. The compound of claim 12, wherein R^1 is a $-\text{SO}_2\text{NR}^4\text{R}^5$ group.

21. A compound of formula 3



wherein:

R^1 is selected from C_{6-12} aryl, 5-12 membered heteroaryl, C_{3-12} cycloalkyl, 3-12 membered heteroalicyclic, $-\text{O}(\text{CR}^6\text{R}^7)_n\text{R}^4$, $-\text{C}(\text{O})\text{R}^4$, $-\text{C}(\text{O})\text{OR}^4$, $-\text{CN}$, $-\text{NO}_2$, $-\text{S}(\text{O})_m\text{R}^4$, $-\text{SO}_2\text{NR}^4\text{R}^5$, $-\text{C}(\text{O})\text{NR}^4\text{R}^5$, $-\text{NR}^4\text{C}(\text{O})\text{R}^5$, $-\text{C}(=\text{NR}^6)\text{NR}^4\text{R}^5$, C_{1-8} alkyl, C_{2-8} alkenyl, and C_{2-8} alkynyl; and each hydrogen in R^1 is optionally substituted by one or more R^3 groups;

R^2 is hydrogen, halogen, C_{1-12} alkyl, C_{2-12} alkenyl, C_{2-12} alkynyl, C_{3-12} cycloalkyl, C_{6-12} aryl, 3-12 membered heteroalicyclic, 5-12 membered heteroaryl, $-\text{S}(\text{O})_m\text{R}^4$, $-\text{SO}_2\text{NR}^4\text{R}^5$, $-\text{S}(\text{O})_2\text{OR}^4$, $-\text{NO}_2$, $-\text{NR}^4\text{R}^5$, $-(\text{CR}^6\text{R}^7)_n\text{OR}^4$, $-\text{CN}$, $-\text{C}(\text{O})\text{R}^4$, $-\text{OC}(\text{O})\text{R}^4$, $-\text{O}(\text{CR}^6\text{R}^7)_n\text{R}^4$, $-\text{NR}^4\text{C}(\text{O})\text{R}^5$, $-(\text{CR}^6\text{R}^7)_n\text{C}(\text{O})\text{OR}^4$, $-(\text{CR}^6\text{R}^7)_n\text{NCR}^4\text{R}^5$, $-\text{C}(=\text{NR}^6)\text{NR}^4\text{R}^5$, $-\text{NR}^4\text{C}(\text{O})\text{NR}^5\text{R}^6$, $-\text{NR}^4\text{S}(\text{O})_p\text{R}^5$ or $-\text{C}(\text{O})\text{NR}^4\text{R}^5$, and each hydrogen in R^2 is optionally substituted by one or more R^8 groups;

R^3 is halogen, C_{1-12} alkyl, C_{2-12} alkenyl, C_{2-12} alkynyl, C_{3-12} cycloalkyl, C_{6-12} aryl, 3-12 membered heteroalicyclic, 5-12 membered heteroaryl, $-S(O)_mR^4$, $-SO_2NR^4R^5$, $-S(O)_2OR^4$, $-NO_2$, $-NR^4R^5$, $-(CR^6R^7)_nOR^4$, $-CN$, $-C(O)R^4$, $-OC(O)R^4$, $-O(CR^6R^7)_nR^4$, $-NR^4C(O)R^5$, $-(CR^6R^7)_nC(O)OR^4$, $-(CR^6R^7)_nNCR^4R^5$, $-C(=NR^6)NR^4R^5$, $-NR^4C(O)NR^5R^6$, $-NR^4S(O)_pR^5$ or $-C(O)NR^4R^5$, each hydrogen in R^3 is optionally substituted by one or more R^8 groups, and R^3 groups on adjacent atoms may combine to form a C_{6-12} aryl, 5-12 membered heteroaryl, C_{3-12} cycloalkyl or 3-12 membered heteroalicyclic group;

each R^4 , R^5 , R^6 and R^7 is independently hydrogen, halogen, C_{1-12} alkyl, C_{2-12} alkenyl, C_{2-12} alkynyl, C_{3-12} cycloalkyl, C_{6-12} aryl, 3-12 membered heteroalicyclic, 5-12 membered heteroaryl; or any two of R^4 , R^5 , R^6 and R^7 bound to the same nitrogen atom may, together with the nitrogen to which they are bound, be combined to form a 3 to 12 membered heteroalicyclic or 5-12 membered heteroaryl group optionally containing 1 to 3 additional heteroatoms selected from N, O, and S; or any two of R^4 , R^5 , R^6 and R^7 bound to the same carbon atom may be combined to form a C_{3-12} cycloalkyl, C_{6-12} aryl, 3-12 membered heteroalicyclic or 5-12 membered heteroaryl group; and each hydrogen in R^4 , R^5 , R^6 and R^7 is optionally substituted by one or more R^8 groups;

each R^8 is independently halogen, C_{1-12} alkyl, C_{2-12} alkenyl, C_{2-12} alkynyl, C_{3-12} cycloalkyl, C_{6-12} aryl, 3-12 membered heteroalicyclic, 5-12 membered heteroaryl, $-CN$, $-O-C_{1-12}$ alkyl, $-O-(CH_2)_nC_{3-12}$ cycloalkyl, $-O-(CH_2)_nC_{6-12}$ aryl, $-O-(CH_2)_n(3-12 \text{ membered heteroalicyclic})$ or $-O-(CH_2)_n(5-12 \text{ membered heteroaryl})$; and each hydrogen in R^8 is optionally substituted by one or more R^{11} groups;

A^1 is $-(CR^9R^{10})_n-A^2$ except that:

(i) when R^1 is substituted or unsubstituted aryl or substituted or unsubstituted heteroaryl, A^1 is $-(CR^9R^{10})_n-A^2$ and n is not zero; and

(ii) when R^2 is H and A^1 is *m*-chlorobenzyl, R^1 is not unsubstituted piperazine;

each R^9 and R^{10} is independently hydrogen, halogen, C_{1-12} alkyl, C_{3-12} cycloalkyl, C_{6-12} aryl, 3-12 membered heteroalicyclic, 5-12 membered heteroaryl, $-S(O)_mR^4$, $-SO_2NR^4R^5$, $-S(O)_2OR^4$, $-NO_2$, $-NR^4R^5$, $-(CR^6R^7)_nOR^4$, $-CN$, $-C(O)R^4$, $-OC(O)R^4$, $-NR^4C(O)R^5$, $-(CR^6R^7)_nC(O)OR^4$, $-(CR^6R^7)_nNCR^4R^5$, $-NR^4C(O)NR^5R^6$, $-NR^4S(O)_pR^5$ or $-C(O)NR^4R^5$; R^9 and R^{10} may combine to form a C_{3-12} cycloalkyl, 3-12 membered heteroalicyclic, C_{6-12} aryl or 5-12 membered heteroaryl ring; and each hydrogen in R^9 and R^{10} is optionally substituted by one or more R^3 groups;

A^2 is C_{6-12} aryl, 5-12 membered heteroaryl, C_{3-12} cycloalkyl or 3-12 membered heteroalicyclic, and A^2 is optionally substituted by one or more R^3 groups;

each R^{11} is independently halogen, C_{1-12} alkyl, C_{1-12} alkoxy, C_{3-12} cycloalkyl, C_{6-12} aryl, 3-12 membered heteroalicyclic, 5-12 membered heteroaryl, $-O-C_{1-12}$ alkyl, $-O-(CH_2)_nC_{3-12}$ cycloalkyl, $-O-(CH_2)_nC_{6-12}$ aryl, $-O-(CH_2)_n(3-12 \text{ membered heteroalicyclic})$, $-O-(CH_2)_n(5-12 \text{ membered heteroaryl})$ or $-CN$, and each hydrogen in R^{11} is optionally substituted by one or more groups selected from halogen, $-OH$, $-CN$, $-C_{1-12}$ alkyl which may be partially or fully halogenated, $-O-C_{1-12}$ alkyl which may be partially or fully halogenated, $-CO$, $-SO$ and $-SO_2$;

R^1 and R^2 may be combined together to form a C_{6-12} aryl, 5-12 membered heteroaryl, C_{3-12} cycloalkyl or 3-12 membered heteroalicyclic group;


m is 0, 1 or 2;

n is 0, 1, 2, 3 or 4; and

p is 1 or 2;

or a pharmaceutically acceptable salt, solvate or hydrate thereof.

- 5 22. The compound of claim 21, wherein the compound has formula 3a



wherein A² is C₆₋₁₂ aryl or 5-12 membered heteroaryl optionally substituted by one or more R³ groups.

- 10 23. The compound of claim 22, wherein R¹ is selected from C₆₋₁₂ aryl and 5-12 membered heteroaryl, and each hydrogen in R¹ is optionally substituted by one or more R³ groups.

- 15 24. The compound of claim 22, wherein R¹ is selected from C₃₋₁₂ cycloalkyl, 3-12 membered heteroalicyclic, -O(CR⁶R⁷)_nR⁴, -C(O)R⁴, -C(O)OR⁴, -CN, -NO₂, -S(O)_mR⁴, -SO₂NR⁴R⁵, -C(O)NR⁴R⁵, -NR⁴C(O)R⁵, -C(=NR⁶)NR⁴R⁵, C₁₋₈ alkyl, C₂₋₈ alkenyl, and C₂₋₈ alkynyl; and each hydrogen in R¹ is optionally substituted by one or more R³ groups.

25. The compound of claim 22, wherein A² is substituted by at least one halogen atom.

- 20 26. The compound of claim 22, wherein R² is hydrogen, R⁹ and R¹⁰ are independently C₁₋₄ alkyl, and A² is phenyl substituted by at least one halogen atom.


- 25 27. The compound of claim 21, wherein R¹ is a furan, thiophene, pyrrole, pyrroline, pyrrolidine, dioxolane, oxazole, thiazole, imidazole, imidazoline, imidazolidine, pyrazole, pyrazoline, pyrazolidine, isoxazole, isothiazole, oxadiazole, triazole, thiadiazole, pyran, pyridine, piperidine, dioxane, morpholine, dithiane, thiomorpholine, pyridazine, pyrimidine, pyrazine, piperazine, triazine, trithiane or phenyl group, and each hydrogen in R¹ is optionally substituted by one or more R³ groups.

- 30 28. The compound of claim 21, wherein R¹ is a fused ring heteroaryl group, and each hydrogen in R¹ is optionally substituted by one or more R³ groups.

29. The compound of claim 21, wherein R¹ is a -SO₂NR⁴R⁵ group.

30. A compound of formula 4

- 283 -



wherein:

R^1 is selected from C_{6-12} aryl, 5-12 membered heteroaryl, C_{3-12} cycloalkyl, 3-12 membered heteroalicyclic, $-O(CR^6R^7)_nR^4$, $-C(O)R^4$, $-C(O)OR^4$, $-CN$, $-NO_2$, $-S(O)_mR^4$, $-SO_2NR^4R^5$, $-C(O)NR^4R^5$, $-NR^4C(O)R^5$, $-C(=NR^6)NR^4R^5$, C_{1-8} alkyl, C_{2-8} alkenyl, and C_{2-8} alkynyl; and each hydrogen in R^1 is optionally substituted by one or more R^3 groups;

R^3 is halogen, C_{1-12} alkyl, C_{2-12} alkenyl, C_{2-12} alkynyl, C_{3-12} cycloalkyl, C_{6-12} aryl, 3-12 membered heteroalicyclic, 5-12 membered heteroaryl, $-S(O)_mR^4$, $-SO_2NR^4R^5$, $-S(O)_2OR^4$, $-NO_2$, $-NR^4R^5$, $-(CR^6R^7)_nOR^4$, $-CN$, $-C(O)R^4$, $-OC(O)R^4$, $-O(CR^6R^7)_nR^4$, $-NR^4C(O)R^5$, $-(CR^6R^7)_nC(O)OR^4$, $-(CR^6R^7)_nNCR^4R^5$, $-C(=NR^6)NR^4R^5$, $-NR^4C(O)NR^5R^6$, $-NR^4S(O)_pR^5$ or $-C(O)NR^4R^5$, each hydrogen in R^3 is optionally substituted by one or more R^8 groups, and R^3 groups on adjacent atoms may combine to form a C_{6-12} aryl, 5-12 membered heteroaryl, C_{3-12} cycloalkyl or 3-12 membered heteroalicyclic group;

each R^4 , R^5 , R^6 and R^7 is independently hydrogen, halogen, C_{1-12} alkyl, C_{2-12} alkenyl, C_{2-12} alkynyl, C_{3-12} cycloalkyl, C_{6-12} aryl, 3-12 membered heteroalicyclic, 5-12 membered heteroaryl; or any two of R^4 , R^5 , R^6 and R^7 bound to the same nitrogen atom may, together with the nitrogen to which they are bound, be combined to form a 3 to 12 membered heteroalicyclic or 5-12 membered heteroaryl group optionally containing 1 to 3 additional heteroatoms selected from N, O, and S; or any two of R^4 , R^5 , R^6 and R^7 bound to the same carbon atom may be combined to form a C_{3-12} cycloalkyl, C_{6-12} aryl, 3-12 membered heteroalicyclic or 5-12 membered heteroaryl group; and each hydrogen in R^4 , R^5 , R^6 and R^7 is optionally substituted by one or more R^8 groups;

each R^8 is independently halogen, C_{1-12} alkyl, C_{2-12} alkenyl, C_{2-12} alkynyl, C_{3-12} cycloalkyl, C_{6-12} aryl, 3-12 membered heteroalicyclic, 5-12 membered heteroaryl, $-CN$, $-O-C_{1-12}$ alkyl, $-O-(CH_2)_nC_{3-12}$ cycloalkyl, $-O-(CH_2)_nC_{6-12}$ aryl, $-O-(CH_2)_n(3-12 \text{ membered heteroalicyclic})$ or $-O-(CH_2)_n(5-12 \text{ membered heteroaryl})$; and each hydrogen in R^8 is optionally substituted by one or more R^{11} groups;

each R^9 and R^{10} is independently hydrogen, halogen, C_{1-12} alkyl, C_{3-12} cycloalkyl, C_{6-12} aryl, 3-12 membered heteroalicyclic, 5-12 membered heteroaryl, $-S(O)_mR^4$, $-SO_2NR^4R^5$, $-S(O)_2OR^4$, $-NO_2$, $-NR^4R^5$, $-(CR^6R^7)_nOR^4$, $-CN$, $-C(O)R^4$, $-OC(O)R^4$, $-NR^4C(O)R^5$, $-(CR^6R^7)_nC(O)OR^4$, $-(CR^6R^7)_nNCR^4R^5$, $-NR^4C(O)NR^5R^6$, $-NR^4S(O)_pR^5$ or $-C(O)NR^4R^5$; R^9 and R^{10} may combine to form a C_{3-12} cycloalkyl, 3-12 membered heteroalicyclic, C_{6-12} aryl or 5-12 membered heteroaryl ring; and each hydrogen in R^9 and R^{10} is optionally substituted by one or more R^3 groups;

A^2 is C_{6-12} aryl, 5-12 membered heteroaryl, C_{3-12} cycloalkyl or 3-12 membered heteroalicyclic, and A^2 is optionally substituted by one or more R^3 groups;

- 284 -

each R^{11} is independently halogen, C_{1-12} alkyl, C_{1-12} alkoxy, C_{3-12} cycloalkyl, C_{6-12} aryl, 3-12 membered heteroalicyclic, 5-12 membered heteroaryl, $-O-C_{1-12}$ alkyl, $-O-(CH_2)_n C_{3-12}$ cycloalkyl, $-O-(CH_2)_n C_{6-12}$ aryl, $-O-(CH_2)_n$ (3-12 membered heteroalicyclic), $-O-(CH_2)_n$ (5-12 membered heteroaryl) or $-CN$, and each hydrogen in R^{11} is optionally substituted by one or more groups selected from halogen, $-OH$, $-CN$, $-C_{1-12}$ alkyl which may be partially or fully halogenated, $-O-C_{1-12}$ alkyl which may be partially or fully halogenated, $-CO$, $-SO$ and $-SO_2$;

m is 0, 1 or 2;


n is 0, 1, 2, 3 or 4; and

p is 1 or 2;

or a pharmaceutically acceptable salt, solvate or hydrate thereof.

31. The compound of claim 30, wherein A^2 is C_{6-12} aryl or 5-12 membered heteroaryl optionally substituted by one or more R^3 groups.

32. A compound of formula 5



wherein:

R^1 is selected from C_{6-12} aryl, 5-12 membered heteroaryl, C_{3-12} cycloalkyl, 3-12 membered heteroalicyclic, $-O(CR^6R^7)_n R^4$, $-C(O)R^4$, $-C(O)OR^4$, $-CN$, $-NO_2$, $-S(O)_m R^4$, $-SO_2NR^4R^5$, $-C(O)NR^4R^5$, $-NR^4C(O)R^5$, $-C(=NR^6)NR^4R^5$, C_{1-8} alkyl, C_{2-8} alkenyl, and C_{2-8} alkynyl; and each hydrogen in R^1 is optionally substituted by one or more R^3 groups;

R^3 is halogen, C_{1-12} alkyl, C_{2-12} alkenyl, C_{2-12} alkynyl, C_{3-12} cycloalkyl, C_{6-12} aryl, 3-12 membered heteroalicyclic, 5-12 membered heteroaryl, $-S(O)_m R^4$, $-SO_2NR^4R^5$, $-S(O)_2OR^4$, $-NO_2$, $-NR^4R^5$, $-(CR^6R^7)_n OR^4$, $-CN$, $-C(O)R^4$, $-OC(O)R^4$, $-O(CR^6R^7)_n R^4$, $-NR^4C(O)R^5$, $-(CR^6R^7)_n C(O)OR^4$, $-(CR^6R^7)_n NCR^4R^5$, $-C(=NR^6)NR^4R^5$, $-NR^4C(O)NR^5R^6$, $-NR^4S(O)_p R^5$ or $-C(O)NR^4R^5$, each hydrogen in R^3 is optionally substituted by one or more R^8 groups, and R^3 groups on adjacent atoms may combine to form a C_{6-12} aryl, 5-12 membered heteroaryl, C_{3-12} cycloalkyl or 3-12 membered heteroalicyclic group;

each R^4 , R^5 , R^6 and R^7 is independently hydrogen, halogen, C_{1-12} alkyl, C_{2-12} alkenyl, C_{2-12} alkynyl, C_{3-12} cycloalkyl, C_{6-12} aryl, 3-12 membered heteroalicyclic, 5-12 membered heteroaryl; or any two of R^4 , R^5 , R^6 and R^7 bound to the same nitrogen atom may, together with the nitrogen to which they are bound, be combined to form a 3 to 12 membered heteroalicyclic or 5-12 membered heteroaryl group optionally containing 1 to 3 additional heteroatoms selected from N, O, and S; or any two of R^4 , R^5 , R^6

and R^7 bound to the same carbon atom may be combined to form a C_{3-12} cycloalkyl, C_{6-12} aryl, 3-12 membered heteroalicyclic or 5-12 membered heteroaryl group; and each hydrogen in R^4 , R^5 , R^6 and R^7 is optionally substituted by one or more R^8 groups;

5 each R^8 is independently halogen, C_{1-12} alkyl, C_{2-12} alkenyl, C_{2-12} alkynyl, C_{3-12} cycloalkyl, C_{6-12} aryl, 3-12 membered heteroalicyclic, 5-12 membered heteroaryl, -CN, -O- C_{1-12} alkyl, -O-(CH_2) $_n$ C_{3-12} cycloalkyl, -O-(CH_2) $_n$ C_{6-12} aryl, -O-(CH_2) $_n$ (3-12 membered heteroalicyclic) or -O-(CH_2) $_n$ (5-12 membered heteroaryl); and each hydrogen in R^8 is optionally substituted by one or more R^{11} groups;

10 each R^9 and R^{10} is independently hydrogen, halogen, C_{1-12} alkyl, C_{3-12} cycloalkyl, C_{6-12} aryl, 3-12 membered heteroalicyclic, 5-12 membered heteroaryl, -S(O) $_m$ R^4 , -SO $_2$ NR 4 R 5 , -S(O) $_2$ OR 4 , -NO $_2$, -NR 4 R 5 , -(CR 6 R 7) $_n$ OR 4 , -CN, -C(O)R 4 , -OC(O)R 4 , -NR 4 C(O)R 5 , -(CR 6 R 7) $_n$ C(O)OR 4 , -(CR 6 R 7) $_n$ NCR 4 R 5 , -NR 4 C(O)NR 5 R 6 , -NR 4 S(O) $_p$ R 5 or -C(O)NR 4 R 5 ; R^9 and R^{10} may combine to form a C_{3-12} cycloalkyl, 3-12 membered heteroalicyclic, C_{6-12} aryl or 5-12 membered heteroaryl ring; and each hydrogen in R^9 and R^{10} is optionally substituted by one or more R^3 groups;

15 A^2 is C_{6-12} aryl, 5-12 membered heteroaryl, C_{3-12} cycloalkyl or 3-12 membered heteroalicyclic, and A^2 is optionally substituted by one or more R^3 groups; except that when R^2 , R^9 and R^{10} are all H and A^2 is m-chlorophenyl, R^1 is not unsubstituted piperazine;

20 each R^{11} is independently halogen, C_{1-12} alkyl, C_{1-12} alkoxy, C_{3-12} cycloalkyl, C_{6-12} aryl, 3-12 membered heteroalicyclic, 5-12 membered heteroaryl, -O- C_{1-12} alkyl, -O-(CH_2) $_n$ C_{3-12} cycloalkyl, -O-(CH_2) $_n$ C_{6-12} aryl, -O-(CH_2) $_n$ (3-12 membered heteroalicyclic), -O-(CH_2) $_n$ (5-12 membered heteroaryl) or -CN, and each hydrogen in R^{11} is optionally substituted by one or more groups selected from halogen, -OH, -CN, - C_{1-12} alkyl which may be partially or fully halogenated, -O- C_{1-12} alkyl which may be partially or fully halogenated, -CO, -SO and -SO $_2$;

m is 0, 1 or 2;

n is 0, 1, 2, 3 or 4; and

25 p is 1 or 2;


or a pharmaceutically acceptable salt, solvate or hydrate thereof.

33. The compound of claim 32, wherein A^2 is C_{6-12} aryl or 5-12 membered heteroaryl optionally substituted by one or more R^3 groups.

30

34. A compound of formula 6

- 286 -



wherein,

Z is CH or N;

- 5 Aryl is an optionally fused aryl or an optionally fused heteroaryl group which is optionally substituted by one or more substituents selected from the group consisting of a halogen, $-OR^{24}$, $-COR^{24}$, $-COOR^{24}$, $-CONR^{24}R^{25}$, $-CN$, $-NO_2$, $-S(O)_mR^{24}$, $-SO_2NR^{24}R^{25}$, perfluoroalkyl, lower alkyl, cycloalkyl, heterocycle, alkenyl, alkynyl, aryl, $-NR^{24}R^{25}$, $-NR^{24}C(O)R^{25}$ and $-NR^{24}S(O)_pR^{25}$;

- 10 R^{21} and R^{22} are independently selected from the group consisting of hydrogen, halogen, $-COR^{24}$, $-COOR^{24}$, $-CONR^{24}R^{25}$, $-CN$, perfluoroalkyl, lower alkyl, cycloalkyl, heterocycle, alkenyl, alkynyl, and aryl;

R^{23} is selected from the group consisting of:

- 15 an optionally fused aryl, heteroaryl, alicyclic or heterocyclic group, optionally substituted by one or more substituents selected from the group consisting of a halogen, $-(CH_2)_n-OR^{24}$, $-COR^{24}$, $-COOR^{24}$, $-CONR^{24}R^{25}$, $-CN$, $-NO_2$, $-S(O)_mR^{24}$, $-SO_2NR^{24}R^{25}$, perfluoroalkyl, $-O$ -perfluoroalkyl, lower alkyl, cycloalkyl, heterocycle, heteroaryl, alkenyl, alkynyl, aryl, $-(CH_2)_n-NR^{24}R^{25}$, $-NR^{24}C(O)R^{25}$ and $-NR^{24}S(O)_pR^{25}$, wherein said heterocycle, heteroaryl and aryl substituents may be optionally substituted by a group selected from the group consisting of lower alkyl, halogen, $-C(O)NR^{24}R^{25}$, $NR^{24}R^{25}$, $NR^{24}C(O)R^{25}$ and $NR^{24}S(O)_pR^{25}$;

- 20 $-OR^{24}$, $-COR^{24}$, $-COOR^{24}$, $-CN$, $-NO_2$, $-S(O)_mR^{24}$, $-SO_2NR^{24}R^{25}$, perfluoroalkyl, cycloalkyl, heterocycle, alkenyl, and alkynyl;

- R^{24} and R^{25} are independently selected from the group consisting of hydrogen, lower alkyl, cycloalkyl, alkenyl, alkynyl, aryl, aminoalkyl, alkylaminoalkyl, alkylaminocycloalkyl, dialkylaminoalkyl and $-(CH_2)_n$ -heterocycle, wherein said $-(CH_2)_n$ -heterocycle may be further substituted by one or more of
25 lower alkyl, $-(CH_2)_n$ -hydroxy, heterocycle and $-C(O)R^{26}$;

or R^{24} and R^{25} can combine to form a 5- to 6-membered heterocyclic ring having one or more heteroatoms selected from the group consisting of N, O, S, S(O) and SO_2 , said 5- to 6-membered heterocyclic ring may be optionally substituted by lower alkyl, $-(CH_2)_n$ -heterocycle, cycloalkyl, halo, $-(CH_2)_n-NR^{26}R^{27}$, amino, $-C(O)R^{26}$, $-NR^{26}-C(O)OR^{27}$ and $-NR^{26}-C(O)R^{27}$;

- 30 wherein R^{26} and R^{27} are independently selected from the group consisting of hydrogen, lower alkyl, $-(CH_2)_n$ -cycloalkyl and $-C(O)-(CH_2)_n-OH$;

except that when Z is N and R²¹ and R²² are H and Aryl is m-chlorophenyl, R²³ is not piperazine;

m is 0, 1 or 2;

n is 0, 1, 2 or 3;

p is 1 or 2;

5 or a pharmaceutically acceptable salt thereof.

35. The compound of claim 34, wherein R²³ is aryl or heteroaryl.

36. A compound selected from the group consisting of: 4-[6-amino-5-(2,6-dichloro-benzyloxy)-pyridin-3-yl]-phenol; 3-(2,6-dichloro-benzyloxy)-5-[4-(2-morpholin-4-yl-ethoxy)-phenyl]-pyridin-2-ylamine; 3-(2,6-dichloro-benzyloxy)-5-[3-(2-morpholin-4-yl-ethoxy)-phenyl]-pyridin-2-ylamine; 3-(2,6-dichloro-benzyloxy)-5-(1H-indol-4-yl)-pyridin-2-ylamine; 3-[2-chloro-6-(1H-indol-4-yl)-benzyloxy]-5-(1H-indol-4-yl)-pyridin-2-ylamine; 2-[6-amino-5-(2,6-dichloro-benzyloxy)-pyridin-3-yl]-pyrrole-1-carboxylic acid tert-butyl ester; 3-(2,6-dichloro-benzyloxy)-5-(1H-pyrrol-2-yl)-pyridin-2-ylamine; 3-(2,6-dichloro-benzyloxy)-5-(4-fluoro-phenyl)-pyridin-2-ylamine; 3-(2,6-dichloro-benzyloxy)-5-phenyl-pyridin-2-ylamine; 3-(2,6-dichloro-benzyloxy)-5-(2-fluoro-phenyl)-pyridin-2-ylamine; 3-(2,6-dichloro-benzyloxy)-5-(3-fluoro-phenyl)-pyridin-2-ylamine; 5-(4-amino-phenyl)-3-(2,6-dichloro-benzyloxy)-pyridin-2-ylamine; N-[4-[6-amino-5-(2,6-dichloro-benzyloxy)-pyridin-3-yl]-phenyl]-methanesulfonamide; N-[4-[6-amino-5-(2,6-dichloro-benzyloxy)-pyridin-3-yl]-phenyl]-acetamide; 3-[6-amino-5-(2,6-dichloro-benzyloxy)-pyridin-3-yl]-phenol; 3-(2,6-dichloro-benzyloxy)-5-(4-methoxy-phenyl)-pyridin-2-ylamine; 5-(3-amino-phenyl)-3-(2,6-dichloro-benzyloxy)-pyridin-2-ylamine; 3-(2,6-dichloro-benzyloxy)-5-(3-trifluoromethoxy-phenyl)-pyridin-2-ylamine; 2-[6-amino-5-(2,6-dichloro-benzyloxy)-pyridin-3-yl]-phenol; 3-(2,6-dichloro-benzyloxy)-5-(2-phenoxy-phenyl)-pyridin-2-ylamine; 3-(2,6-dichloro-benzyloxy)-5-(3,4-difluoro-phenyl)-pyridin-2-ylamine; 3-(2,6-dichloro-benzyloxy)-5-(3-isopropyl-phenyl)-pyridin-2-ylamine; 3-(2,6-dichloro-benzyloxy)-5-(2-trifluoromethyl-phenyl)-pyridin-2-ylamine; 3-(2,6-dichloro-benzyloxy)-5-(2-methoxy-phenyl)-pyridin-2-ylamine; 3-(2,6-dichloro-benzyloxy)-5-(4-trifluoromethyl-phenyl)-pyridin-2-ylamine; N-[2-[6-amino-5-(2,6-dichloro-benzyloxy)-pyridin-3-yl]-phenyl]-methanesulfonamide; {4-[6-amino-5-(2,6-dichloro-benzyloxy)-pyridin-3-yl]-phenyl}-methanol; 5-benzo[1,3]dioxol-5-yl-3-(2,6-dichloro-benzyloxy)-pyridin-2-ylamine; 3-(2,6-dichloro-benzyloxy)-5-(2-trifluoromethoxy-phenyl)-pyridin-2-ylamine; 3-(2,6-dichloro-benzyloxy)-5-(4-methyl-thiophen-2-yl)-pyridin-2-ylamine; 5-(2-benzyloxy-phenyl)-3-(2,6-dichloro-benzyloxy)-pyridin-2-ylamine; 3-(2,6-dichloro-benzyloxy)-5-(3-methoxy-phenyl)-pyridin-2-ylamine; 3-(2,6-dichloro-benzyloxy)-5-(1H-indol-2-yl)-pyridin-2-ylamine; 5-(4-benzyloxy-3-fluoro-phenyl)-3-(2,6-dichloro-benzyloxy)-pyridin-2-ylamine; 4-[6-amino-5-(2,6-dichloro-benzyloxy)-pyridin-3-yl]-benzoic acid; 4-[6-amino-5-(2,6-dichloro-benzyloxy)-pyridin-3-yl]-N-(2-diethylamino-ethyl)-benzamide; 4-[6-amino-5-(2,6-dichloro-benzyloxy)-pyridin-3-yl]-N-(3-diethylamino-propyl)-benzamide; {4-[6-amino-5-(2,6-dichloro-benzyloxy)-pyridin-3-yl]-phenyl}-(4-methyl-piperazin-1-yl)-methanone; {4-[6-amino-5-(2,6-dichloro-benzyloxy)-pyridin-3-yl]-phenyl}-[(2R)-2-pyrrolidin-1-ylmethyl-pyrrolidin-1-yl]-methanone; {4-[6-amino-5-(2,6-dichloro-benzyloxy)-pyridin-3-yl]-phenyl}-[(2S)-2-pyrrolidin-1-ylmethyl-pyrrolidin-1-yl]-methanone; {4-[6-amino-5-(2,6-dichloro-benzyloxy)-pyridin-3-yl]-phenyl}-(4-pyrrolidin-1-yl-piperidin-1-yl)-methanone; {4-[6-amino-5-(2,6-

- dichloro-benzyloxy)-pyridin-3-yl]-phenyl)-[4-(2-hydroxy-ethyl)-piperidin-1-yl]-methanone; {4-[6-amino-5-(2,6-dichloro-benzyloxy)-pyridin-3-yl]-phenyl}-[(3*S*)-3-dimethylamino-pyrrolidin-1-yl]-methanone; {4-[6-amino-5-(2,6-dichloro-benzyloxy)-pyridin-3-yl]-phenyl}-[(3*R*)-3-dimethylamino-pyrrolidin-1-yl]-methanone; {4-[6-amino-5-(2,6-dichloro-benzyloxy)-pyridin-3-yl]-phenyl}-[(3*S*)-3-cyclopropylaminomethyl-piperidin-1-yl]-methanone; 4-[6-amino-5-(2,6-dichloro-benzyloxy)-pyridin-3-yl]-*N*-(2-hydroxy-3-pyrrolidin-1-yl-propyl)-benzamide; {4-[6-amino-5-(2,6-dichloro-benzyloxy)-pyridin-3-yl]-phenyl}-[(2*S*)-2-(3-fluoro-piperidin-1-ylmethyl)-pyrrolidin-1-yl]-methanone; {4-[6-amino-5-(2,6-dichloro-benzyloxy)-pyridin-3-yl]-phenyl}-[4-cyclopropyl-piperazin-1-yl]-methanone; {4-[6-amino-5-(2,6-dichloro-benzyloxy)-pyridin-3-yl]-phenyl}-[(2*R*)-2-[(cyclopropylmethyl-amino)-methyl]-pyrrolidin-1-yl]-methanone; 4-[6-amino-5-(2,6-dichloro-benzyloxy)-pyridin-3-yl]-*N*-cyclopropylmethyl-*N*-(2*R*)-pyrrolidin-2-ylmethyl-benzamide; 4-[6-amino-5-(2,6-dichloro-benzyloxy)-pyridin-3-yl]-*N*-(2-hydroxy-3-pyrrolidin-1-yl-propyl)-*N*-methyl-benzamide; {4-[6-amino-5-(2,6-dichloro-benzyloxy)-pyridin-3-yl]-phenyl}-[(2*S*)-2-[(3*R*)-3-hydroxy-pyrrolidin-1-ylmethyl]-pyrrolidin-1-yl]-methanone; 3-[6-amino-5-(2,6-dichloro-benzyloxy)-pyridin-3-yl]-benzoic acid; {3-[6-amino-5-(2,6-dichloro-benzyloxy)-pyridin-3-yl]-phenyl}-[(2*R*)-2-pyrrolidin-1-ylmethyl-pyrrolidin-1-yl]-methanone; {4-[6-amino-5-(2,6-dichloro-benzyloxy)-pyridin-3-yl]-phenoxy}-acetic acid; 2-{4-[6-amino-5-(2,6-dichloro-benzyloxy)-pyridin-3-yl]-phenoxy}-1-[(2*R*)-2-pyrrolidin-1-ylmethyl-pyrrolidin-1-yl]-ethanone; 2-{4-[6-amino-5-(2,6-dichloro-benzyloxy)-pyridin-3-yl]-phenoxy}-1-[(2*S*)-2-pyrrolidin-1-ylmethyl-pyrrolidin-1-yl]-ethanone; 3-(2,6-dichloro-benzyloxy)-5-(1*H*-indol-5-yl)-pyridin-2-ylamine; 3-(2,6-dichloro-benzyloxy)-5-[3-(1-methyl-1,2,3,6-tetrahydro-pyridin-4-yl)-1*H*-indol-5-yl]-pyridin-2-ylamine; 3-(2,6-dichloro-benzyloxy)-5-[3-(1-methyl-piperidin-4-yl)-1*H*-indol-5-yl]-pyridin-2-ylamine; 3-(2,6-dichloro-benzyloxy)-5-(3-morpholin-4-ylmethyl-1*H*-indol-5-yl)-pyridin-2-ylamine; 3-(2,6-dichloro-benzyloxy)-5-(3-piperidin-1-ylmethyl-1*H*-indol-5-yl)-pyridin-2-ylamine; 3-(2,6-dichloro-benzyloxy)-5-(3-pyrrolidin-1-ylmethyl-1*H*-indol-5-yl)-pyridin-2-ylamine; 3-(2,6-dichloro-benzyloxy)-5-(3-diethylaminomethyl-1*H*-indol-5-yl)-pyridin-2-ylamine; (1-{5-[6-amino-5-(2,6-dichloro-benzyloxy)-pyridin-3-yl]-1*H*-indol-3-ylmethyl})-(3*R*)-pyrrolidin-3-yl)-carbamic acid *tert*-butyl ester; 3-(2,6-dichloro-benzyloxy)-5-[3-(2,6-dimethyl-morpholin-4-ylmethyl)-1*H*-indol-5-yl]-pyridin-2-ylamine; *N*-(1-{5-[6-amino-5-(2,6-dichloro-benzyloxy)-pyridin-3-yl]-1*H*-indol-3-ylmethyl})-(3*R*)-pyrrolidin-3-yl)-acetamide; 1-(4-{5-[6-amino-5-(2,6-dichloro-benzyloxy)-pyridin-3-yl]-1*H*-indol-3-ylmethyl})-piperazin-1-yl)-ethanone; 3-(2-chloro-3,6-difluoro-benzyloxy)-5-(1*H*-indol-5-yl)-pyridin-2-ylamine; 1-(4-{5-[6-amino-5-(2-chloro-3,6-difluoro-benzyloxy)-pyridin-3-yl]-1*H*-indol-3-ylmethyl})-piperazin-1-yl)-ethanone; 3-(2-chloro-3,6-difluoro-benzyloxy)-5-[3-(2,6-dimethyl-morpholin-4-ylmethyl)-1*H*-indol-5-yl]-pyridin-2-ylamine; *N*-(1-{5-[6-amino-5-(2-chloro-3,6-difluoro-benzyloxy)-pyridin-3-yl]-1*H*-indol-3-ylmethyl})-(3*S*)-pyrrolidin-3-yl)-acetamide; 3-(2-chloro-3,6-difluoro-benzyloxy)-5-(3-piperidin-1-ylmethyl-1*H*-indol-5-yl)-pyridin-2-ylamine; 3-(2-chloro-3,6-difluoro-benzyloxy)-5-(3-morpholin-4-ylmethyl-1*H*-indol-5-yl)-pyridin-2-ylamine; 3-(2-chloro-3,6-difluoro-benzyloxy)-5-(3-pyrrolidin-1-ylmethyl-1*H*-indol-5-yl)-pyridin-2-ylamine; 5-[6-amino-5-(2,6-dichloro-benzyloxy)-pyridin-3-yl]-1*H*-indole-2-carboxylic acid ethyl ester; 5-[6-amino-5-(2,6-dichloro-benzyloxy)-pyridin-3-yl]-1*H*-indole-2-carboxylic acid; {5-[6-amino-5-(2,6-dichloro-benzyloxy)-pyridin-3-yl]-1*H*-indol-2-yl}-[4-methyl-piperazin-1-yl]-methanone; {5-[6-amino-5-(2,6-dichloro-benzyloxy)-pyridin-3-yl]-1*H*-indol-2-yl}-[(3*R*)-3-dimethylamino-pyrrolidin-1-yl]-methanone; {5-[6-amino-5-(2,6-dichloro-benzyloxy)-pyridin-3-yl]-1*H*-indol-2-yl}-[(2*R*)-2-pyrrolidin-1-ylmethyl-

pyrrolidin-1-yl]-methanone; 5-[6-amino-5-(2,6-dichloro-benzyloxy)-pyridin-3-yl]-1*H*-indole-2-carboxylic acid (2-pyrrolidin-1-yl-ethyl)-amide; 5-[6-amino-5-(2,6-dichloro-benzyloxy)-pyridin-3-yl]-1*H*-indole-2-carboxylic acid (2-morpholin-4-yl-ethyl)-amide; (1-[5-[6-amino-5-(2,6-dichloro-benzyloxy)-pyridin-3-yl]-1*H*-indole-2-carbonyl]-(3*S*)-pyrrolidin-3-yl)-carbamic acid *tert*-butyl ester; {5-[6-amino-5-(2,6-dichloro-benzyloxy)-pyridin-3-yl]-1*H*-indol-2-yl}-[(3*S*)-3-amino-pyrrolidin-1-yl]-methanone; 5-[6-amino-5-(2,6-dichloro-benzyloxy)-pyridin-3-yl]-1*H*-indole-2-carboxylic acid (2-hydroxy-3-pyrrolidin-1-yl-propyl)-amide; 4-(6-amino-5-benzyloxy-pyridin-3-yl)-phenol; 3-benzyloxy-5-phenyl-pyridin-2-ylamine; 3-(3-methoxy-benzyloxy)-5-phenyl-pyridin-2-ylamine; 3-(2-chloro-4-fluoro-benzyloxy)-5-phenyl-pyridin-2-ylamine; 3-(2-chloro-benzyloxy)-5-phenyl-pyridin-2-ylamine; 3-(2,5-dichloro-benzyloxy)-5-phenyl-pyridin-2-ylamine; 3-(2-chloro-5-trifluoromethyl-benzyloxy)-5-phenyl-pyridin-2-ylamine; 3-(2,4-dichloro-5-fluoro-benzyloxy)-5-phenyl-pyridin-2-ylamine; 3-(2-chloro-3-trifluoromethyl-benzyloxy)-5-phenyl-pyridin-2-ylamine; 3-(2-chloro-3,6-difluoro-benzyloxy)-5-phenyl-pyridin-2-ylamine; 3-(3,4-dichloro-benzyloxy)-5-phenyl-pyridin-2-ylamine; 2-(2-amino-5-phenyl-pyridin-3-yloxymethyl)-benzonitrile; 3-(2-chloro-6-fluoro-3-methyl-benzyloxy)-5-phenyl-pyridin-2-ylamine; 5-Phenyl-3-(2,3,6-trifluoro-benzyloxy)-pyridin-2-ylamine; 3-(2,6-difluoro-benzyloxy)-5-phenyl-pyridin-2-ylamine; 3-(2,6-difluoro-3-methyl-benzyloxy)-5-phenyl-pyridin-2-ylamine; 3-(3-chloro-2,6-difluoro-benzyloxy)-5-phenyl-pyridin-2-ylamine; 3-(2-chloro-6-fluoro-benzyloxy)-5-phenyl-pyridin-2-ylamine; 3-(3-Fluoro-4-methoxy-benzyloxy)-5-phenyl-pyridin-2-ylamine; *N*-[3-(2-amino-5-phenyl-pyridin-3-yloxymethyl)-phenyl]-methanesulfonamide; 5-[4-(2-morpholin-4-yl-ethoxy)-phenyl]-3-(3-nitro-benzyloxy)-pyridin-2-ylamine; 5-[4-(2-morpholin-4-yl-ethoxy)-phenyl]-3-(naphthalen-1-ylmethoxy)-pyridin-2-ylamine; 3-(2-chloro-3,6-difluoro-benzyloxy)-5-[4-(2-morpholin-4-yl-ethoxy)-phenyl]-pyridin-2-ylamine; 2-{2-amino-5-[4-(2-morpholin-4-yl-ethoxy)-phenyl]-pyridin-3-yloxy}-*N*-(4-isopropyl-phenyl)-2-phenyl-acetamide; 3-(5-chloro-benzo[*b*]thiophen-3-ylmethoxy)-5-[4-(2-morpholin-4-yl-ethoxy)-phenyl]-pyridin-2-ylamine; {4-[6-amino-5-(4-fluoro-2-trifluoromethyl-benzyloxy)-pyridin-3-yl]-phenyl}-[(2*R*)-2-pyrrolidin-1-ylmethyl-pyrrolidin-1-yl]-methanone; {4-[6-amino-5-(2-fluoro-6-trifluoromethyl-benzyloxy)-pyridin-3-yl]-phenyl}-[(2*R*)-2-pyrrolidin-1-ylmethyl-pyrrolidin-1-yl]-methanone; {4-[6-amino-5-(5-fluoro-2-trifluoromethyl-benzyloxy)-pyridin-3-yl]-phenyl}-[(2*R*)-2-pyrrolidin-1-ylmethyl-pyrrolidin-1-yl]-methanone; (4-[6-amino-5-[1-(2-trifluoromethyl-phenyl)-ethoxy]-pyridin-3-yl]-phenyl)-[(2*R*)-2-pyrrolidin-1-ylmethyl-pyrrolidin-1-yl]-methanone; {4-[6-amino-5-(2-bromo-benzyloxy)-pyridin-3-yl]-phenyl}-[(2*R*)-2-pyrrolidin-1-ylmethyl-pyrrolidin-1-yl]-methanone; {4-[6-amino-5-(3-fluoro-2-trifluoromethyl-benzyloxy)-pyridin-3-yl]-phenyl}-[(2*R*)-2-pyrrolidin-1-ylmethyl-pyrrolidin-1-yl]-methanone; {4-[6-amino-5-(2-chloro-3,6-difluoro-benzyloxy)-pyridin-3-yl]-phenyl}-[(2*R*)-2-pyrrolidin-1-ylmethyl-pyrrolidin-1-yl]-methanone; 4-[6-amino-5-(2,6-difluoro-benzyloxy)-pyridin-3-yl]-phenol; 3-(2,6-difluoro-benzyloxy)-5-(1*H*-indol-4-yl)-pyridin-2-ylamine; 3-(2,6-difluoro-benzyloxy)-5-[4-(2-morpholin-4-yl-ethoxy)-phenyl]-pyridin-2-ylamine; 4-[6-amino-5-(2,6-difluoro-benzyloxy)-pyridin-3-yl]-benzoic acid; {4-[6-amino-5-(2,6-difluoro-benzyloxy)-pyridin-3-yl]-phenyl}-[(2*R*)-2-pyrrolidin-1-ylmethyl-pyrrolidin-1-yl]-methanone; {4-[6-amino-5-(2,6-difluoro-benzyloxy)-pyridin-3-yl]-phenyl}-[(2*S*)-2-pyrrolidin-1-ylmethyl-pyrrolidin-1-yl]-methanone; {4-[6-amino-5-(2,6-difluoro-benzyloxy)-pyridin-3-yl]-phenoxy}-acetic acid ethyl ester; {4-[6-amino-5-(2,6-difluoro-benzyloxy)-pyridin-3-yl]-phenoxy}-acetic acid; 2-{4-[6-amino-5-(2,6-difluoro-benzyloxy)-pyridin-3-yl]-phenoxy}-1-[(2*R*)-2-pyrrolidin-1-ylmethyl-pyrrolidin-1-yl]-ethanone; 2-{4-[6-amino-5-(2,6-difluoro-

benzyloxy)-pyridin-3-yl]-phenoxy}-1-[(2*S*)-2-pyrrolidin-1-ylmethyl-pyrrolidin-1-yl]-ethanone; 4-[6-amino-5-(2-chloro-6-fluoro-benzyloxy)-pyridin-3-yl]-phenol; 4-[6-amino-5-(2-chloro-4-fluoro-benzyloxy)-pyridin-3-yl]-phenol; 4-[6-amino-5-(2,4-dichloro-benzyloxy)-pyridin-3-yl]-phenol; 2-[2-amino-5-(4-hydroxy-phenyl)-pyridin-3-yloxymethyl]-benzonitrile; 4-[6-amino-5-(2-trifluoromethyl-benzyloxy)-pyridin-3-yl]-phenol; 4-[6-amino-5-(2-chloro-benzyloxy)-pyridin-3-yl]-phenol; 4-[6-amino-5-(4-*tert*-butyl-benzyloxy)-pyridin-3-yl]-phenol; *N*-{4-[6-amino-5-(2-cyano-benzyloxy)-pyridin-3-yl]-phenyl}-methanesulfonamide; 2-[2-amino-5-(4-methanesulfonylamino-phenyl)-pyridin-3-yloxymethyl]-benzamide; 2-[2-amino-5-(4-methanesulfonylamino-phenyl)-pyridin-3-yloxymethyl]-benzoic acid; *N*-{4-[6-amino-5-[2-(4-methyl-piperazine-1-carbonyl)-benzyloxy]-pyridin-3-yl]-phenyl}-methanesulfonamide; 2-[2-amino-5-(4-methanesulfonylamino-phenyl)-pyridin-3-yloxymethyl]-*N*-(2-hydroxy-ethyl)-benzamide; 2-[2-amino-5-(4-methanesulfonylamino-phenyl)-pyridin-3-yloxymethyl]-*N*-isobutyl-benzamide; 4-[6-amino-5-(2-chloro-6-fluoro-benzyloxy)-pyridin-3-yl]-benzoic acid; {4-[6-amino-5-(2-chloro-6-fluoro-benzyloxy)-pyridin-3-yl]-phenyl}-[(2*R*)-2-pyrrolidin-1-ylmethyl-pyrrolidin-1-yl]-methanone; {4-[6-amino-5-(2-chloro-6-fluoro-benzyloxy)-pyridin-3-yl]-phenyl}-[(2*S*)-2-pyrrolidin-1-ylmethyl-pyrrolidin-1-yl]-methanone; {4-[6-amino-5-(2-chloro-6-fluoro-benzyloxy)-pyridin-3-yl]-phenyl}-[(3*S*)-3-dimethylamino-pyrrolidin-1-yl]-methanone; {4-[6-amino-5-(2-chloro-6-fluoro-benzyloxy)-pyridin-3-yl]-phenyl}-[(3*S*)-3-amino-pyrrolidin-1-yl]-methanone; {4-[6-amino-5-(2-chloro-6-fluoro-benzyloxy)-pyridin-3-yl]-phenyl}-[(4-methyl-piperazin-1-yl)-methanone; 1-(4-[4-[6-amino-5-(2-chloro-6-fluoro-benzyloxy)-pyridin-3-yl]-benzoyl]-piperazin-1-yl)-ethanone; 4-[6-amino-5-(2-chloro-6-fluoro-benzyloxy)-pyridin-3-yl]-*N*-(2-morpholin-4-yl-ethyl)-benzamide; 4-[6-amino-5-(2-chloro-6-fluoro-benzyloxy)-pyridin-3-yl]-*N*-(3-morpholin-4-yl-propyl)-benzamide; 4-[6-amino-5-(2-chloro-benzyloxy)-pyridin-3-yl]-benzoic acid; {4-[6-amino-5-(2-chloro-benzyloxy)-pyridin-3-yl]-phenyl}-[(2*R*)-2-pyrrolidin-1-ylmethyl-pyrrolidin-1-yl]-methanone; {4-[6-amino-5-(2-chloro-benzyloxy)-pyridin-3-yl]-phenyl}-[(2*S*)-2-pyrrolidin-1-ylmethyl-pyrrolidin-1-yl]-methanone; {4-[6-amino-5-(2-chloro-benzyloxy)-pyridin-3-yl]-phenyl}-[(3*S*)-3-dimethylamino-pyrrolidin-1-yl]-methanone; {4-[6-amino-5-(2-chloro-benzyloxy)-pyridin-3-yl]-phenyl}-[(3*S*)-3-amino-pyrrolidin-1-yl]-methanone; {4-[6-amino-5-(2-chloro-benzyloxy)-pyridin-3-yl]-phenyl}-[(4-pyrrolidin-1-yl-piperidin-1-yl)-methanone; {4-[6-amino-5-(2-chloro-benzyloxy)-pyridin-3-yl]-phenyl}-[(4-methyl-piperazin-1-yl)-methanone; 1-(4-[4-[6-amino-5-(2-chloro-benzyloxy)-pyridin-3-yl]-benzoyl]-piperazin-1-yl)-ethanone; 4-[6-amino-5-(2-chloro-benzyloxy)-pyridin-3-yl]-*N*-(2-morpholin-4-yl-ethyl)-benzamide; 4-[6-amino-5-(2-chloro-benzyloxy)-pyridin-3-yl]-*N*-(3-morpholin-4-yl-propyl)-benzamide; 4-[6-amino-5-(2-cyano-benzyloxy)-pyridin-3-yl]-benzoic acid; 2-{2-amino-5-[4-((2*R*)-2-pyrrolidin-1-ylmethyl-pyrrolidine-1-carbonyl)-phenyl]-pyridin-3-yloxymethyl}-benzonitrile; 2-{2-amino-5-[4-((2*S*)-2-pyrrolidin-1-ylmethyl-pyrrolidine-1-carbonyl)-phenyl]-pyridin-3-yloxymethyl}-benzonitrile; 2-{2-amino-5-[4-((3*S*)-3-dimethylamino-pyrrolidine-1-carbonyl)-phenyl]-pyridin-3-yloxymethyl}-benzonitrile; 2-{2-amino-5-[4-((3*S*)-3-amino-pyrrolidine-1-carbonyl)-phenyl]-pyridin-3-yloxymethyl}-benzonitrile; 2-{2-amino-5-[4-(4-pyrrolidin-1-yl-piperidine-1-carbonyl)-phenyl]-pyridin-3-yloxymethyl}-benzonitrile; 2-{2-amino-5-[4-(4-methyl-piperazine-1-carbonyl)-phenyl]-pyridin-3-yloxymethyl}-benzonitrile; 2-{5-[4-(4-acetyl-piperazine-1-carbonyl)-phenyl]-2-amino-pyridin-3-yloxymethyl}-benzonitrile; 4-[6-amino-5-(2-cyano-benzyloxy)-pyridin-3-yl]-*N*-(1-methyl-piperidin-4-yl)-benzamide; 4-[6-amino-5-(2-cyano-benzyloxy)-pyridin-3-yl]-*N*-(2-morpholin-4-yl-ethyl)-benzamide; 4-[6-

amino-5-(2-cyano-benzyloxy)-pyridin-3-yl]-N-(3-morpholin-4-yl-propyl)-benzamide; 4-[6-amino-5-(2,4-dichloro-benzyloxy)-pyridin-3-yl]-benzoic acid; {4-[6-amino-5-(2,4-dichloro-benzyloxy)-pyridin-3-yl]-phenyl}-[(2*R*)-2-pyrrolidin-1-ylmethyl-pyrrolidin-1-yl]-methanone; {4-[6-amino-5-(2,4-dichloro-benzyloxy)-pyridin-3-yl]-phenyl}-[(2*S*)-2-pyrrolidin-1-ylmethyl-pyrrolidin-1-yl]-methanone; {4-[6-amino-5-(2,4-dichloro-benzyloxy)-pyridin-3-yl]-phenyl}-[(3*S*)-3-dimethylamino-pyrrolidin-1-yl]-methanone; {4-[6-amino-5-(2,4-dichloro-benzyloxy)-pyridin-3-yl]-phenyl}-[(3*S*)-3-amino-pyrrolidin-1-yl]-methanone; {4-[6-amino-5-(2,4-dichloro-benzyloxy)-pyridin-3-yl]-phenyl}-(4-pyrrolidin-1-yl-piperidin-1-yl)-methanone; {4-[6-amino-5-(2,4-dichloro-benzyloxy)-pyridin-3-yl]-phenyl}-(4-methyl-piperazin-1-yl)-methanone; 1-(4-{4-[6-amino-5-(2,4-dichloro-benzyloxy)-pyridin-3-yl]-benzoyl}-piperazin-1-yl)-ethanone; 4-[6-amino-5-(2,4-dichloro-benzyloxy)-pyridin-3-yl]-N-(1-methyl-piperidin-4-yl)-benzamide; 4-[6-amino-5-(2,4-dichloro-benzyloxy)-pyridin-3-yl]-N-(2-morpholin-4-yl-ethyl)-benzamide; 4-[6-amino-5-(2,4-dichloro-benzyloxy)-pyridin-3-yl]-N-(3-morpholin-4-yl-propyl)-benzamide; 4-[6-amino-5-(2-trifluoromethyl-benzyloxy)-pyridin-3-yl]-benzoic acid; {4-[6-amino-5-(2-trifluoromethyl-benzyloxy)-pyridin-3-yl]-phenyl}-[(2*R*)-2-pyrrolidin-1-ylmethyl-pyrrolidin-1-yl]-methanone; {4-[6-amino-5-(2-trifluoromethyl-benzyloxy)-pyridin-3-yl]-phenyl}-[(2*S*)-2-pyrrolidin-1-ylmethyl-pyrrolidin-1-yl]-methanone; {4-[6-amino-5-(2-trifluoromethyl-benzyloxy)-pyridin-3-yl]-phenyl}-[(3*S*)-3-dimethylamino-pyrrolidin-1-yl]-methanone; [(3*S*)-3-amino-pyrrolidin-1-yl]-{4-[6-amino-5-(2-trifluoromethyl-benzyloxy)-pyridin-3-yl]-phenyl}-methanone; {4-[6-amino-5-(2-trifluoromethyl-benzyloxy)-pyridin-3-yl]-phenyl}-(4-pyrrolidin-1-yl-piperidin-1-yl)-methanone; {4-[6-amino-5-(2-trifluoromethyl-benzyloxy)-pyridin-3-yl]-phenyl}-(4-methyl-piperazin-1-yl)-methanone; 1-(4-{4-[6-amino-5-(2-trifluoromethyl-benzyloxy)-pyridin-3-yl]-benzoyl}-piperazin-1-yl)-ethanone; 4-[6-amino-5-(2-trifluoromethyl-benzyloxy)-pyridin-3-yl]-N-(1-methyl-piperidin-4-yl)-benzamide; 4-[6-amino-5-(2-trifluoromethyl-benzyloxy)-pyridin-3-yl]-N-(2-morpholin-4-yl-ethyl)-benzamide; 4-[6-amino-5-(2-trifluoromethyl-benzyloxy)-pyridin-3-yl]-N-(3-morpholin-4-yl-propyl)-benzamide; 4-[6-amino-5-(4-*tert*-butyl-benzyloxy)-pyridin-3-yl]-benzoic acid; {4-[6-amino-5-(4-*tert*-butyl-benzyloxy)-pyridin-3-yl]-phenyl}-[(2*R*)-2-pyrrolidin-1-ylmethyl-pyrrolidin-1-yl]-methanone; {4-[6-amino-5-(4-*tert*-butyl-benzyloxy)-pyridin-3-yl]-phenyl}-[(2*S*)-2-pyrrolidin-1-ylmethyl-pyrrolidin-1-yl]-methanone; {4-[6-amino-5-(4-*tert*-butyl-benzyloxy)-pyridin-3-yl]-phenyl}-[(3*R*)-3-dimethylamino-pyrrolidin-1-yl]-methanone; {4-[6-amino-5-(4-*tert*-butyl-benzyloxy)-pyridin-3-yl]-phenyl}-(4-methyl-piperazin-1-yl)-methanone; 1-(4-{4-[6-amino-5-(4-*tert*-butyl-benzyloxy)-pyridin-3-yl]-benzoyl}-piperazin-1-yl)-ethanone; 4-[6-amino-5-(4-*tert*-butyl-benzyloxy)-pyridin-3-yl]-N-(1-methyl-piperidin-4-yl)-benzamide; 4-[6-amino-5-(4-*tert*-butyl-benzyloxy)-pyridin-3-yl]-N-(2-morpholin-4-yl-ethyl)-benzamide; 4-[6-amino-5-(4-*tert*-butyl-benzyloxy)-pyridin-3-yl]-N-(3-morpholin-4-yl-propyl)-benzamide; 4-[6-amino-5-(2-chloro-4-fluoro-benzyloxy)-pyridin-3-yl]-benzoic acid; {4-[6-amino-5-(2-chloro-4-fluoro-benzyloxy)-pyridin-3-yl]-phenyl}-[(2*R*)-2-pyrrolidin-1-ylmethyl-pyrrolidin-1-yl]-methanone; {4-[6-amino-5-(2-chloro-4-fluoro-benzyloxy)-pyridin-3-yl]-phenyl}-[(2*S*)-2-pyrrolidin-1-ylmethyl-pyrrolidin-1-yl]-methanone; {4-[6-amino-5-(2-chloro-4-fluoro-benzyloxy)-pyridin-3-yl]-phenyl}-[(3*S*)-3-dimethylamino-pyrrolidin-1-yl]-methanone; {4-[6-amino-5-(2-chloro-4-fluoro-benzyloxy)-pyridin-3-yl]-phenyl}-[(3*S*)-3-amino-pyrrolidin-1-yl]-methanone; {4-[6-amino-5-(2-chloro-4-fluoro-benzyloxy)-pyridin-3-yl]-phenyl}-(4-methyl-piperazin-1-yl)-methanone; 1-(4-{4-[6-amino-5-(2-chloro-4-fluoro-benzyloxy)-pyridin-3-yl]-benzoyl}-piperazin-1-yl)-ethanone; 4-[6-amino-5-(2-chloro-4-fluoro-benzyloxy)-pyridin-3-yl]-N-(1-methyl-piperidin-4-yl)-benzamide; 4-[6-amino-5-(2-chloro-4-fluoro-benzyloxy)-pyridin-3-yl]-N-(2-morpholin-4-yl-ethyl)-benzamide; 4-[6-amino-5-(2-chloro-4-fluoro-benzyloxy)-pyridin-3-yl]-N-(3-morpholin-4-yl-propyl)-benzamide.

pyridin-3-yl]-*N*-(2-morpholin-4-yl-ethyl)-benzamide; 4-[6-amino-5-(2-chloro-4-fluoro-benzyloxy)-pyridin-3-yl]-*N*-(3-morpholin-4-yl-propyl)-benzamide; 4-[6-amino-5-(2-chloro-3,6-difluoro-benzyloxy)-pyridin-3-yl]-benzoic acid; {4-[6-amino-5-(2-chloro-3,6-difluoro-benzyloxy)-pyridin-3-yl]-phenyl}-(4-methyl-piperazin-1-yl)-methanone; {4-[6-amino-5-(2-chloro-3,6-difluoro-benzyloxy)-pyridin-3-yl]-phenyl}-(4-pyrrolidin-1-yl-piperidin-1-yl)-methanone; {4-[6-amino-5-(2-chloro-3,6-difluoro-benzyloxy)-pyridin-3-yl]-phenyl}-(4-amino-piperidin-1-yl)-methanone; {4-[6-amino-5-(2-chloro-3,6-difluoro-benzyloxy)-pyridin-3-yl]-phenyl}-(3,5-dimethyl-piperazin-1-yl)-methanone; {4-[6-amino-5-(2-chloro-3,6-difluoro-benzyloxy)-pyridin-3-yl]-phenyl}-[(2*S*)-2-pyrrolidin-1-ylmethyl-pyrrolidin-1-yl]-methanone; {4-[6-amino-5-(2-chloro-3,6-difluoro-benzyloxy)-pyridin-3-yl]-phenyl}-[(3*S*)-3-dimethylamino-pyrrolidin-1-yl]-methanone; {4-[6-amino-5-(2-chloro-3,6-difluoro-benzyloxy)-pyridin-3-yl]-phenyl}-[(3*R*)-3-amino-pyrrolidin-1-yl]-methanone; {4-[6-amino-5-(2-chloro-3,6-difluoro-benzyloxy)-pyridin-3-yl]-phenyl}-[(3*S*)-3-amino-pyrrolidin-1-yl]-methanone; 4-[6-amino-5-(2-chloro-3,6-difluoro-benzyloxy)-pyridin-3-yl]-*N*-(1-methyl-piperidin-4-yl)-benzamide; 4-[6-amino-5-(2-chloro-3,6-difluoro-benzyloxy)-pyridin-3-yl]-*N*-(2-pyrrolidin-1-yl-ethyl)-benzamide; 4-[6-amino-5-(2-chloro-3,6-difluoro-benzyloxy)-pyridin-3-yl]-*N*-(3-pyrrolidin-1-yl-propyl)-benzamide; 4-[6-amino-5-(2-chloro-3,6-difluoro-benzyloxy)-pyridin-3-yl]-*N*-(2-morpholin-4-yl-ethyl)-benzamide; 4-[6-amino-5-(2-chloro-3,6-difluoro-benzyloxy)-pyridin-3-yl]-*N*-(3-morpholin-4-yl-propyl)-benzamide; 3-[6-amino-5-(2-chloro-3,6-difluoro-benzyloxy)-pyridin-3-yl]-benzoic acid; {3-[6-amino-5-(2-chloro-3,6-difluoro-benzyloxy)-pyridin-3-yl]-phenyl}-(4-methyl-piperazin-1-yl)-methanone; {3-[6-amino-5-(2-chloro-3,6-difluoro-benzyloxy)-pyridin-3-yl]-phenyl}-(4-pyrrolidin-1-yl-piperidin-1-yl)-methanone; {3-[6-amino-5-(2-chloro-3,6-difluoro-benzyloxy)-pyridin-3-yl]-phenyl}-(4-amino-piperidin-1-yl)-methanone; {3-[6-amino-5-(2-chloro-3,6-difluoro-benzyloxy)-pyridin-3-yl]-phenyl}-(3,5-dimethyl-piperazin-1-yl)-methanone; {3-[6-amino-5-(2-chloro-3,6-difluoro-benzyloxy)-pyridin-3-yl]-phenyl}-[(2*S*)-2-pyrrolidin-1-ylmethyl-pyrrolidin-1-yl]-methanone; {3-[6-amino-5-(2-chloro-3,6-difluoro-benzyloxy)-pyridin-3-yl]-phenyl}-[(3*S*)-3-dimethylamino-pyrrolidin-1-yl]-methanone; {3-[6-amino-5-(2-chloro-3,6-difluoro-benzyloxy)-pyridin-3-yl]-phenyl}-[(3*R*)-3-amino-pyrrolidin-1-yl]-methanone; {3-[6-amino-5-(2-chloro-3,6-difluoro-benzyloxy)-pyridin-3-yl]-phenyl}-[(3*S*)-3-amino-pyrrolidin-1-yl]-methanone; 3-[6-amino-5-(2-chloro-3,6-difluoro-benzyloxy)-pyridin-3-yl]-*N*-(1-methyl-piperidin-4-yl)-benzamide; 3-[6-amino-5-(2-chloro-3,6-difluoro-benzyloxy)-pyridin-3-yl]-*N*-(2-pyrrolidin-1-yl-ethyl)-benzamide; 3-[6-amino-5-(2-chloro-3,6-difluoro-benzyloxy)-pyridin-3-yl]-*N*-(3-pyrrolidin-1-yl-propyl)-benzamide; 3-[6-amino-5-(2-chloro-3,6-difluoro-benzyloxy)-pyridin-3-yl]-*N*-(2-morpholin-4-yl-ethyl)-benzamide; 3-[6-amino-5-(2-chloro-3,6-difluoro-benzyloxy)-pyridin-3-yl]-*N*-(3-morpholin-4-yl-propyl)-benzamide; *N*-[2-(4-acetyl-piperazin-1-yl)-ethyl]-3-[6-amino-5-(2-chloro-3,6-difluoro-benzyloxy)-pyridin-3-yl]-benzamide; 3-(2-chloro-3,6-difluoro-benzyloxy)-5-[4-(1,1-dioxo-1 λ^6 -isothiazolidin-2-yl)-phenyl]-pyridin-2-ylamine; 3-(2,6-dichloro-benzyloxy)-5-[4-(1,1-dioxo-1 λ^6 -isothiazolidin-2-yl)-phenyl]-pyridin-2-ylamine; 5-[4-(1,1-dioxo-1 λ^6 -isothiazolidin-2-yl)-phenyl]-3-(2-fluoro-6-trifluoromethyl-benzyloxy)-pyridin-2-ylamine; 2-diethylamino-ethanesulfonic acid {4-[6-amino-5-(2-chloro-3,6-difluoro-benzyloxy)-pyridin-3-yl]-phenyl}-amide; 2-cyclopropylamino-ethanesulfonic acid {4-[6-amino-5-(2-chloro-3,6-difluoro-benzyloxy)-pyridin-3-yl]-phenyl}-amide; 2-Pyrrolidin-1-yl-ethanesulfonic acid {4-[6-amino-5-(2-chloro-3,6-difluoro-benzyloxy)-pyridin-3-yl]-phenyl}-amide; 2-(4-hydroxy-piperidin-1-yl)-ethanesulfonic acid {4-[6-amino-5-(2-chloro-3,6-difluoro-benzyloxy)-

pyridin-3-yl]-phenyl)-amide; 2-morpholin-4-yl-ethanesulfonic acid {4-[6-amino-5-(2-chloro-3,6-difluoro-benzyloxy)-pyridin-3-yl]-phenyl}-amide; 2-Piperidin-1-yl-ethanesulfonic acid {4-[6-amino-5-(2-chloro-3,6-difluoro-benzyloxy)-pyridin-3-yl]-phenyl}-amide; 2-dimethylamino-ethanesulfonic acid {4-[6-amino-5-(2-chloro-3,6-difluoro-benzyloxy)-pyridin-3-yl]-phenyl}-amide; 2-(4-acetyl-piperazin-1-yl)-ethanesulfonic acid {4-[6-amino-5-(2-chloro-3,6-difluoro-benzyloxy)-pyridin-3-yl]-phenyl}-amide; 2-(cyclopropylmethyl-amino)-ethanesulfonic acid {4-[6-amino-5-(2-chloro-3,6-difluoro-benzyloxy)-pyridin-3-yl]-phenyl}-amide; 2-[(3*R*)-3-hydroxy-pyrrolidin-1-yl]-ethanesulfonic acid {4-[6-amino-5-(2-chloro-3,6-difluoro-benzyloxy)-pyridin-3-yl]-phenyl}-amide; 2-[(2*S*)-2-hydroxymethyl-pyrrolidin-1-yl]-ethanesulfonic acid {4-[6-amino-5-(2-chloro-3,6-difluoro-benzyloxy)-pyridin-3-yl]-phenyl}-amide; 2-[4-(2-hydroxy-acetyl)-piperazin-1-yl]-ethanesulfonic acid {4-[6-amino-5-(2-chloro-3,6-difluoro-benzyloxy)-pyridin-3-yl]-phenyl}-amide; 2-(4-acetyl-piperazin-1-yl)-ethanesulfonic acid {3-[6-amino-5-(2-chloro-3,6-difluoro-benzyloxy)-pyridin-3-yl]-phenyl}-amide; 2-Pyrrolidin-1-yl-ethanesulfonic acid {3-[6-amino-5-(2-chloro-3,6-difluoro-benzyloxy)-pyridin-3-yl]-phenyl}-amide; 2-morpholin-4-yl-ethanesulfonic acid {3-[6-amino-5-(2-chloro-3,6-difluoro-benzyloxy)-pyridin-3-yl]-phenyl}-amide; 2-diethylamino-ethanesulfonic acid {3-[6-amino-5-(2-chloro-3,6-difluoro-benzyloxy)-pyridin-3-yl]-phenyl}-amide; 2-dimethylamino-ethanesulfonic acid {3-[6-amino-5-(2-chloro-3,6-difluoro-benzyloxy)-pyridin-3-yl]-phenyl}-amide; 2-Piperidin-1-yl-ethanesulfonic acid {3-[6-amino-5-(2-chloro-3,6-difluoro-benzyloxy)-pyridin-3-yl]-phenyl}-amide; 2-[(3*R*)-3-hydroxymethyl-pyrrolidin-1-yl]-ethanesulfonic acid {3-[6-amino-5-(2-chloro-3,6-difluoro-benzyloxy)-pyridin-3-yl]-phenyl}-amide; 2-(4-hydroxy-piperidin-1-yl)-ethanesulfonic acid {3-[6-amino-5-(2-chloro-3,6-difluoro-benzyloxy)-pyridin-3-yl]-phenyl}-amide; 2-[4-(2-hydroxy-acetyl)-piperazin-1-yl]-ethanesulfonic acid {3-[6-amino-5-(2-chloro-3,6-difluoro-benzyloxy)-pyridin-3-yl]-phenyl}-amide; 2-[(3*R*)-3-hydroxy-pyrrolidin-1-yl]-ethanesulfonic acid {3-[6-amino-5-(2-chloro-3,6-difluoro-benzyloxy)-pyridin-3-yl]-phenyl}-amide; 2-(cyclopropylmethyl-amino)-ethanesulfonic acid {3-[6-amino-5-(2-chloro-3,6-difluoro-benzyloxy)-pyridin-3-yl]-phenyl}-amide; 2-cyclopropylamino-ethanesulfonic acid {3-[6-amino-5-(2-chloro-3,6-difluoro-benzyloxy)-pyridin-3-yl]-phenyl}-amide; 3-(2-chloro-3,6-difluoro-benzyloxy)-5-(2-dimethylaminomethyl-phenyl)-pyridin-2-ylamine; compound with trifluoro-acetic acid; 3-(2-chloro-3,6-difluoro-benzyloxy)-5-(3-pyrrolidin-1-yl-phenyl)-pyridin-2-ylamine; compound with trifluoro-acetic acid; *N*-{4-[6-amino-5-(2-chloro-3,6-difluoro-benzyloxy)-pyridin-3-yl]-phenyl}-methanesulfonamide; compound with trifluoro-acetic acid; 5-[6-amino-5-(2-chloro-3,6-difluoro-benzyloxy)-pyridin-3-yl]-thiophene-2-carboxylic acid; {5-[6-amino-5-(2-chloro-3,6-difluoro-benzyloxy)-pyridin-3-yl]-thiophen-2-yl}-(4-methyl-piperazin-1-yl)-methanone; {5-[6-amino-5-(2-chloro-3,6-difluoro-benzyloxy)-pyridin-3-yl]-thiophen-2-yl}-[(2*R*)-2-pyrrolidin-1-ylmethyl-pyrrolidin-1-yl]-methanone; 5-[6-amino-5-(2-chloro-3,6-difluoro-benzyloxy)-pyridin-3-yl]-thiophene-2-carboxylic acid (1-methyl-piperidin-4-yl)-amide; {5-[6-amino-5-(2-chloro-3,6-difluoro-benzyloxy)-pyridin-3-yl]-thiophen-2-yl}-(3,5-dimethyl-piperazin-1-yl)-methanone; 5-[6-amino-5-(2-chloro-3,6-difluoro-benzyloxy)-pyridin-3-yl]-thiophene-2-carboxylic acid (2-pyrrolidin-1-yl-ethyl)-amide; {5-[6-amino-5-(2-chloro-3,6-difluoro-benzyloxy)-pyridin-3-yl]-thiophen-2-yl}-(4-pyrrolidin-1-yl-piperidin-1-yl)-methanone; 4-[6-amino-5-(3-fluoro-2-trifluoromethyl-benzyloxy)-pyridin-3-yl]-benzoic acid; {4-[6-amino-5-(3-fluoro-2-trifluoromethyl-benzyloxy)-pyridin-3-yl]-phenyl}-(4-pyrrolidin-1-yl-piperidin-1-yl)-methanone; 4-[6-amino-5-(3-fluoro-2-trifluoromethyl-benzyloxy)-pyridin-3-yl]-*N*-(1-methyl-piperidin-4-yl)-benzamide; {4-[6-amino-

- 5-(3-fluoro-2-trifluoromethyl-benzyloxy)-pyridin-3-yl]-phenyl)-(3,5-dimethyl-piperazin-1-yl)-methanone; {4-[6-amino-5-(3-fluoro-2-trifluoromethyl-benzyloxy)-pyridin-3-yl]-phenyl)-(3-dimethylamino-pyrrolidin-1-yl)-methanone; {4-[6-amino-5-(3-fluoro-2-trifluoromethyl-benzyloxy)-pyridin-3-yl]-phenyl)-[(2*S*)-2-pyrrolidin-1-ylmethyl-pyrrolidin-1-yl]-methanone; 4-[6-amino-5-(3-fluoro-2-trifluoromethyl-benzyloxy)-pyridin-3-yl]-*N*!-(2-morpholin-4-yl-ethyl)-benzamide; {4-[6-amino-5-(3-fluoro-2-trifluoromethyl-benzyloxy)-pyridin-3-yl]-phenyl)-(4-methyl-piperazin-1-yl)-methanone; *N*-[2-(4-acetyl-piperazin-1-yl)-ethyl]-4-[6-amino-5-(3-fluoro-2-trifluoromethyl-benzyloxy)-pyridin-3-yl]-benzamide; 2-Piperidin-1-yl-ethanesulfonic acid (4-{6-amino-5-[1-(2-chloro-3,6-difluoro-phenyl)-ethoxy]-pyridin-3-yl}-phenyl)-amide; 2-(4-hydroxy-piperidin-1-yl)-ethanesulfonic acid (4-{6-amino-5-[1-(2-chloro-3,6-difluoro-phenyl)-ethoxy]-pyridin-3-yl}-phenyl)-amide; 2-dimethylamino-ethanesulfonic acid (4-{6-amino-5-[1-(2-chloro-3,6-difluoro-phenyl)-ethoxy]-pyridin-3-yl}-phenyl)-amide; 2-cyclopropylamino-ethanesulfonic acid (4-{6-amino-5-[1-(2-chloro-3,6-difluoro-phenyl)-ethoxy]-pyridin-3-yl}-phenyl)-amide; 4-{6-amino-5-[1-(2,6-dichloro-3-fluoro-phenyl)-ethoxy]-pyridin-3-yl}-benzoic acid; (4-{6-amino-5-[1-(2,6-dichloro-3-fluoro-phenyl)-ethoxy]-pyridin-3-yl}-phenyl)-[(2*R*)-2-pyrrolidin-1-ylmethyl-pyrrolidin-1-yl]-methanone; 4-{6-amino-5-[1-(2,6-dichloro-3-fluoro-phenyl)-ethoxy]-pyridin-3-yl}-*N*-(1-methyl-piperidin-4-yl)-benzamide; (3-{6-amino-5-[1-(2,6-dichloro-3-fluoro-phenyl)-ethoxy]-pyridin-3-yl}-phenyl)-[(3*R*)-3-amino-pyrrolidin-1-yl]-methanone; (4-{6-amino-5-[1-(2,6-dichloro-3-fluoro-phenyl)-ethoxy]-pyridin-3-yl}-phenyl)-(4-pyrrolidin-1-yl-piperidin-1-yl)-methanone; (4-{6-amino-5-[1-(2,6-dichloro-3-fluoro-phenyl)-ethoxy]-pyridin-3-yl}-phenyl)-(4-methyl-piperazin-1-yl)-methanone; (4-{6-amino-5-[1-(2,6-dichloro-3-fluoro-phenyl)-ethoxy]-pyridin-3-yl}-phenyl)-(3,5-dimethyl-piperazin-1-yl)-methanone; 2-cyclopropylamino-ethanesulfonic acid (4-{6-amino-5-[1-(2,6-dichloro-3-fluoro-phenyl)-ethoxy]-pyridin-3-yl}-phenyl)-amide; 2-dimethylamino-ethanesulfonic acid (4-{6-amino-5-[1-(2,6-dichloro-3-fluoro-phenyl)-ethoxy]-pyridin-3-yl}-phenyl)-amide; 2-[(3*R*)-3-hydroxy-pyrrolidin-1-yl]-ethanesulfonic acid (4-{6-amino-5-[1-(2,6-dichloro-3-fluoro-phenyl)-ethoxy]-pyridin-3-yl}-phenyl)-amide; and pharmaceutically acceptable salts, hydrates and solvates thereof.
37. A compound selected from the group consisting of: 4-[5-amino-6-(2,6-dichloro-benzyloxy)-pyrazin-2-yl]-phenol; 3-(2,6-dichloro-benzyloxy)-5-[4-(1,1-dioxo-1 λ^6 -isothiazolidin-2-yl)-phenyl]-pyrazin-2-ylamine; 3-(2,6-dichloro-benzyloxy)-5-[3-(2-morpholin-4-yl-ethoxy)-phenyl]-pyrazin-2-ylamine; 3-(2,6-dichloro-benzyloxy)-5-[4-(2-morpholin-4-yl-ethoxy)-phenyl]-pyrazin-2-ylamine; 5-(4-amino-phenyl)-3-(2,6-dichloro-benzyloxy)-pyrazin-2-ylamine; 4-[5-amino-6-(2,6-dichloro-benzyloxy)-pyrazin-2-yl]-benzoic acid; {4-[5-amino-6-(2,6-dichloro-benzyloxy)-pyrazin-2-yl]-phenyl)-[(2*R*)-2-pyrrolidin-1-ylmethyl-pyrrolidin-1-yl]-methanone; {4-[5-amino-6-(2,6-dichloro-benzyloxy)-pyrazin-2-yl]-phenyl)-(4-pyrrolidin-1-yl-piperidin-1-yl)-methanone; 2-morpholin-4-yl-ethanesulfonic acid {4-[5-amino-6-(2-chloro-3,6-difluoro-benzyloxy)-pyrazin-2-yl]-phenyl}-amide; 2-piperidin-1-yl-ethanesulfonic acid {4-[5-amino-6-(2-chloro-3,6-difluoro-benzyloxy)-pyrazin-2-yl]-phenyl}-amide; 2-(4-Hydroxy-piperidin-1-yl)-ethanesulfonic acid {4-[5-amino-6-(2-chloro-3,6-difluoro-benzyloxy)-pyrazin-2-yl]-phenyl}-amide; 2-pyrrolidin-1-yl-ethanesulfonic acid {4-[5-amino-6-(2-chloro-3,6-difluoro-benzyloxy)-pyrazin-2-yl]-phenyl}-amide; 2-[(3*R*)-3-Hydroxy-pyrrolidin-1-yl]-ethanesulfonic acid {4-[5-amino-6-(2-chloro-3,6-difluoro-benzyloxy)-pyrazin-2-yl]-phenyl}-amide; 2-[(2*S*)-2-Hydroxymethyl-pyrrolidin-1-yl]-ethanesulfonic acid {4-[5-amino-6-(2-chloro-3,6-difluoro-

benzyloxy)-pyrazin-2-yl]-phenyl)-amide; 2-(cyclopropylmethyl-amino)-ethanesulfonic acid {4-[5-amino-6-(2-chloro-3,6-difluoro-benzyloxy)-pyrazin-2-yl]-phenyl)-amide; 2-dimethylamino-ethanesulfonic acid {4-[5-amino-6-(2-chloro-3,6-difluoro-benzyloxy)-pyrazin-2-yl]-phenyl)-amide; 2-diethylamino-ethanesulfonic acid {4-[5-amino-6-(2-chloro-3,6-difluoro-benzyloxy)-pyrazin-2-yl]-phenyl)-amide; 2-(4-acetyl-piperazin-1-yl)-ethanesulfonic acid {4-[5-amino-6-(2-chloro-3,6-difluoro-benzyloxy)-pyrazin-2-yl]-phenyl)-amide; 2-[4-(2-Hydroxy-acetyl)-piperazin-1-yl]-ethanesulfonic acid {4-[5-amino-6-(2-chloro-3,6-difluoro-benzyloxy)-pyrazin-2-yl]-phenyl)-amide; 2-cyclopropylamino-ethanesulfonic acid {4-[5-amino-6-(2-chloro-3,6-difluoro-benzyloxy)-pyrazin-2-yl]-phenyl)-amide; 2-[(3*R*)-3-Hydroxymethyl-pyrrolidin-1-yl]-ethanesulfonic acid {3-[5-amino-6-(2-chloro-3,6-difluoro-benzyloxy)-pyrazin-2-yl]-phenyl)-amide; 2-(4-Hydroxy-piperidin-1-yl)-ethanesulfonic acid {3-[5-amino-6-(2-chloro-3,6-difluoro-benzyloxy)-pyrazin-2-yl]-phenyl)-amide; 2-(4-acetyl-piperazin-1-yl)-ethanesulfonic acid {3-[5-amino-6-(2-chloro-3,6-difluoro-benzyloxy)-pyrazin-2-yl]-phenyl)-amide; 2-piperidin-1-yl-ethanesulfonic acid {3-[5-amino-6-(2-chloro-3,6-difluoro-benzyloxy)-pyrazin-2-yl]-phenyl)-amide; 2-diethylamino-ethanesulfonic acid {3-[5-amino-6-(2-chloro-3,6-difluoro-benzyloxy)-pyrazin-2-yl]-phenyl)-amide; 2-morpholin-4-yl-ethanesulfonic acid {3-[5-amino-6-(2-chloro-3,6-difluoro-benzyloxy)-pyrazin-2-yl]-phenyl)-amide; 2-pyrrolidin-1-yl-ethanesulfonic acid {3-[5-amino-6-(2-chloro-3,6-difluoro-benzyloxy)-pyrazin-2-yl]-phenyl)-amide; 2-dimethylamino-ethanesulfonic acid {3-[5-amino-6-(2-chloro-3,6-difluoro-benzyloxy)-pyrazin-2-yl]-phenyl)-amide; 2-[4-(2-Hydroxy-acetyl)-piperazin-1-yl]-ethanesulfonic acid {3-[5-amino-6-(2-chloro-3,6-difluoro-benzyloxy)-pyrazin-2-yl]-phenyl)-amide; 2-(cyclopropylmethyl-amino)-ethanesulfonic acid {3-[5-amino-6-(2-chloro-3,6-difluoro-benzyloxy)-pyrazin-2-yl]-phenyl)-amide; 2-[(3*R*)-3-Hydroxy-pyrrolidin-1-yl]-ethanesulfonic acid {3-[5-amino-6-(2-chloro-3,6-difluoro-benzyloxy)-pyrazin-2-yl]-phenyl)-amide; 2-cyclopropylamino-ethanesulfonic acid {3-[5-amino-6-(2-chloro-3,6-difluoro-benzyloxy)-pyrazin-2-yl]-phenyl)-amide; 4-[5-amino-6-(2-chloro-3,6-difluoro-benzyloxy)-pyrazin-2-yl]-benzoic acid; {4-[5-amino-6-(2-chloro-3,6-difluoro-benzyloxy)-pyrazin-2-yl]-phenyl}-[(2*R*)-2-pyrrolidin-1-ylmethyl-pyrrolidin-1-yl]-methanone; 4-[5-amino-6-(2-chloro-3,6-difluoro-benzyloxy)-pyrazin-2-yl]-*N*-(2-pyrrolidin-1-yl-ethyl)-benzamide; {4-[5-amino-6-(2-chloro-3,6-difluoro-benzyloxy)-pyrazin-2-yl]-phenyl}-[(3*S*)-3-amino-pyrrolidin-1-yl]-methanone; *N*-[2-(4-acetyl-piperazin-1-yl)-ethyl]-4-[5-amino-6-(2-chloro-3,6-difluoro-benzyloxy)-pyrazin-2-yl]-benzamide; 4-[5-amino-6-(2-chloro-3,6-difluoro-benzyloxy)-pyrazin-2-yl]-*N*-(3-pyrrolidin-1-yl-propyl)-benzamide; {4-[5-amino-6-(2-chloro-3,6-difluoro-benzyloxy)-pyrazin-2-yl]-phenyl}-[(3*S*)-3-dimethylamino-pyrrolidin-1-yl]-methanone; {4-[5-amino-6-(2-chloro-3,6-difluoro-benzyloxy)-pyrazin-2-yl]-phenyl}-[(3*R*)-3-dimethylamino-pyrrolidin-1-yl]-methanone; {4-[5-amino-6-(2-chloro-3,6-difluoro-benzyloxy)-pyrazin-2-yl]-phenyl}-(3,5-dimethyl-piperazin-1-yl)-methanone; {4-[5-amino-6-(2-chloro-3,6-difluoro-benzyloxy)-pyrazin-2-yl]-phenyl}-(4-pyrrolidin-1-yl-piperidin-1-yl)-methanone; 4-[5-amino-6-(2-chloro-3,6-difluoro-benzyloxy)-pyrazin-2-yl]-*N*-(3-morpholin-4-yl-propyl)-benzamide; 4-[5-amino-6-(2-chloro-3,6-difluoro-benzyloxy)-pyrazin-2-yl]-*N*-(1-methyl-piperidin-4-yl)-benzamide; 4-[5-amino-6-(2-chloro-3,6-difluoro-benzyloxy)-pyrazin-2-yl]-*N*-(2-morpholin-4-yl-ethyl)-benzamide; {4-[5-amino-6-(2-chloro-3,6-difluoro-benzyloxy)-pyrazin-2-yl]-phenyl}-(4-methyl-piperazin-1-yl)-methanone; 3-[5-amino-6-(2-chloro-3,6-difluoro-benzyloxy)-pyrazin-2-yl]-benzoic acid; {3-[5-amino-6-(2-chloro-3,6-difluoro-benzyloxy)-pyrazin-2-yl]-phenyl}-(4-methyl-piperazin-1-yl)-methanone; {3-[5-amino-6-(2-chloro-3,6-

difluoro-benzyloxy)-pyrazin-2-yl]-phenyl)-[(3*R*)-3-amino-pyrrolidin-1-yl]-methanone; {3-[5-amino-6-(2-chloro-3,6-difluoro-benzyloxy)-pyrazin-2-yl]-phenyl)-[(3*S*)-3-amino-pyrrolidin-1-yl]-methanone; {3-[5-amino-6-(2-chloro-3,6-difluoro-benzyloxy)-pyrazin-2-yl]-phenyl)-(3,5-dimethyl-piperazin-1-yl)-methanone; 3-[5-amino-6-(2-chloro-3,6-difluoro-benzyloxy)-pyrazin-2-yl]-*N*-(3-morpholin-4-yl-propyl)-benzamide; {3-
 5 [5-amino-6-(2-chloro-3,6-difluoro-benzyloxy)-pyrazin-2-yl]-phenyl)-(4-pyrrolidin-1-yl-piperidin-1-yl)-methanone; {3-[5-amino-6-(2-chloro-3,6-difluoro-benzyloxy)-pyrazin-2-yl]-phenyl)-[(3*S*)-3-dimethylamino-pyrrolidin-1-yl]-methanone; 3-[5-amino-6-(2-chloro-3,6-difluoro-benzyloxy)-pyrazin-2-yl]-*N*-(2-pyrrolidin-1-yl-ethyl)-benzamide; 3-[5-amino-6-(2-chloro-3,6-difluoro-benzyloxy)-pyrazin-2-yl]-*N*-(1-methyl-piperidin-4-yl)-benzamide; {3-[5-amino-6-(2-chloro-3,6-difluoro-benzyloxy)-pyrazin-2-yl]-phenyl)-
 10 [(2*S*)-pyrrolidin-1-ylmethyl-pyrrolidin-1-yl]-methanone; 3-[5-amino-6-(2-chloro-3,6-difluoro-benzyloxy)-pyrazin-2-yl]-*N*-(2-morpholin-4-yl-ethyl)-benzamide; *N*-[2-(4-acetyl-piperazin-1-yl)-ethyl]-3-[5-amino-6-(2-chloro-3,6-difluoro-benzyloxy)-pyrazin-2-yl]-benzamide; 3-[5-amino-6-(2-chloro-3,6-difluoro-benzyloxy)-pyrazin-2-yl]-*N*-(3-pyrrolidin-1-yl-propyl)-benzamide; 3-(2-chloro-3,6-difluoro-benzyloxy)-5-(1*H*-indol-5-yl)-pyrazin-2-ylamine; 3-(2-chloro-3,6-difluoro-benzyloxy)-5-(3-pyrrolidin-1-ylmethyl-1*H*-indol-5-yl)-
 15 pyrazin-2-ylamine; 3-(2-chloro-3,6-difluoro-benzyloxy)-5-(3-diethylaminomethyl-1*H*-indol-5-yl)-pyrazin-2-ylamine; 1-(4-{5-[5-amino-6-(2-chloro-3,6-difluoro-benzyloxy)-pyrazin-2-yl]-1*H*-indol-3-ylmethyl}-piperazin-1-yl)-ethanone; 3-(2-chloro-3,6-difluoro-benzyloxy)-5-[3-(2,6-dimethyl-morpholin-4-ylmethyl)-1*H*-indol-5-yl]-pyrazin-2-ylamine; *N*-(1-{5-[5-amino-6-(2-chloro-3,6-difluoro-benzyloxy)-pyrazin-2-yl]-1*H*-indol-3-ylmethyl}-(3*S*)-pyrrolidin-3-yl)-acetamide; 3-(2-chloro-3,6-difluoro-benzyloxy)-5-(3-piperidin-1-ylmethyl-1*H*-indol-5-yl)-pyrazin-2-ylamine; 3-(2-chloro-3,6-difluoro-benzyloxy)-5-(3-morpholin-4-ylmethyl-1*H*-indol-5-yl)-pyrazin-2-ylamine; 3-[1-(2-chloro-3,6-difluoro-phenyl)-2-methyl-propoxy]-5-[4-(2-morpholin-4-yl-ethoxy)-phenyl]-pyrazin-2-ylamine; 3-[1-(2-chloro-3,6-difluoro-phenyl)-ethoxy]-5-[4-(2-morpholin-4-yl-ethoxy)-phenyl]-pyrazin-2-ylamine; compound with trifluoro-acetic acid; 3-[1-(2,6-dichloro-3-fluoro-phenyl)-ethoxy]-5-[4-(2-morpholin-4-yl-ethoxy)-phenyl]-pyrazin-2-ylamine; compound
 25 with trifluoro-acetic acid; *N*-(4-{5-amino-6-[1-(2-chloro-3,6-difluoro-phenyl)-ethoxy]-pyrazin-2-yl}-phenyl)-methanesulfonamide; 2-pyrrolidin-1-yl-ethanesulfonic acid (4-{5-amino-6-[1-(2-chloro-3,6-difluoro-phenyl)-ethoxy]-pyrazin-2-yl}-phenyl)-amide; 2-(4-Hydroxy-piperidin-1-yl)-ethanesulfonic acid (4-{5-amino-6-[1-(2-chloro-3,6-difluoro-phenyl)-ethoxy]-pyrazin-2-yl}-phenyl)-amide; 2-piperidin-1-yl-ethanesulfonic acid (4-{5-amino-6-[1-(2-chloro-3,6-difluoro-phenyl)-ethoxy]-pyrazin-2-yl}-phenyl)-amide;
 30 2-(cyclopropylmethyl-amino)-ethanesulfonic acid (4-{5-amino-6-[1-(2-chloro-3,6-difluoro-phenyl)-ethoxy]-pyrazin-2-yl}-phenyl)-amide; 2-[(3*R*)-3-Hydroxy-pyrrolidin-1-yl]-ethanesulfonic acid (4-{5-amino-6-[1-(2-chloro-3,6-difluoro-phenyl)-ethoxy]-pyrazin-2-yl}-phenyl)-amide; 2-[(2*S*)-2-Hydroxymethyl-pyrrolidin-1-yl]-ethanesulfonic acid (4-{5-amino-6-[1-(2-chloro-3,6-difluoro-phenyl)-ethoxy]-pyrazin-2-yl}-phenyl)-amide; 2-dimethylamino-ethanesulfonic acid (4-{5-amino-6-[1-(2-chloro-3,6-difluoro-phenyl)-ethoxy]-pyrazin-2-yl}-phenyl)-amide; 2-morpholin-4-yl-ethanesulfonic acid (4-{5-amino-6-[1-(2-chloro-3,6-difluoro-phenyl)-ethoxy]-pyrazin-2-yl}-phenyl)-amide; 2-diethylamino-ethanesulfonic acid (4-{5-amino-6-[1-(2-chloro-3,6-difluoro-phenyl)-ethoxy]-pyrazin-2-yl}-phenyl)-amide; 2-cyclopropylamino-ethanesulfonic acid (4-{5-amino-6-[1-(2-chloro-3,6-difluoro-phenyl)-ethoxy]-pyrazin-2-yl}-phenyl)-amide; 3-{5-amino-6-[1-(2,6-dichloro-3-fluoro-phenyl)-ethoxy]-pyrazin-2-yl}-benzoic acid; (3-{5-amino-6-[1-(2,6-dichloro-3-fluoro-

phenyl)-ethoxy]-pyrazin-2-yl)-phenyl)-[(3*S*)-3-amino-pyrrolidin-1-yl]-*m*-ethanone; (3-{5-amino-6-[1-(2,6-dichloro-3-fluoro-phenyl)-ethoxy]-pyrazin-2-yl)-phenyl)-[(3*R*)-3-amino-pyrrolidin-1-yl]-*m*-ethanone; (3-{5-amino-6-[1-(2,6-dichloro-3-fluoro-phenyl)-ethoxy]-pyrazin-2-yl)-phenyl)-[(2*R*)-2-pyrrolidin-1-ylmethyl-pyrrolidin-1-yl]-methanone; *N*-[2-(4-acetyl-piperazin-1-yl)-ethyl]-3-{5-amino-6-[1-(2,6-dichloro-3-fluoro-phenyl)-ethoxy]-pyrazin-2-yl)-benzamide; (3-{5-amino-6-[1-(2,6-dichloro-3-fluoro-phenyl)-ethoxy]-pyrazin-2-yl)-phenyl)-[(2*S*)-2-pyrrolidin-1-ylmethyl-pyrrolidin-1-yl]-methanone; 3-{5-amino-6-[1-(2-chloro-3,6-difluoro-phenyl)-ethoxy]-pyrazin-2-yl)-benzoic acid; 3-{5-amino-6-[1-(2,6-dichloro-3-fluoro-phenyl)-ethoxy]-pyrazin-2-yl)-*N*-(1-methyl-piperidin-4-yl)-benzamide; 3-{5-amino-6-[1-(2,6-dichloro-3-fluoro-phenyl)-ethoxy]-pyrazin-2-yl)-*N*-(3-pyrrolidin-1-yl-propyl)-benzamide; (3-{5-amino-6-[1-(2,6-dichloro-3-fluoro-phenyl)-ethoxy]-pyrazin-2-yl)-phenyl)-(4-pyrrolidin-1-yl-piperidin-1-yl)-methanone; 4-[5-amino-6-(3-fluoro-2-trifluoromethyl-benzyloxy)-pyrazin-2-yl]-benzoic acid; 4-[5-amino-6-(3-fluoro-2-trifluoromethyl-benzyloxy)-pyrazin-2-yl]-*N*-(2-morpholin-4-yl-ethyl)-benzamide; 4-[5-amino-6-(3-fluoro-2-trifluoromethyl-benzyloxy)-pyrazin-2-yl]-*N*-(1-methyl-piperidin-4-yl)-benzamide; and pharmaceutically acceptable salts, hydrates and solvates thereof.

38. A compound selected from the group consisting of: (4-{6-amino-5-[1-(2,6-dichloro-3-fluoro-phenyl)-ethoxy]-pyridin-3-yl)-phenyl)-(4-methyl-piperazin-1-yl)-methanone; *N*-[2-(4-acetyl-piperazin-1-yl)-ethyl]-4-{6-amino-5-[1-(2,6-dichloro-3-fluoro-phenyl)-ethoxy]-pyridin-3-yl)-benzamide; 4-{6-amino-5-[1-(2,6-dichloro-3-fluoro-phenyl)-ethoxy]-pyridin-3-yl)-*N*-(3-pyrrolidin-1-yl-propyl)-benzamide; 4-{6-amino-5-[1-(2,6-dichloro-3-fluoro-phenyl)-ethoxy]-pyridin-3-yl)-*N*-(2-morpholin-4-yl-ethyl)-benzamide; (4-{6-amino-5-[1-(2,6-dichloro-3-fluoro-phenyl)-ethoxy]-pyridin-3-yl)-phenyl)-((*S*)-3-amino-pyrrolidin-1-yl)-methanone; (4-{6-amino-5-[1-(2,6-dichloro-3-fluoro-phenyl)-ethoxy]-pyridin-3-yl)-phenyl)-((*R*)-3-amino-pyrrolidin-1-yl)-methanone; (4-{6-amino-5-[1-(2,6-dichloro-3-fluoro-phenyl)-ethoxy]-pyridin-3-yl)-phenyl)-(4-amino-piperidin-1-yl)-methanone; (4-{6-amino-5-[1-(2,6-dichloro-3-fluoro-phenyl)-ethoxy]-pyridin-3-yl)-phenyl)-((*S*)-3-hydroxy-pyrrolidin-1-yl)-methanone; (4-{6-amino-5-[1-(2,6-dichloro-3-fluoro-phenyl)-ethoxy]-pyridin-3-yl)-phenyl)-((*R*)-3-hydroxy-pyrrolidin-1-yl)-methanone; (4-{6-amino-5-[1-(2,6-dichloro-3-fluoro-phenyl)-ethoxy]-pyridin-3-yl)-phenyl)-((*R*)-2-hydroxymethyl-pyrrolidin-1-yl)-methanone; 4-{6-amino-5-[1-(2,6-dichloro-3-fluoro-phenyl)-ethoxy]-pyridin-3-yl)-*N*-(2-diethylamino-ethyl)-benzamide; 4-{6-amino-5-[1-(2,6-dichloro-3-fluoro-phenyl)-ethoxy]-pyridin-3-yl)-*N*-(2-pyrrolidin-1-yl-ethyl)-benzamide; 3-{6-amino-5-[1-(2,6-dichloro-3-fluoro-phenyl)-ethoxy]-pyridin-3-yl)-benzoic acid; (3-{6-amino-5-[1-(2,6-dichloro-3-fluoro-phenyl)-ethoxy]-pyridin-3-yl)-phenyl)-(4-methyl-piperazin-1-yl)-methanone; 3-{6-amino-5-[1-(2,6-dichloro-3-fluoro-phenyl)-ethoxy]-pyridin-3-yl)-*N*-(1-methyl-piperidin-4-yl)-benzamide; (3-{6-amino-5-[1-(2,6-dichloro-3-fluoro-phenyl)-ethoxy]-pyridin-3-yl)-phenyl)-((*S*)-2-pyrrolidin-1-ylmethyl-pyrrolidin-1-yl)-methanone; *N*-[2-(4-acetyl-piperazin-1-yl)-ethyl]-3-{6-amino-5-[1-(2,6-dichloro-3-fluoro-phenyl)-ethoxy]-pyridin-3-yl)-benzamide; (3-{6-amino-5-[1-(2,6-dichloro-3-fluoro-phenyl)-ethoxy]-pyridin-3-yl)-phenyl)-((*S*)-3-amino-pyrrolidin-1-yl)-methanone; 3-{6-amino-5-[1-(2,6-dichloro-3-fluoro-phenyl)-ethoxy]-pyridin-3-yl)-*N*-(3-morpholin-4-yl-propyl)-benzamide; (3-{6-amino-5-[1-(2,6-dichloro-3-fluoro-phenyl)-ethoxy]-pyridin-3-yl)-phenyl)-((*R*)-2-pyrrolidin-1-ylmethyl-pyrrolidin-1-yl)-methanone; 3-{6-amino-5-[1-(2,6-dichloro-3-fluoro-phenyl)-ethoxy]-pyridin-3-yl)-*N*-(2-pyrrolidin-1-yl-ethyl)-benzamide; 3-{6-

amino-5-[1-(2,6-dichloro-3-fluoro-phenyl)-ethoxy]-pyridin-3-yl]-N-(3-pyrrolidin-1-yl-propyl)-benzamide; 3-{6-amino-5-[1-(2,6-dichloro-3-fluoro-phenyl)-ethoxy]-pyridin-3-yl]-N-(2-morpholin-4-yl-ethyl)-benzamide; (3-{6-amino-5-[1-(2,6-dichloro-3-fluoro-phenyl)-ethoxy]-pyridin-3-yl]-phenyl)-(4-pyrrolidin-1-yl-piperidin-1-yl)-methanone; 2-diethylamino-ethanesulfonic acid (4-{6-amino-5-[1-(2,6-dichloro-3-fluoro-phenyl)-ethoxy]-pyridin-3-yl]-phenyl)-amide; 2-(4-Hydroxy-piperidin-1-yl)-ethanesulfonic acid (4-{6-amino-5-[1-(2,6-dichloro-3-fluoro-phenyl)-ethoxy]-pyridin-3-yl]-phenyl)-amide; 2-piperidin-1-yl-ethanesulfonic acid (4-{6-amino-5-[1-(2,6-dichloro-3-fluoro-phenyl)-ethoxy]-pyridin-3-yl]-phenyl)-amide; 2-(cyclopropylmethyl-amino)-ethanesulfonic acid (4-{6-amino-5-[1-(2,6-dichloro-3-fluoro-phenyl)-ethoxy]-pyridin-3-yl]-phenyl)-amide; 2-((R)-3-Hydroxy-pyrrolidin-1-yl)-ethanesulfonic acid (4-{6-amino-5-[1-(2-chloro-3,6-difluoro-phenyl)-ethoxy]-pyridin-3-yl]-phenyl)-amide; 2-cyclopropylamino-ethanesulfonic acid (4-{6-amino-5-[1-(2-chloro-3,6-difluoro-phenyl)-ethoxy]-pyridin-3-yl]-phenyl)-amide; 2-diethylamino-ethanesulfonic acid (4-{6-amino-5-[1-(2-chloro-3,6-difluoro-phenyl)-ethoxy]-pyridin-3-yl]-phenyl)-amide; 4-{6-amino-5-[1-(2-chloro-3,6-difluoro-phenyl)-ethoxy]-pyridin-3-yl]-benzoic acid; 4-{6-amino-5-[1-(2-chloro-3,6-difluoro-phenyl)-ethoxy]-pyridin-3-yl]-N-(2-morpholin-4-yl-ethyl)-benzamide; 4-{6-amino-5-[1-(2-chloro-3,6-difluoro-phenyl)-ethoxy]-pyridin-3-yl]-N-(1-methyl-piperidin-4-yl)-benzamide; (4-{6-amino-5-[1-(2-chloro-3,6-difluoro-phenyl)-ethoxy]-pyridin-3-yl]-phenyl)-((R)-2-pyrrolidin-1-ylmethyl-pyrrolidin-1-yl)-methanone; (4-{6-amino-5-[1-(2-chloro-3,6-difluoro-phenyl)-ethoxy]-pyridin-3-yl]-phenyl)-((R)-3-amino-pyrrolidin-1-yl)-methanone; (4-{6-amino-5-[1-(2-chloro-3,6-difluoro-phenyl)-ethoxy]-pyridin-3-yl]-phenyl)-((3R,5S)-3,5-dimethyl-piperazin-1-yl)-methanone; 4-{6-amino-5-[1-(2-chloro-3,6-difluoro-phenyl)-ethoxy]-pyridin-3-yl]-N-(3-pyrrolidin-1-yl-propyl)-benzamide; (4-{6-amino-5-[1-(2-chloro-3,6-difluoro-phenyl)-ethoxy]-pyridin-3-yl]-phenyl)-((S)-2-pyrrolidin-1-ylmethyl-pyrrolidin-1-yl)-methanone; (4-{6-amino-5-[1-(2-chloro-3,6-difluoro-phenyl)-ethoxy]-pyridin-3-yl]-phenyl)-(4-methyl-piperazin-1-yl)-methanone; (4-{6-amino-5-[1-(2-chloro-3,6-difluoro-phenyl)-ethoxy]-pyridin-3-yl]-phenyl)-(4-pyrrolidin-1-yl-piperidin-1-yl)-methanone; 4-{6-amino-5-[1-(2-chloro-3,6-difluoro-phenyl)-ethoxy]-pyridin-3-yl]-N-(2-pyrrolidin-1-yl-ethyl)-benzamide; (4-{6-amino-5-[1-(2-chloro-3,6-difluoro-phenyl)-ethoxy]-pyridin-3-yl]-phenyl)-((S)-3-amino-pyrrolidin-1-yl)-methanone; 3-{6-amino-5-[1-(2-chloro-3,6-difluoro-phenyl)-ethoxy]-pyridin-3-yl]-benzoic acid; (3-{6-amino-5-[1-(2-chloro-3,6-difluoro-phenyl)-ethoxy]-pyridin-3-yl]-phenyl)-((3R,5S)-3,5-dimethyl-piperazin-1-yl)-methanone; (3-{6-amino-5-[1-(2-chloro-3,6-difluoro-phenyl)-ethoxy]-pyridin-3-yl]-phenyl)-((R)-3-amino-pyrrolidin-1-yl)-methanone; 3-{6-amino-5-[1-(2-chloro-3,6-difluoro-phenyl)-ethoxy]-pyridin-3-yl]-N-(1-methyl-piperidin-4-yl)-benzamide; (3-{6-amino-5-[1-(2-chloro-3,6-difluoro-phenyl)-ethoxy]-pyridin-3-yl]-phenyl)-(4-methyl-piperazin-1-yl)-methanone; 3-{6-amino-5-[1-(2-chloro-3,6-difluoro-phenyl)-ethoxy]-pyridin-3-yl]-N-(3-pyrrolidin-1-yl-propyl)-benzamide; 3-{6-amino-5-[1-(2-chloro-3,6-difluoro-phenyl)-ethoxy]-pyridin-3-yl]-N-(2-pyrrolidin-1-yl-ethyl)-benzamide; (3-{6-amino-5-[1-(2-chloro-3,6-difluoro-phenyl)-ethoxy]-pyridin-3-yl]-phenyl)-((S)-3-amino-pyrrolidin-1-yl)-methanone; 3-{6-amino-5-[1-(2-chloro-3,6-difluoro-phenyl)-ethoxy]-pyridin-3-yl]-N-(2-morpholin-4-yl-ethyl)-benzamide; (3-{6-amino-5-[1-(2-chloro-3,6-difluoro-phenyl)-ethoxy]-pyridin-3-yl]-phenyl)-((R)-2-pyrrolidin-1-ylmethyl-pyrrolidin-1-yl)-methanone; (3-{6-amino-5-[1-(2-chloro-3,6-difluoro-phenyl)-ethoxy]-pyridin-3-yl]-phenyl)-((S)-2-pyrrolidin-1-ylmethyl-pyrrolidin-1-yl)-methanone; 3-[1-(2-chloro-3,6-difluoro-phenyl)-ethoxy]-5-[4-(2-morpholin-4-yl-ethoxy)-phenyl]-pyridin-2-ylamine; 3-[1-(2-chloro-3,6-difluoro-phenyl)-ethoxy]-5-[3-(2-

- morpholin-4-yl-ethoxy)-phenyl]-pyridin-2-ylamine; 3-[1-(2,6-dichloro-3-fluoro-phenyl)-ethoxy]-5-[4-(2-pyrrolidin-1-yl-ethoxy)-phenyl]-pyridin-2-ylamine; 3-[1-(2,6-dichloro-3-fluoro-phenyl)-ethoxy]-5-[4-(2-methyl-pyrrolidin-2-yl)-ethoxy]-phenyl]-pyridin-2-ylamine; 3-[1-(2,6-dichloro-3-fluoro-phenyl)-ethoxy]-5-[4-(2-morpholin-4-yl-ethoxy)-phenyl]-pyridin-2-ylamine; 3-[1-(2,6-dichloro-3-fluoro-phenyl)-ethoxy]-5-[3-(2-morpholin-4-yl-ethoxy)-phenyl]-pyridin-2-ylamine; 1-(4-{6-amino-5-[1-(2,6-dichloro-3-fluoro-phenyl)-ethoxy]-pyridin-3-yl}-phenoxy)-3-morpholin-4-yl-propan-2-ol; 3-[1-(2,6-dichloro-3-fluoro-phenyl)-ethoxy]-5-[4-(2-diethylamino-ethoxy)-phenyl]-pyridin-2-ylamine; 3-[1-(2,6-dichloro-3-fluoro-phenyl)-ethoxy]-5-[4-(1-methyl-piperidin-3-ylmethoxy)-phenyl]-pyridin-2-ylamine; 3-[1-(2,6-dichloro-3-fluoro-phenyl)-ethoxy]-5-[4-(2-diisopropylamino-ethoxy)-phenyl]-pyridin-2-ylamine; 3-[1-(2,6-dichloro-3-fluoro-phenyl)-ethoxy]-5-[4-(1-methyl-piperidin-4-yloxy)-phenyl]-pyridin-2-ylamine; N-(4-{6-amino-5-[1-(2-chloro-3,6-difluoro-phenyl)-ethoxy]-pyridin-3-yl}-phenyl)-methanesulfonamide; 3-[1-(2-chloro-3,6-difluoro-phenyl)-ethoxy]-5-[4-(1,1-dioxo-1 λ 6*-isothiazolidin-2-yl)-phenyl]-pyridin-2-ylamine; N-(4-{6-amino-5-[1-(2,6-dichloro-3-fluoro-phenyl)-ethoxy]-pyridin-3-yl}-phenyl)-methanesulfonamide; 3-[1-(2,6-dichloro-3-fluoro-phenyl)-ethoxy]-5-phenyl-pyridin-2-ylamine; N-(4-{6-amino-5-[(R)-1-(2-chloro-3,6-difluoro-phenyl)-ethoxy]-pyridin-3-yl}-phenyl)-methanesulfonamide; 3-[1-(2,6-dichloro-3-fluoro-phenyl)-ethoxy]-5-thiophen-3-yl-pyridin-2-ylamine; 5-benzo[b]thiophen-2-yl-3-[1-(2,6-dichloro-3-fluoro-phenyl)-ethoxy]-pyridin-2-ylamine; 4-methyl-piperazine-1-carboxylic acid (4-{6-amino-5-[1-(2,6-dichloro-3-fluoro-phenyl)-ethoxy]-pyridin-3-yl}-phenyl)-amide; 1-(4-{6-amino-5-[1-(2,6-dichloro-3-fluoro-phenyl)-ethoxy]-pyridin-3-yl}-phenyl)-3-(2-pyrrolidin-1-yl-ethyl)-urea; 1-(4-{6-amino-5-[1-(2,6-dichloro-3-fluoro-phenyl)-ethoxy]-pyridin-3-yl}-phenyl)-3-(2-morpholin-4-yl-ethyl)-urea; (R)-3-amino-pyrrolidine-1-carboxylic acid (4-{6-amino-5-[1-(2,6-dichloro-3-fluoro-phenyl)-ethoxy]-pyridin-3-yl}-phenyl)-amide; (S)-3-amino-pyrrolidine-1-carboxylic acid (4-{6-amino-5-[1-(2,6-dichloro-3-fluoro-phenyl)-ethoxy]-pyridin-3-yl}-phenyl)-amide; 1-(4-{6-amino-5-[1-(2,6-dichloro-3-fluoro-phenyl)-ethoxy]-pyridin-3-yl}-phenyl)-3-(1-methyl-piperidin-4-yl)-urea; 1-(4-{6-amino-5-[1-(2-chloro-3,6-difluoro-phenyl)-ethoxy]-pyridin-3-yl}-phenyl)-3-(1-methyl-piperidin-4-yl)-urea; (R)-3-amino-pyrrolidine-1-carboxylic acid (4-{6-amino-5-[1-(2-chloro-3,6-difluoro-phenyl)-ethoxy]-pyridin-3-yl}-phenyl)-amide; (S)-3-amino-pyrrolidine-1-carboxylic acid (4-{6-amino-5-[1-(2-chloro-3,6-difluoro-phenyl)-ethoxy]-pyridin-3-yl}-phenyl)-amide; 1-(4-{6-amino-5-[1-(2-chloro-3,6-difluoro-phenyl)-ethoxy]-pyridin-3-yl}-phenyl)-3-(2-hydroxy-ethyl)-urea; 4-methyl-piperazine-1-carboxylic acid (4-{6-amino-5-[1-(2-chloro-3,6-difluoro-phenyl)-ethoxy]-pyridin-3-yl}-phenyl)-amide; 1-(4-{6-amino-5-[1-(2-chloro-3,6-difluoro-phenyl)-ethoxy]-pyridin-3-yl}-phenyl)-3-(2-pyrrolidin-1-yl-ethyl)-urea; 1-(4-{6-amino-5-[1-(2-chloro-3,6-difluoro-phenyl)-ethoxy]-pyridin-3-yl}-phenyl)-3-(2-morpholin-4-yl-ethyl)-urea; (R)-2-pyrrolidin-1-ylmethyl-pyrrolidine-1-carboxylic acid (4-{6-amino-5-[1-(2-chloro-3,6-difluoro-phenyl)-ethoxy]-pyridin-3-yl}-phenyl)-amide; 3-{6-amino-5-[1-(2,6-dichloro-phenyl)-ethoxy]-pyridin-3-yl}-benzoic acid; (3-{6-amino-5-[1-(2,6-dichloro-phenyl)-ethoxy]-pyridin-3-yl}-phenyl)-((3R,5S)-3,5-dimethyl-piperazin-1-yl)-methanone; (3-{6-amino-5-[1-(2,6-dichloro-phenyl)-ethoxy]-pyridin-3-yl}-phenyl)-(4-pyrrolidin-1-yl-piperidin-1-yl)-methanone; 3-{6-amino-5-[1-(2,6-dichloro-phenyl)-ethoxy]-pyridin-3-yl}-N-(2-pyrrolidin-1-yl-ethyl)-benzamide; 3-{6-amino-5-[1-(2,6-dichloro-phenyl)-ethoxy]-pyridin-3-yl}-N-(2-morpholin-4-yl-ethyl)-benzamide; (3-{6-amino-5-[1-(2,6-dichloro-phenyl)-ethoxy]-pyridin-3-yl}-phenyl)-((S)-2-pyrrolidin-1-

ylmethyl-pyrrolidin-1-yl)-methanone; 3-{6-amino-5-[1-(2,6-dichloro-phenyl)-ethoxy]-pyridin-3-yl}-N-(3-pyrrolidin-1-yl-propyl)-benzamide; N-[2-(4-acetyl-piperazin-1-yl)-ethyl]-3-{6-amino-5-[1-(2,6-dichloro-phenyl)-ethoxy]-pyridin-3-yl}-benzamide; 3-{6-amino-5-[1-(2,6-dichloro-phenyl)-ethoxy]-pyridin-3-yl}-N-(1-methyl-piperidin-4-yl)-benzamide; (3-{6-amino-5-[1-(2,6-dichloro-phenyl)-ethoxy]-pyridin-3-yl}-phenyl)-

5 (4-methyl-piperazin-1-yl)-methanone; (3-{6-amino-5-[1-(2,6-dichloro-phenyl)-ethoxy]-pyridin-3-yl}-phenyl)-((R)-2-pyrrolidin-1-ylmethyl-pyrrolidin-1-yl)-methanone; (3-{6-amino-5-[1-(2,6-dichloro-phenyl)-ethoxy]-pyridin-3-yl}-phenyl)-((S)-3-amino-pyrrolidin-1-yl)-methanone; (3-{6-amino-5-[1-(2,6-dichloro-phenyl)-ethoxy]-pyridin-3-yl}-phenyl)-((R)-3-amino-pyrrolidin-1-yl)-methanone; 4-{6-amino-5-[1-(2,6-dichloro-phenyl)-ethoxy]-pyridin-3-yl}-benzoic acid; 4-{6-amino-5-[1-(2,6-dichloro-phenyl)-ethoxy]-

10 pyridin-3-yl}-N-(2-pyrrolidin-1-yl-ethyl)-benzamide; 4-{6-amino-5-[1-(2,6-dichloro-phenyl)-ethoxy]-pyridin-3-yl}-N-(2-morpholin-4-yl-ethyl)-benzamide; (4-{6-amino-5-[1-(2,6-dichloro-phenyl)-ethoxy]-pyridin-3-yl}-phenyl)-((S)-2-pyrrolidin-1-ylmethyl-pyrrolidin-1-yl)-methanone; 4-{6-amino-5-[1-(2,6-dichloro-phenyl)-ethoxy]-pyridin-3-yl}-N-(1-methyl-piperidin-4-yl)-benzamide; (4-{6-amino-5-[1-(2,6-dichloro-phenyl)-ethoxy]-pyridin-3-yl}-phenyl)-((3R,5S)-3,5-dimethyl-piperazin-1-yl)-methanone; N-[2-(4-acetyl-piperazin-

15 1-yl)-ethyl]-4-{6-amino-5-[1-(2,6-dichloro-phenyl)-ethoxy]-pyridin-3-yl}-benzamide; 4-{6-amino-5-[1-(2,6-dichloro-phenyl)-ethoxy]-pyridin-3-yl}-N-(3-pyrrolidin-1-yl-propyl)-benzamide; (4-{6-amino-5-[1-(2,6-dichloro-phenyl)-ethoxy]-pyridin-3-yl}-phenyl)-((S)-3-aminopyrrolidin-1-yl)-methanone; (4-{6-amino-5-[1-(2,6-dichloro-phenyl)-ethoxy]-pyridin-3-yl}-phenyl)-((R)-3-amino-pyrrolidin-1-yl)-methanone; (4-{6-amino-5-[1-(2,6-dichloro-phenyl)-ethoxy]-pyridin-3-yl}-phenyl)-((R)-2-pyrrolidin-1-ylmethyl-pyrrolidin-1-yl)-

20 methanone; (4-{6-amino-5-[1-(2,6-dichloro-phenyl)-ethoxy]-pyridin-3-yl}-phenyl)-(4-pyrrolidin-1-yl-piperidin-1-yl)-methanone; (4-{6-amino-5-[1-(2,6-dichloro-phenyl)-ethoxy]-pyridin-3-yl}-phenyl)-(4-methyl-piperazin-1-yl)-methanone; (S)-2-pyrrolidin-1-ylmethyl-pyrrolidine-1-carboxylic acid (3-{6-amino-5-[1-(2,6-dichloro-3-fluoro-phenyl)-ethoxy]-pyridin-3-yl}-prop-2-ynyl)-amide; 4-methyl-piperazine-1-carboxylic acid (3-{6-amino-5-[1-(2,6-dichloro-3-fluoro-phenyl)-ethoxy]-pyridin-3-yl}-prop-2-ynyl)-amide;

25 4-pyrrolidin-1-yl-piperidine-1-carboxylic acid (3-{6-amino-5-[1-(2,6-dichloro-3-fluoro-phenyl)-ethoxy]-pyridin-3-yl}-prop-2-ynyl)-amide; (3R,5S)-3,5-dimethyl-piperazine-1-carboxylic acid (3-{6-amino-5-[1-(2,6-dichloro-3-fluoro-phenyl)-ethoxy]-pyridin-3-yl}-prop-2-ynyl)-amide; 1-(3-{6-amino-5-[1-(2,6-dichloro-3-fluoro-phenyl)-ethoxy]-pyridin-3-yl}-prop-2-ynyl)-3-(1-methyl-piperidin-4-yl)-urea; 1-(3-{6-amino-5-[1-(2,6-dichloro-3-fluoro-phenyl)-ethoxy]-pyridin-3-yl}-prop-2-ynyl)-3-(3-pyrrolidin-1-yl-propyl)-urea; 1-(3-{6-

30 amino-5-[1-(2,6-dichloro-3-fluoro-phenyl)-ethoxy]-pyridin-3-yl}-prop-2-ynyl)-3-(2-pyrrolidin-1-yl-ethyl)-urea; 1-(3-{6-amino-5-[1-(2,6-dichloro-3-fluoro-phenyl)-ethoxy]-pyridin-3-yl}-prop-2-ynyl)-3-(2-morpholin-4-yl-ethyl)-urea; 1-(3-{6-amino-5-[1-(2,6-dichloro-3-fluoro-phenyl)-ethoxy]-pyridin-3-yl}-prop-2-ynyl)-3-(3-morpholin-4-yl-propyl)-urea; (R)-2-pyrrolidin-1-ylmethyl-pyrrolidine-1-carboxylic acid (3-{6-amino-5-[1-(2,6-dichloro-3-fluoro-phenyl)-ethoxy]-pyridin-3-yl}-prop-2-ynyl)-amide; 3-[1-(2,6-dichloro-3-fluoro-

35 phenyl)-ethoxy]-5-(3-dimethylamino-prop-1-ynyl)-pyridin-2-ylamine; (3-{6-amino-5-[1-(2,6-dichloro-3-fluoro-phenyl)-ethoxy]-pyridin-3-yl}-prop-2-ynyl)-urea; N-(3-{6-amino-5-[1-(2,6-dichloro-3-fluoro-phenyl)-ethoxy]-pyridin-3-yl}-prop-2-ynyl)-2-piperidin-1-yl-acetamide; N-(3-{6-amino-5-[1-(2,6-dichloro-3-fluoro-phenyl)-ethoxy]-pyridin-3-yl}-prop-2-ynyl)-2-morpholin-4-yl-acetamide; N-(3-{6-amino-5-[1-(2,6-dichloro-3-fluoro-phenyl)-ethoxy]-pyridin-3-yl}-prop-2-ynyl)-2-pyrrolidin-1-yl-acetamide; N-(3-{6-amino-5-[1-(2,6-

dichloro-3-fluoro-phenyl)-ethoxy]-pyridin-3-yl)-prop-2-ynyl)-2-((R)-3-hydroxy-pyrrolidin-1-yl)-acetamide; N-(3-{6-amino-5-[1-(2,6-dichloro-3-fluoro-phenyl)-ethoxy]-pyridin-3-yl)-prop-2-ynyl)-2-(4-hydroxy-piperidin-1-yl)-acetamide; N-(3-{6-amino-5-[1-(2,6-dichloro-3-fluoro-phenyl)-ethoxy]-pyridin-3-yl)-prop-2-ynyl)-2-dimethylamino-acetamide; N-(3-{6-amino-5-[1-(2,6-dichloro-3-fluoro-phenyl)-ethoxy]-pyridin-3-yl)-prop-2-ynyl)-2-diethylamino-acetamide; 2-(4-acetyl-piperazin-1-yl)-N-(3-{6-amino-5-[1-(2,6-dichloro-3-fluoro-phenyl)-ethoxy]pyridin-3-yl)-prop-2-ynyl)-acetamide; 4-methyl-piperazine-1-carboxylic acid (3-{6-amino-5-[1-(2,6-dichloro-3-fluoro-phenyl)-ethoxy]-pyridin-3-yl)-1,1-dimethyl-prop-2-ynyl)-amide; (3R,5S)-3,5-dimethyl-piperazine-1-carboxylic acid (3-{6-amino-5-[1-(2,6-dichloro-3-fluoro-phenyl)-ethoxy]-pyridin-3-yl)-1,1-dimethyl-prop-2-ynyl)-amide; (R)-2-pyrrolidin-1-ylmethyl-pyrrolidine-1-carboxylic acid (3-{6-amino-5-[1-(2,6-dichloro-3-fluoro-phenyl)-ethoxy]-pyridin-3-yl)-1,1-dimethyl-prop-2-ynyl)-amide; (S)-2-pyrrolidin-1-ylmethyl-pyrrolidine-1-carboxylic acid (3-{6-amino-5-[1-(2,6-dichloro-3-fluoro-phenyl)-ethoxy]-pyridin-3-yl)-1,1-dimethyl-prop-2-ynyl)-amide; 1-(3-{6-amino-5-[1-(2,6-dichloro-3-fluoro-phenyl)-ethoxy]-pyridin-3-yl)-1,1-dimethyl-prop-2-ynyl)-3-(2-morpholin-4-yl-ethyl)-urea; 1-(3-{6-amino-5-[1-(2,6-dichloro-3-fluoro-phenyl)-ethoxy]-pyridin-3-yl)-1,1-dimethyl-prop-2-ynyl)-3-(2-pyrrolidin-1-yl-ethyl)-urea; 4-pyrrolidin-1-yl-piperidine-1-carboxylic acid (3-{6-amino-5-[1-(2,6-dichloro-3-fluoro-phenyl)-ethoxy]-pyridin-3-yl)-1,1-dimethyl-prop-2-ynyl)-amide; 3-{6-amino-5-[1-(2,6-dichloro-3-fluoro-phenyl)-ethoxy]-pyridin-3-yl}-propynoic acid cyclohexylamide; 3-{6-amino-5-[1-(2,6-dichloro-3-fluoro-phenyl)-ethoxy]-pyridin-3-yl}-propynoic acid isopropylamide; 4-(3-amino-3-methyl-but-1-ynyl)-2-[1-(2,6-dichloro-3-fluoro-phenyl)-ethoxy]-phenylamine; (4-{6-amino-5-[1-(3-fluoro-2-trifluoromethyl-phenyl)-ethoxy]-pyridin-3-yl}-phenyl)-(4-methyl-piperazin-1-yl)-methanone; (4-{6-amino-5-[1-(3-fluoro-2-trifluoromethyl-phenyl)-ethoxy]-pyridin-3-yl}-phenyl)-(4-pyrrolidin-1-yl-piperidin-1-yl)-methanone; (4-{6-amino-5-[1-(3-fluoro-2-trifluoromethyl-phenyl)-ethoxy]-pyridin-3-yl}-phenyl)-((3R,5S)-3,5-dimethyl-piperazin-1-yl)-methanone; (4-{6-amino-5-[1-(3-fluoro-2-trifluoromethyl-phenyl)-ethoxy]-pyridin-3-yl}-phenyl)-((S)-2-pyrrolidin-1-ylmethyl-pyrrolidin-1-yl)-methanone; (4-{6-amino-5-[1-(3-fluoro-2-trifluoromethyl-phenyl)-ethoxy]-pyridin-3-yl}-phenyl)-((R)-2-pyrrolidin-1-ylmethyl-pyrrolidin-1-yl)-methanone; 4-{6-amino-5-[1-(3-fluoro-2-trifluoromethyl-phenyl)-ethoxy]-pyridin-3-yl}-N-(1-methyl-piperidin-4-yl)-benzamide; 4-{6-amino-5-[1-(3-fluoro-2-trifluoromethyl-phenyl)-ethoxy]-pyridin-3-yl}-N-(2-pyrrolidin-1-yl-ethyl)-benzamide; 4-{6-amino-5-[1-(3-fluoro-2-trifluoromethyl-phenyl)-ethoxy]-pyridin-3-yl}-N-(2-morpholin-4-yl-ethyl)-benzamide; 4-{6-amino-5-[1-(3-fluoro-2-trifluoromethyl-phenyl)-ethoxy]-pyridin-3-yl}-N-(3-pyrrolidin-1-yl-propyl)-benzamide; 4-{6-amino-5-[1-(3-fluoro-2-trifluoromethyl-phenyl)-ethoxy]-pyridin-3-yl}-N-(3-morpholin-4-yl-propyl)-benzamide; 6-amino-5-[1-(2,6-dichloro-3-fluoro-phenyl)-ethoxy]-nicotinonitrile; 6-amino-5-[1-(2,6-dichloro-3-cyano-phenyl)-ethoxy]-nicotinonitrile; 5-aminomethyl-3-[1-(2,6-dichloro-3-fluoro-phenyl)-ethoxy]-pyridin-2-ylamine; (R)-2-pyrrolidin-1-ylmethyl-pyrrolidine-1-carboxylic acid {6-amino-5-[1-(2,6-dichloro-3-fluoro-phenyl)-ethoxy]-pyridin-3-ylmethyl}-amide; N-{6-amino-5-[1-(2,6-dichloro-3-fluoro-phenyl)-ethoxy]-pyridin-3-ylmethyl}-methanesulfonamide; N-{6-amino-5-[1-(2,6-dichloro-3-fluoro-phenyl)-ethoxy]-pyridin-3-ylmethyl}-acetamide; N-{6-amino-5-[1-(2,6-dichloro-3-fluoro-phenyl)-ethoxy]-pyridin-3-ylmethyl}-4-methyl-benzenesulfonamide; 3-[1-(2,6-dichloro-3-fluoro-phenyl)-ethoxy]-5-vinyl-pyridin-2-ylamine; (S)-1-{6-amino-5-[1-(2,6-dichloro-3-fluoro-phenyl)-ethoxy]-pyridin-3-yl}-ethane-1,2-diol; (R)-1-{6-amino-5-[1-(2,6-dichloro-3-fluoro-phenyl)-ethoxy]-pyridin-3-yl}-ethane-1,2-

diol; 3-[1-(2,6-dichloro-3-fluoro-phenyl)-ethoxy]-5-(1H-pyrazol-4-yl)-pyridin-2-ylamine; 3-[1-(2,6-dichloro-3-fluoro-phenyl)-ethoxy]-5-[1-(2-pyrrolidin-1-yl-ethyl)-1H-pyrazol-4-yl]-pyridin-2-ylamine; 3-[1-(2,6-dichloro-3-fluoro-phenyl)-ethoxy]-5-[1-(2-diisopropylamino-ethyl)-1H-pyrazol-4-yl]-pyridin-2-ylamine; 3-[1-(2,6-dichloro-3-fluoro-phenyl)-ethoxy]-5-[1-(2-morpholin-4-yl-ethyl)-1H-pyrazol-4-yl]-pyridin-2-ylamine;

5 5-bromo-3-(3-fluoro-2-methoxy-benzyloxy)-pyridin-2-ylamine; 5-bromo-3-[1-(3-fluoro-2-methoxy-phenyl)-ethoxy]-pyridin-2-ylamine; {4-[6-amino-5-(3-fluoro-2-methoxy-benzyloxy)-pyridin-3-yl]-phenyl}-((3R,5S)-3,5-dimethyl-piperazin-1-yl)-methanone; (4-{6-amino-5-[1-(3-fluoro-2-methoxy-phenyl)-ethoxy]-pyridin-3-yl}-phenyl)-((3R,5S)-3,5-dimethyl-piperazin-1-yl)-methanone; 5-bromo-3-(3-fluoro-2-isopropoxy-benzyloxy)-pyridin-2-ylamine; {4-[6-amino-5-(3-fluoro-2-isopropoxy-benzyloxy)-pyridin-3-yl]-phenyl}-((3R,5S)-3,5-dimethyl-piperazin-1-yl)-methanone;

10 ((3R,5S)-3,5-dimethyl-piperazin-1-yl)-methanone; 5-(4-amino-phenyl)-3-[1-(2,6-dichloro-3-fluoro-phenyl)-ethoxy]-pyridin-2-ylamine; (4-{6-amino-5-[1-(2,6-dichloro-3-fluoro-phenyl)-ethoxy]-pyridin-3-yl}-phenoxy)-acetic acid methyl ester; (4-{6-amino-5-[1-(2,6-dichloro-3-fluoro-phenyl)-ethoxy]-pyridin-3-yl}-phenoxy)-acetic acid; 2-(4-{6-amino-5-[1-(2,6-dichloro-3-fluoro-phenyl)-ethoxy]-pyridin-3-yl}-phenoxy)-1-((3R,5S)-3,5-dimethyl-piperazin-1-yl)-ethanone; 2-(4-{6-amino-5-[1-(2,6-dichloro-3-fluoro-phenyl)-ethoxy]-pyridin-3-yl}-phenoxy)-1-((R)-3-hydroxy-pyrrolidin-1-yl)-ethanone;

15 4-[2-(4-{6-amino-5-[1-(2,6-dichloro-3-fluoro-phenyl)-ethoxy]-pyridin-3-yl}-phenoxy)-acetyl]-piperazine-1-carboxylic acid tert-butyl ester; 2-(4-{6-amino-5-[1-(2,6-dichloro-3-fluoro-phenyl)-ethoxy]-pyridin-3-yl}-phenoxy)-1-((R)-2-pyrrolidin-1-ylmethyl-pyrrolidin-1-yl)-ethanone; 5-bromo-3-(3-fluoro-6,7,8,9-tetrahydro-5H-benzocyclohepten-5-yloxy)-pyridin-2-ylamine; {4-[6-amino-5-(3-fluoro-6,7,8,9-tetrahydro-5H-benzocyclohepten-5-yloxy)-pyridin-3-yl]-phenyl}-((3R,5S)-3,5-dimethyl-piperazin-1-yl)-methanone;

20 3-(3-fluoro-6,7,8,9-tetrahydro-5H-benzocyclohepten-5-yloxy)-5-[4-(2-pyrrolidin-1-yl-ethoxy)-phenyl]-pyridin-2-ylamine; N-{4-[6-amino-5-(3-fluoro-6,7,8,9-tetrahydro-5H-benzocyclohepten-5-yloxy)-pyridin-3-yl]-phenyl}-methanesulfonamide; 3-(3-fluoro-6,7,8,9-tetrahydro-5H-benzocyclohepten-5-yloxy)-5-(1H-pyrazol-4-yl)-pyridin-2-ylamine; 5-bromo-3-[1-(2-chloro-3-fluoro-phenyl)-ethoxy]-pyridin-2-ylamine; 3-[1-(2-chloro-3-fluoro-phenyl)-ethoxy]-5-[4-(2-pyrrolidin-1-yl-ethoxy)-phenyl]-pyridin-2-ylamine; 5'-benzyloxy-[2,3']bipyridinyl-6'-ylamine; 5-benzyloxy-[3,3']bipyridinyl-6-ylamine; 3-benzyloxy-5-pyrimidin-5-yl-pyridin-2-ylamine; 5-benzyloxy-[3,3']bipyridinyl-6,6'-diamine; 5'-(2-chloro-benzyloxy)-[2,3']bipyridinyl-6'-ylamine; 5-(2-chloro-benzyloxy)-[3,3']bipyridinyl-6-ylamine; 3-(2-chloro-benzyloxy)-5-pyrimidin-5-yl-pyridin-2-ylamine; 5-(2-chloro-benzyloxy)-[3,3']bipyridinyl-6,6'-diamine; 5'-(4-chloro-benzyloxy)-[2,3']bipyridinyl-6'-ylamine; 5-(4-chloro-benzyloxy)-[3,3']bipyridinyl-6-ylamine; 3-(4-chloro-benzyloxy)-5-pyrimidin-5-yl-pyridin-2-ylamine; 5-(4-chloro-benzyloxy)-[3,3']bipyridinyl-6,6'-diamine; ... 5'-(2-chloro-3,6-difluoro-benzyloxy)-[2,3']bipyridinyl-6'-ylamine; 5-(2-chloro-3,6-difluoro-benzyloxy)-[3,3']bipyridinyl-6-ylamine; 5-(2-chloro-3,6-difluoro-benzyloxy)-[3,4']bipyridinyl-6-ylamine; 3-(2-chloro-3,6-difluoro-benzyloxy)-5-pyrimidin-5-yl-pyridin-2-ylamine; 5-(2-chloro-3,6-difluoro-benzyloxy)-[3,3']bipyridinyl-6,6'-diamine; 5'-(2,6-dichloro-benzyloxy)-[2,3']bipyridinyl-6'-ylamine; 5-(2,6-dichloro-benzyloxy)-[3,3']bipyridinyl-6-ylamine; 5-(2,6-dichloro-benzyloxy)-[3,4']bipyridinyl-6-ylamine; 3-(2,6-dichloro-benzyloxy)-5-pyrimidin-5-yl-pyridin-2-ylamine; 5-(2,6-dichloro-benzyloxy)-[3,3']bipyridinyl-6,6'-diamine; 5-[1-(2,6-dichloro-3-fluoro-phenyl)-ethoxy]-[3,3']bipyridinyl-6,6'-diamine; {6'-amino-5'-[1-(2,6-dichloro-3-fluoro-phenyl)-ethoxy]-[2,3']bipyridinyl-4-yl}-(4-methyl-piperazin-1-yl)-methanone; {6'-amino-5'-[1-(2,6-dichloro-3-fluoro-phenyl)-ethoxy]-[2,3']bipyridinyl-4-yl}-(4-methyl-piperazin-1-yl)-methanone;

ethoxy]-[2,3']bipyridinyl-6-yl)-(4-methyl-piperazin-1-yl)-methanone; {6'-amino-5'-[1-(2,6-dichloro-3-fluoro-phenyl)-ethoxy]-[3,3']bipyridinyl-5-yl)-(4-methyl-piperazin-1-yl)-methanone; {6'-amino-5'-[1-(2,6-dichloro-3-fluoro-phenyl)-ethoxy]-[3,3']bipyridinyl-6-yl)-(4-methyl-piperazin-1-yl)-methanone; {6-amino-5-[1-(2,6-dichloro-3-fluoro-phenyl)-ethoxy]-[3,4']bipyridinyl-2'-yl)-(4-methyl-piperazin-1-yl)-methanone; 5-[1-(2-chloro-3,6-difluoro-phenyl)-ethoxy]-[3,3']bipyridinyl-6,6'-diamine; {6'-amino-5'-[1-(2-chloro-3,6-difluoro-phenyl)-ethoxy]-[2,3']bipyridinyl-5-yl)-(4-methyl-piperazin-1-yl)-methanone; {6'-amino-5'-[1-(2-chloro-3,6-difluoro-phenyl)-ethoxy]-[2,3']bipyridinyl-4-yl)-(4-methyl-piperazin-1-yl)-methanone; {6'-amino-5'-[1-(2-chloro-3,6-difluoro-phenyl)-ethoxy]-[2,3']bipyridinyl-6-yl)-(4-methyl-piperazin-1-yl)-methanone; {6'-amino-5'-[1-(2-chloro-3,6-difluoro-phenyl)-ethoxy]-[3,3']bipyridinyl-5-yl)-(4-methyl-piperazin-1-yl)-methanone; {6'-amino-5'-[1-(2-chloro-3,6-difluoro-phenyl)-ethoxy]-[3,3']bipyridinyl-6-yl)-(4-methyl-piperazin-1-yl)-methanone; {6-amino-5-[1-(2-chloro-3,6-difluoro-phenyl)-ethoxy]-[3,4']bipyridinyl-2'-yl)-(4-methyl-piperazin-1-yl)-methanone; 5'-[1-(2,6-dichloro-3-fluoro-phenyl)-ethoxy]-[2,3']bipyridinyl-6'-ylamine; 5'-[1-(2-chloro-3,6-difluoro-phenyl)-ethoxy]-[2,3']bipyridinyl-6'-ylamine; 5-[1-(2-chloro-3,6-difluoro-phenyl)-ethoxy]-[3,3']bipyridinyl-6-ylamine; 3-[1-(2-chloro-3,6-difluoro-phenyl)-ethoxy]-5-pyrimidin-5-yl-pyridin-2-ylamine; {6'-amino-5'-[1-(2,6-dichloro-3-fluoro-phenyl)-ethoxy]-[2,3']bipyridinyl-5-yl)-(4-methyl-piperazin-1-yl)-methanone; 5-[1-(2-chloro-3,6-difluoro-phenyl)-ethoxy]-[3,4']bipyridinyl-6-ylamine; 5-benzyloxy-3-[1-(2-chloro-3,6-difluoro-phenyl)-ethoxy]-pyridin-2-ylamine; 3-[1-(2-chloro-3,6-difluoro-phenyl)-ethoxy]-5-(2-ethyl-butoxy)-pyridin-2-ylamine; 3-[1-(2-chloro-3,6-difluoro-phenyl)-ethoxy]-5-(3-methyl-butoxy)-pyridin-2-ylamine; 3-[1-(2-chloro-3,6-difluoro-phenyl)-ethoxy]-5-butoxy-pyridin-2-ylamine; 3-[1-(2-chloro-3,6-difluoro-phenyl)-ethoxy]-5-propoxy-pyridin-2-ylamine; 3-[1-(2-chloro-3,6-difluoro-phenyl)-ethoxy]-5-cyclohexylmethoxy-pyridin-2-ylamine; 6-amino-5-[1-(2-chloro-3,6-difluoro-phenyl)-ethoxy]-pyridin-3-ol; 3-[1-(2-chloro-3,6-difluoro-phenyl)-ethoxy]-5-(2-cyclohexyl-ethoxy)-pyridin-2-ylamine; 3-[1-(2-chloro-3,6-difluoro-phenyl)-ethoxy]-5-isobutoxy-pyridin-2-ylamine; 3-[1-(2-chloro-3,6-difluoro-phenyl)-ethoxy]-5-phenethyloxy-pyridin-2-ylamine; 3-[1-(2-chloro-3,6-difluoro-phenyl)-ethoxy]-5-(pyridin-2-ylmethoxy)-pyridin-2-ylamine; 3-[1-(2-chloro-3,6-difluoro-phenyl)-ethoxy]-5-(pyridin-4-ylmethoxy)-pyridin-2-ylamine; (4-{6-amino-5-[1-(2,6-dichloro-3-fluoro-phenyl)-ethoxy]-pyridin-3-yl}-phenyl)-((3R,5S)-3,5-dimethyl-piperazin-1-yl)-methanone; (4-{6-amino-5-[1-(2,6-dichloro-3-fluoro-phenyl)-ethoxy]-pyridin-3-yl}-phenyl)-((3R,5S)-3,5-dimethyl-piperazin-1-yl)-methanone; 5-{6-amino-5-[1-(2,6-dichloro-3-fluoro-phenyl)-ethoxy]-pyridin-3-yl}-2-fluoro-benzonitrile; 4-(4-{6-amino-5-[1-(2,6-dichloro-3-fluoro-phenyl)-ethoxy]-pyridin-3-yl}-phenyl)-piperidin-4-ol; (4-{6-amino-5-[1-(2,6-dichloro-3-fluoro-phenyl)-ethoxy]-pyridin-3-yl}-phenyl)-piperidin-1-yl-methanone; (4-{6-amino-5-[1-(2,6-dichloro-3-fluoro-phenyl)-ethoxy]-pyridin-3-yl}-phenyl)-pyrrolidin-1-yl-methanone; 4-{6-amino-5-[1-(2,6-dichloro-3-fluoro-phenyl)-ethoxy]-pyridin-3-yl}-3-methyl-benzoic acid methyl ester; 3-[1-(2,6-dichloro-3-fluoro-phenyl)-ethoxy]-5-[4-(dimethyl-piperazin-1-ylmethyl)-phenyl]-pyridin-2-ylamine; (4-{6-amino-5-[1-(2,6-dichloro-3-fluoro-phenyl)-ethoxy]-pyridin-3-yl}-3,5-dimethoxy-phenyl)-(dimethyl-piperazin-1-yl)-methanone; (4-{6-amino-5-[1-(2,6-dichloro-3-fluoro-phenyl)-ethoxy]-pyridin-3-yl}-2-fluoro-phenyl)-(dimethyl-piperazin-1-yl)-methanone; (4-{6-amino-5-[1-(2,6-dichloro-3-fluoro-phenyl)-ethoxy]-pyridin-3-yl}-3-fluoro-phenyl)-(dimethyl-piperazin-1-yl)-methanone; (4-{6-amino-5-[1-(2,6-dichloro-3-fluoro-phenyl)-ethoxy]-pyridin-3-yl}-3-methyl-phenyl)-(dimethyl-piperazin-1-yl)-methanone; (4-{6-amino-5-[1-(2,6-dichloro-3-fluoro-phenyl)-ethoxy]-pyridin-3-yl}-phenyl)-

- (4-methyl-[1,4]diazepan-1-yl)-methanone; (4-{6-amino-5-[1-(2,6-dichloro-3-fluoro-phenyl)-ethoxy]-pyridin-3-yl}-phenyl)-[1,4]diazepan-1-yl-methanone; (4-{6-amino-5-[1-(2,6-dichloro-3-fluoro-phenyl)-ethoxy]-pyridin-3-yl}-phenyl)-piperazin-1-yl-methanone; 3-[1-(2,6-dichloro-3-fluoro-phenyl)-ethoxy]-5-vinyl-pyridin-2-ylamine; (4-{6-amino-5-[1-(2,6-dichloro-3-fluoro-phenyl)-ethoxy]-pyridin-3-yl}-phenyl)-((3R,4S)-3,4-dihydroxy-pyrrolidin-1-yl)-methanone; 5-[(1-benzyl-pyrrolidin-3-ylamino)-methyl]-3-[1-(2,6-dichloro-3-fluoro-phenyl)-ethoxy]-pyridin-2-ylamine; 4-{6-amino-5-[1-(2,6-dichloro-3-fluoro-phenyl)-ethoxy]-pyridin-3-yl}-N-azetidin-3-yl-benzamide; 4-{6-amino-5-[1-(2,6-dichloro-3-fluoro-phenyl)-ethoxy]-pyridin-3-yl}-N,N-dimethyl-benzenesulfonamide; 3-[1-(2,6-dichloro-3-fluoro-phenyl)-ethoxy]-5-(6-methoxy-1H-benzoimidazol-2-yl)-pyridin-2-ylamine; 3-[1-(2,6-dichloro-3-fluoro-phenyl)-ethoxy]-5-(6-methoxy-1-methyl-1H-benzoimidazol-2-yl)-pyridin-2-ylamine; 3-[1-(2,6-dichloro-3-fluoro-phenyl)-ethoxy]-5-[4-(4-methyl-[1,4]diazepan-1-sulfonyl)-phenyl]-pyridin-2-ylamine; 6-{6-amino-5-[1-(2,6-dichloro-3-fluoro-phenyl)-ethoxy]-pyridin-3-yl}-1-methyl-1H-indazole-3-carboxylic acid amide; 3-[1-(2,6-dichloro-3-fluoro-phenyl)-ethoxy]-5-(1-methyl-1H-pyrazol-4-yl)-pyridin-2-ylamine; 5-(3-chloro-phenyl)-3-[1-(2,6-dichloro-3-fluoro-phenyl)-ethoxy]-pyridin-2-ylamine; 3-[1-(2,6-dichloro-3-fluoro-phenyl)-ethoxy]-5-(4-fluoro-3-methyl-phenyl)-pyridin-2-ylamine; 3-[1-(2,6-dichloro-3-fluoro-phenyl)-ethoxy]-5-(3-trifluoromethyl-phenyl)-pyridin-2-ylamine; 3-[1-(2,6-dichloro-3-fluoro-phenyl)-ethoxy]-5-(3-fluoro-phenyl)-pyridin-2-ylamine; 3-[1-(2,6-dichloro-3-fluoro-phenyl)-ethoxy]-5-(3-trifluoromethoxy-phenyl)-pyridin-2-ylamine; 5-benzo[1,3]dioxol-5-yl-3-[1-(2,6-dichloro-3-fluoro-phenyl)-ethoxy]-pyridin-2-ylamine; 3-{6-amino-5-[1-(2,6-dichloro-3-fluoro-phenyl)-ethoxy]-pyridin-3-yl}-phenol; (3-{6-amino-5-[1-(2,6-dichloro-3-fluoro-phenyl)-ethoxy]-pyridin-3-yl}-phenyl)-methanol; 3-{6-amino-5-[1-(2,6-dichloro-3-fluoro-phenyl)-ethoxy]-pyridin-3-yl}-benzonitrile; 3-[1-(2,6-dichloro-3-fluoro-phenyl)-ethoxy]-5-(3-methoxy-phenyl)-pyridin-2-ylamine; 3-[1-(2,6-dichloro-3-fluoro-phenyl)-ethoxy]-5-(3,5-dichloro-phenyl)-pyridin-2-ylamine; 3-[1-(2,6-dichloro-3-fluoro-phenyl)-ethoxy]-5-(2,5-dimethyl-phenyl)-pyridin-2-ylamine; 5-(5-chloro-2-methoxy-phenyl)-3-[1-(2,6-dichloro-3-fluoro-phenyl)-ethoxy]-pyridin-2-ylamine; 5-(3-chloro-4-fluoro-phenyl)-3-[1-(2,6-dichloro-3-fluoro-phenyl)-ethoxy]-pyridin-2-ylamine; 3-[1-(2,6-dichloro-3-fluoro-phenyl)-ethoxy]-5-(5-fluoro-2-methoxy-phenyl)-pyridin-2-ylamine; 3-[1-(2,6-dichloro-3-fluoro-phenyl)-ethoxy]-5-(3-isopropyl-phenyl)-pyridin-2-ylamine; 3-[1-(2,6-dichloro-3-fluoro-phenyl)-ethoxy]-5-(3,4-dichloro-phenyl)-pyridin-2-ylamine; 4-{6-amino-5-[1-(2,6-dichloro-3-fluoro-phenyl)-ethoxy]-pyridin-3-yl}-benzonitrile; 3-[1-(2,6-dichloro-3-fluoro-phenyl)-ethoxy]-5-(3,4-difluoro-phenyl)-pyridin-2-ylamine; (4-{6-amino-5-[1-(2,6-dichloro-3-fluoro-phenyl)-ethoxy]-pyridin-3-yl}-phenyl)-((2R,6S)-2,6-dimethyl-morpholin-4-yl)-methanone; 3-[1-(2,6-dichloro-3-fluoro-phenyl)-ethoxy]-5-(2-ethoxy-phenyl)-pyridin-2-ylamine; 3-[1-(2,6-dichloro-3-fluoro-phenyl)-ethoxy]-5-(2,5-dimethoxy-phenyl)-pyridin-2-ylamine; 3-[1-(2,6-dichloro-3-fluoro-phenyl)-ethoxy]-5-(2,4-dimethoxy-phenyl)-pyridin-2-ylamine; 3-[1-(2,6-dichloro-3-fluoro-phenyl)-ethoxy]-5-(2,6-dimethoxy-phenyl)-pyridin-2-ylamine; 3-[1-(2,6-dichloro-3-fluoro-phenyl)-ethoxy]-5-(2-trifluoromethyl-phenyl)-pyridin-2-ylamine; 5-(2-chloro-phenyl)-3-[1-(2,6-dichloro-3-fluoro-phenyl)-ethoxy]-pyridin-2-ylamine; 3-[1-(2,6-dichloro-3-fluoro-phenyl)-ethoxy]-5-(2-trifluoromethoxy-phenyl)-pyridin-2-ylamine; 1-(2-{6-amino-5-[1-(2,6-dichloro-3-fluoro-phenyl)-ethoxy]-pyridin-3-yl}-phenyl)-ethanone; 3-[1-(2,6-dichloro-3-fluoro-phenyl)-ethoxy]-5-(2-fluoro-phenyl)-pyridin-2-ylamine; (2-{6-amino-5-[1-(2,6-dichloro-3-fluoro-phenyl)-ethoxy]-pyridin-3-yl}-phenyl)-methanol; 3-[1-(2,6-dichloro-3-fluoro-phenyl)-

ethoxy]-5-o-tolyl-pyridin-2-ylamine; 3-[1-(2,6-dichloro-3-fluoro-phenyl)-ethoxy]-5-(2-methoxy-phenyl)-pyridin-2-ylamine; 3-[1-(2,6-dichloro-3-fluoro-phenyl)-ethoxy]-5-(2,6-dimethyl-phenyl)-pyridin-2-ylamine; (4-{6-amino-5-[1-(2,6-dichloro-3-fluoro-phenyl)-ethoxy]-pyridin-3-yl}-phenyl)-morpholin-4-yl-methanone; (4-{6-amino-5-[1-(2,6-dichloro-3-fluoro-phenyl)-ethoxy]-pyridin-3-yl}-2-chloro-phenyl)-((3R,5S)-dimethyl-piperazin-1-yl)-methanone; 4-{6-amino-5-[1-(2,6-dichloro-3-fluoro-phenyl)-ethoxy]-pyridin-3-yl}-2-methyl-phenyl)-((3R,5S)-dimethyl-piperazin-1-yl)-methanone; 3-[1-(2,6-dichloro-3-fluoro-phenyl)-ethoxy]-5-[4-((2R,6S)-2,6-dimethyl-morpholin-4-ylmethyl)-phenyl]-pyridin-2-ylamine; 3-[1-(2,6-dichloro-3-fluoro-phenyl)-ethoxy]-5-(4-morpholin-4-ylmethyl-phenyl)-pyridin-2-ylamine; 3-[1-(2,6-dichloro-3-fluoro-phenyl)-ethoxy]-5-(3,5-dimethyl-phenyl)-pyridin-2-ylamine; 3-[1-(2,6-dichloro-3-fluoro-phenyl)-ethoxy]-5-m-tolyl-pyridin-2-ylamine; 3-[1-(2,6-dichloro-3-fluoro-phenyl)-ethoxy]-5-(3,4-dimethoxy-phenyl)-pyridin-2-ylamine; 5-biphenyl-3-yl-3-[1-(2,6-dichloro-3-fluoro-phenyl)-ethoxy]-pyridin-2-ylamine; 5-(3,5-bis-trifluoromethyl-phenyl)-3-[1-(2,6-dichloro-3-fluoro-phenyl)-ethoxy]-pyridin-2-ylamine; 3-[1-(2,6-dichloro-3-fluoro-phenyl)-ethoxy]-5-(3,4-dichloro-phenyl)-pyridin-2-ylamine; 1-(3-{6-amino-5-[1-(2,6-dichloro-3-fluoro-phenyl)-ethoxy]-pyridin-3-yl}-phenyl)-ethanone; 3-[1-(2,6-dichloro-3-fluoro-phenyl)-ethoxy]-5-(3,5-difluoro-phenyl)-pyridin-2-ylamine; 3-[1-(2,6-dichloro-3-fluoro-phenyl)-ethoxy]-5-(2,5-dichloro-phenyl)-pyridin-2-ylamine; (4-{6-amino-5-[1-(2,6-dichloro-4-trifluoromethyl-phenyl)-ethoxy]-pyridin-3-yl}-phenyl)-((3R,5S)-3,5-dimethyl-piperazin-1-yl)-methanone; 3-[1-(2,6-dichloro-3-fluoro-phenyl)-ethoxy]-5-(3-ethoxy-phenyl)-pyridin-2-ylamine; (4-{6-amino-5-[1-(2-trifluoromethyl-phenyl)-ethoxy]-pyridin-3-yl}-phenyl)-(3,5-dimethyl-piperazin-1-yl)-methanone; (4-{6-amino-5-[1-(3-trifluoromethyl-phenyl)-ethoxy]-pyridin-3-yl}-phenyl)-(3,5-dimethyl-piperazin-1-yl)-methanone; 7-[4-(3,5-dimethyl-piperazine-1-carbonyl)-phenyl]-2-phenyl-4H-pyrido[3,2-b][1,4]oxazin-3-one; {4-[6-amino-5-(3-fluoro-2-trifluoromethyl-benzyloxy)-pyridin-3-yl]-phenyl)-(3,5-dimethyl-piperazin-1-yl)-methanone; {4-[6-amino-5-(2,6-difluoro-benzyloxy)-pyridin-3-yl]-phenyl)-(3,5-dimethyl-piperazin-1-yl)-methanone; {4-(6-amino-5-benzyloxy-pyridin-3-yl)-phenyl)-(3,5-dimethyl-piperazin-1-yl)-methanone; (4-{6-amino-5-[1-(2-chloro-3,6-difluoro-phenyl)-ethoxy]-pyridin-3-yl}-phenyl)-(4-ethyl-piperazin-1-yl)-methanone; {4-(6-amino-5-benzyloxy-pyridin-3-yl)-phenyl)-(4-ethyl-piperazin-1-yl)-methanone; {4-[6-amino-5-(2-methyl-benzyloxy)-pyridin-3-yl]-phenyl)-(3,5-dimethyl-piperazin-1-yl)-methanone; 3-{2-amino-5-[4-(4-pyrrolidin-1-yl-piperidine-1-carbonyl)-phenyl]-pyridin-3-yloxy-methyl}-benzoic acid methyl ester; 3-{2-amino-5-[4-(3,5-dimethyl-piperazine-1-carbonyl)-phenyl]-pyridin-3-yloxy-methyl}-benzoic acid methyl ester; {4-[6-amino-5-(2-methyl-benzyloxy)-pyridin-3-yl]-phenyl)-(4-pyrrolidin-1-yl-piperidin-1-yl)-methanone; {4-(6-amino-5-cyclohexylmethoxy-pyridin-3-yl)-phenyl)-(4-pyrrolidin-1-yl-piperidin-1-yl)-methanone; 4-(1-{2-amino-5-[4-(4-pyrrolidin-1-yl-piperidine-1-carbonyl)-phenyl]-pyridin-3-yloxy}-ethyl)-[2-(3-hydroxy-phenyl)-ethyl]-benzamide; 4-(1-{2-amino-5-[4-(4-pyrrolidin-1-yl-piperidine-1-carbonyl)-phenyl]-pyridin-3-yloxy}-ethyl)-[2-(2,6-dichloro-phenyl)-ethyl]-benzamide; 4-(1-{2-amino-5-[4-(4-pyrrolidin-1-yl-piperidine-1-carbonyl)-phenyl]-pyridin-3-yloxy}-ethyl)-(1-benzyl-piperidin-4-yl)-benzamide; 4-(1-{2-amino-5-[4-(4-pyrrolidin-1-yl-piperidine-1-carbonyl)-phenyl]-pyridin-3-yloxy}-ethyl)-[3-(2-oxo-pyrrolidin-1-yl)-propyl]-benzamide; (4-{6-amino-5-[1-(2,6-dichloro-3-fluoro-phenyl)-ethoxy]-pyridin-3-yl}-phenyl)-(4-ethyl-piperazin-1-yl)-methanone; {4-[6-amino-5-(2,6-dichloro-benzyloxy)-pyridin-3-yl]-phenyl)-(3,5-dimethyl-piperazin-1-yl)-methanone; (6-amino-3-aza-bicyclo[3.1.0]hex-3-yl)-(4-{6-amino-5-[1-(2,6-dichloro-3-fluoro-phenyl)-

ethoxy]-pyridin-3-yl]-phenyl)-methanone; 5-[1-(2,6-dichloro-3-fluoro-phenyl)-ethoxy]-6'-(2-morpholin-4-yl-ethoxy)-[3,3']bipyridinyl-6-ylamine; 6'-amino-5'-[1-(2,6-dichloro-3-fluoro-phenyl)-ethoxy]-1-(2-pyrrolidin-1-yl-ethyl)-1H-[3,3']bipyridinyl-6-one; 5-[1-(2,6-dichloro-3-fluoro-phenyl)-ethoxy]-6'-(2-pyrrolidin-1-yl-ethoxy)-[3,3']bipyridinyl-6-ylamine; 6'-amino-5'-[1-(2,6-dichloro-3-fluoro-phenyl)-ethoxy]-1-[2-(1-methyl-pyrrolidin-2-yl)-ethyl]-1H-[3,3']bipyridinyl-6-one; (4-{6-amino-5-[1-(2,4,6-trimethyl-phenyl)-ethoxy]-pyridin-3-yl]-phenyl)-(4-pyrrolidin-1-yl-piperidin-1-yl)-methanone; (4-{6-amino-5-[1-(2-chloro-6-fluoro-phenyl)-ethoxy]-pyridin-3-yl]-phenyl)-(4-pyrrolidin-1-yl-piperidin-1-yl)-methanone; 3-[1-(2,6-dichloro-3-fluoro-phenyl)-ethoxy]-5-(4-fluoro-phenyl)-pyridin-2-ylamine; 6'-amino-5'-[1-(2,6-dichloro-3-fluoro-phenyl)-ethoxy]-1H-[3,3']bipyridinyl-6-one; 5'-bromo-5-[1-(2,6-dichloro-3-fluoro-phenyl)-ethoxy]-[3,3']bipyridinyl-6-ylamine; 3-[1-(2,6-dichloro-3-fluoro-phenyl)-ethoxy]-5-(4-dimethylamino-phenyl)-pyridin-2-ylamine; 5-[1-(2,6-dichloro-3-fluoro-phenyl)-ethoxy]-2'-methoxy-[3,3']bipyridinyl-6-ylamine; 3-[1-(2,6-dichloro-3-fluoro-phenyl)-ethoxy]-5-(1H-indol-5-yl)-pyridin-2-ylamine; (4-{6-amino-5-[1-(2,6-dichloro-phenyl)-propoxy]-pyridin-3-yl]-phenyl)-(3,5-dimethyl-piperazin-1-yl)-methanone; [4-(6-amino-5-benzyloxy-pyridin-3-yl)-phenyl]-(4-pyrrolidin-1-yl-piperidin-1-yl)-methanone; 3-(2,6-dichloro-3-fluoro-benzyloxy)-5-thiazol-2-yl-pyridin-2-ylamine; (4-{6-amino-5-[1-(2-fluoro-6-trifluoromethyl-phenyl)-ethoxy]-pyridin-3-yl]-phenyl)-(4-pyrrolidin-1-yl-piperidin-1-yl)-methanone; 3-(2,6-dichloro-3-fluoro-benzyloxy)-5-(1-methyl-1H-imidazol-2-yl)-pyridin-2-ylamine; {4-[6-amino-5-(2,4,6-trimethyl-benzyloxy)-pyridin-3-yl]-phenyl)-(4-pyrrolidin-1-yl-piperidin-1-yl)-methanone; {4-[6-amino-5-(2,3,5,6-tetramethyl-benzyloxy)-pyridin-3-yl]-phenyl)-(4-pyrrolidin-1-yl-piperidin-1-yl)-methanone; {4-[6-amino-5-(2,4,6-trifluoro-benzyloxy)-pyridin-3-yl]-phenyl)-(4-pyrrolidin-1-yl-piperidin-1-yl)-methanone; (4-{6-amino-5-[1-(2-fluoro-6-trifluoromethyl-phenyl)-ethoxy]-pyridin-3-yl]-phenyl)-(4-pyrrolidin-1-yl-piperidin-1-yl)-methanone; 6-amino-5-[1-(2,6-dichloro-3-fluoro-phenyl)-ethoxy]-N-methyl-nicotinamidine; 6-amino-5-[1-(2,6-dichloro-3-fluoro-phenyl)-ethoxy]-N-(2-morpholin-4-yl-ethyl)-nicotinamidine; (4-{6-amino-5-[1-(2,4,5-trifluoro-phenyl)-propoxy]-pyridin-3-yl]-phenyl)-(4-pyrrolidin-1-yl-piperidin-1-yl)-methanone; (4-{6-amino-5-[1-(6-chloro-2-fluoro-3-methyl-phenyl)-ethoxy]-pyridin-3-yl]-phenyl)-(4-pyrrolidin-1-yl-piperidin-1-yl)-methanone; 3-(1-{2-amino-5-[4-(4-pyrrolidin-1-yl-piperidine-1-carbonyl)-phenyl]-pyridin-3-yl}-oxy)-ethyl)-benzoic acid; and pharmaceutically acceptable salts, hydrates and solvates thereof.

39. A compound selected from the group consisting of: 3-{5-amino-6-[1-(2,6-dichloro-3-fluoro-phenyl)-ethoxy]-pyrazin-2-yl}-N-(3-pyrrolidin-1-yl-propyl)-benzamide; 3-{5-amino-6-[1-(2-chloro-3,6-difluoro-phenyl)-ethoxy]-pyrazin-2-yl}-N-(3-pyrrolidin-1-yl-propyl)-benzamide; 3-{5-amino-6-[1-(2-chloro-3,6-difluoro-phenyl)-ethoxy]-pyrazin-2-yl}-N-(1-methyl-piperidin-4-yl)-benzamide; 3-{5-amino-6-[1-(2-chloro-3,6-difluoro-phenyl)-ethoxy]-pyrazin-2-yl}-N-(2-pyrrolidin-1-yl-ethyl)-benzamide; 3-{5-amino-6-[1-(2-chloro-3,6-difluoro-phenyl)-ethoxy]-pyrazin-2-yl}-N-(2-morpholin-4-yl-ethyl)-benzamide; N-[2-(4-acetyl-piperazin-1-yl)-ethyl]-3-{5-amino-6-[1-(2-chloro-3,6-difluoro-phenyl)-ethoxy]-pyrazin-2-yl}-benzamide; (3-{5-amino-6-[1-(2-chloro-3,6-difluoro-phenyl)-ethoxy]-pyrazin-2-yl]-phenyl)-(4-methyl-piperazin-1-yl)-methanone; (3-{5-amino-6-[1-(2-chloro-3,6-difluoro-phenyl)-ethoxy]-pyrazin-2-yl]-phenyl)-(4-pyrrolidin-1-yl-piperidin-1-yl)-methanone; (3-{5-amino-6-[1-(2-chloro-3,6-difluoro-phenyl)-ethoxy]-pyrazin-2-yl]-phenyl)-((3R,5S)-3,5-dimethyl-piperazin-1-yl)-methanone; (3-{5-amino-6-[1-(2-chloro-3,6-

difluoro-phenyl)-ethoxy]-pyrazin-2-yl)-phenyl)-((S)-2-pyrrolidin-1-ylmethyl-pyrrolidin-1-yl)-methanone; (3-
 {5-amino-6-[1-(2-chloro-3,6-difluoro-phenyl)-ethoxy]-pyrazin-2-yl)-phenyl)-((R)-3-amino-pyrrolidin-1-yl)-
 methanone; (3-{5-amino-6-[1-(2-chloro-3,6-difluoro-phenyl)-ethoxy]-pyrazin-2-yl)-phenyl)-((S)-3-amino-
 pyrrolidin-1-yl)-methanone; 4-{5-amino-6-[1-(2-chloro-3,6-difluoro-phenyl)-ethoxy]-pyrazin-2-yl)-benzoic
 5 acid; 4-{5-amino-6-[1-(2-chloro-3,6-difluoro-phenyl)-ethoxy]-pyrazin-2-yl)-N-(3-pyrrolidin-1-yl-propyl)-
 benzamide; (4-{5-amino-6-[1-(2-chloro-3,6-difluoro-phenyl)-ethoxy]-pyrazin-2-yl)-phenyl)-(4-methyl-
 piperazin-1-yl)-methanone; (4-{5-amino-6-[1-(2-chloro-3,6-difluoro-phenyl)-ethoxy]-pyrazin-2-yl)-phenyl)-
 (4-pyrrolidin-1-yl-piperidin-1-yl)-methanone; 4-{5-amino-6-[1-(2-chloro-3,6-difluoro-phenyl)-ethoxy]-
 pyrazin-2-yl)-phenyl)-((3R,5S)-3,5-dimethyl-piperazin-1-yl)-methanone; (4-{5-amino-6-[1-(2-chloro-3,6-
 10 difluoro-phenyl)-ethoxy]-pyrazin-2-yl)-phenyl)-((S)-2-pyrrolidin-1-ylmethyl-pyrrolidin-1-yl)-methanone; (4-
 {5-amino-6-[1-(2-chloro-3,6-difluoro-phenyl)-ethoxy]-pyrazin-2-yl)-phenyl)-((R)-2-pyrrolidin-1-ylmethyl-
 pyrrolidin-1-yl)-methanone; (4-{5-amino-6-[1-(2-chloro-3,6-difluoro-phenyl)-ethoxy]-pyrazin-2-yl)-phenyl)-
 ((R)-3-amino-pyrrolidin-1-yl)-methanone; 4-{5-amino-6-[1-(2-chloro-3,6-difluoro-phenyl)-ethoxy]-pyrazin-
 2-yl)-N-(1-methyl-piperidin-4-yl)-benzamide; 4-{5-amino-6-[1-(2-chloro-3,6-difluoro-phenyl)-ethoxy]-
 15 pyrazin-2-yl)-N-(2-pyrrolidin-1-yl-ethyl)-benzamide; 4-{5-amino-6-[1-(2-chloro-3,6-difluoro-phenyl)-
 ethoxy]-pyrazin-2-yl)-N-(2-morpholin-4-yl-ethyl)-benzamide; N-[2-(4-acetyl-piperazin-1-yl)-ethyl]-4-{5-
 amino-6-[1-(2-chloro-3,6-difluoro-phenyl)-ethoxy]-pyrazin-2-yl)-benzamide; 2-[4-(2-Hydroxy-acetyl)-
 piperazin-1-yl]-ethanesulfonic acid (4-{5-amino-6-[1-(2-chloro-3,6-difluoro-phenyl)-ethoxy]-pyrazin-2-yl)-
 phenyl)-amide; 3-[5-amino-6-(3-fluoro-2-trifluoromethyl-benzyloxy)-pyrazin-2-yl]-benzoic acid; {3-[5-
 20 amino-6-(3-fluoro-2-trifluoromethyl-benzyloxy)-pyrazin-2-yl]-phenyl)-(4-pyrrolidin-1-yl-piperidin-1-yl)-
 methanone; 3-[5-amino-6-(3-fluoro-2-trifluoromethyl-benzyloxy)-pyrazin-2-yl]-N-{2-[ethyl-(2-methoxy-
 ethyl)-amino]-ethyl}-benzamide; {3-[5-amino-6-(3-fluoro-2-trifluoromethyl-benzyloxy)-pyrazin-2-yl]-
 phenyl)-(4-methyl-piperazin-1-yl)-methanone; 3-[5-amino-6-(3-fluoro-2-trifluoromethyl-benzyloxy)-
 pyrazin-2-yl]-N-(3-pyrrolidin-1-yl-propyl)-benzamide; N-[2-(4-acetyl-piperazin-1-yl)-ethyl]-3-[5-amino-6-
 25 (3-fluoro-2-trifluoromethyl-benzyloxy)-pyrazin-2-yl]-benzamide; {4-[5-amino-6-(3-fluoro-2-trifluoromethyl-
 benzyloxy)-pyrazin-2-yl]-phenyl)-(4-pyrrolidin-1-yl-piperidin-1-yl)-methanone; {4-[5-amino-6-(3-fluoro-2-
 trifluoromethyl-benzyloxy)-pyrazin-2-yl]-phenyl)-(4-methyl-piperazin-1-yl)-methanone; {4-[5-amino-6-(3-
 fluoro-2-trifluoromethyl-benzyloxy)-pyrazin-2-yl]-phenyl)-((S)-2-pyrrolidin-1-ylmethyl-pyrrolidin-1-yl)-
 methanone; (3-{5-amino-6-[1-(2,6-dichloro-3-fluoro-phenyl)-ethoxy]-pyrazin-2-yl)-phenyl)-(4-methyl-
 30 piperazin-1-yl)-methanone; (3-{5-amino-6-[1-(2,6-dichloro-3-fluoro-phenyl)-ethoxy]-pyrazin-2-yl)-phenyl)-
 ((3R,5S)-3,5-dimethyl-piperazin-1-yl)-methanone; 3-{5-amino-6-[1-(2,6-dichloro-3-fluoro-phenyl)-ethoxy]-
 pyrazin-2-yl)-N-(1-methyl-piperidin-4-yl)-benzamide; 3-{5-amino-6-[1-(2,6-dichloro-3-fluoro-phenyl)-
 ethoxy]-pyrazin-2-yl)-N-(2-pyrrolidin-1-yl-ethyl)-benzamide; 3-{5-amino-6-[1-(2,6-dichloro-3-fluoro-
 phenyl)-ethoxy]-pyrazin-2-yl)-N-(2-morpholin-4-yl-ethyl)-benzamide; 3-{5-amino-6-[1-(2,6-dichloro-3-
 35 fluoro-phenyl)-ethoxy]-pyrazin-2-yl)-N-(3-morpholin-4-yl-propyl)-benzamide; (3-{5-amino-6-[1-(2,6-
 dichloro-3-fluoro-phenyl)-ethoxy]-pyrazin-2-yl)-phenyl)-(4-cyclopropylamino-piperidin-1-yl)-methanone;
 3-{5-amino-6-[1-(2,6-dichloro-3-fluoro-phenyl)-ethoxy]-pyrazin-2-yl)-N-((S)-2-hydroxy-3-morpholin-4-yl-
 propyl)-benzamide; 3-{5-amino-6-[1-(2,6-dichloro-3-fluoro-phenyl)-ethoxy]-pyrazin-2-yl)-N-((R)-2-
 hydroxy-3-pyrrolidin-1-yl-propyl)-benzamide; (3-{6-amino-5-[1-(2,6-dichloro-3-fluoro-phenyl)-ethoxy]-

pyridin-3-yl)-phenyl)-(4-pyrrolidin-1-yl-piperidin-1-yl)-methanone; 2-diethylamino-ethanesulfonic acid (4-{5-amino-6-[1-(2,6-dichloro-3-fluoro-phenyl)-ethoxy]-pyrazin-2-yl}-phenyl)-amide; 2-(4-Hydroxy-piperidin-1-yl)-ethanesulfonic acid (4-{5-amino-6-[1-(2,6-dichloro-3-fluoro-phenyl)-ethoxy]-pyrazin-2-yl}-phenyl)-amide; 2-dimethylamino-ethanesulfonic acid (4-{5-amino-6-[1-(2,6-dichloro-3-fluoro-phenyl)-ethoxy]-pyrazin-2-yl}-phenyl)-amide; 2-((R)-3-Hydroxy-pyrrolidin-1-yl)-ethanesulfonic acid (4-{5-amino-6-[1-(2,6-dichloro-3-fluoro-phenyl)-ethoxy]-pyrazin-2-yl}-phenyl)-amide; 2-pyrrolidin-1-ylethanesulfonic acid (4-{5-amino-6-[1-(2,6-dichloro-3-fluoro-phenyl)-ethoxy]-pyrazin-2-yl}-phenyl)-amide; 4-{5-amino-6-[1-(2,6-dichloro-3-fluoro-phenyl)-ethoxy]-pyrazin-2-yl}-benzoic acid; 4-{5-amino-6-[1-(2,6-dichloro-3-fluoro-phenyl)-ethoxy]-pyrazin-2-yl}-N-((R)-2-hydroxy-3-pyrrolidin-1-yl-propyl)-benzamide; (4-{5-amino-6-[1-(2,6-dichloro-3-fluoro-phenyl)-ethoxy]-pyrazin-2-yl}-phenyl)-(4-cyclopropylamino-piperidin-1-yl)-methanone; 4-{5-amino-6-[1-(2,6-dichloro-3-fluoro-phenyl)-ethoxy]-pyrazin-2-yl}-N-((S)-2-hydroxy-3-pyrrolidin-1-yl-propyl)-benzamide; 4-{5-amino-6-[1-(2,6-dichloro-3-fluoro-phenyl)-ethoxy]-pyrazin-2-yl}-N-((R)-2-hydroxy-3-morpholin-4-yl-propyl)-benzamide; 4-{5-amino-6-[1-(2,6-dichloro-3-fluoro-phenyl)-ethoxy]-pyrazin-2-yl}-N-(1-methyl-piperidin-4-yl)-benzamide; (4-{5-amino-6-[1-(2,6-dichloro-3-fluoro-phenyl)-ethoxy]-pyrazin-2-yl}-phenyl)-((S)-2-pyrrolidin-1-ylmethyl-pyrrolidin-1-yl)-methanone; (4-{5-amino-6-[1-(2,6-dichloro-3-fluoro-phenyl)-ethoxy]-pyrazin-2-yl}-phenyl)-(4-pyrrolidin-1-yl-piperidin-1-yl)-methanone; 4-{5-amino-6-[1-(2,6-dichloro-3-fluoro-phenyl)-ethoxy]-pyrazin-2-yl}-N-(2-morpholin-4-yl-ethyl)-benzamide; (4-{5-amino-6-[1-(2,6-dichloro-3-fluoro-phenyl)-ethoxy]-pyrazin-2-yl}-phenyl)-(4-methyl-piperazin-1-yl)-methanone; (4-{5-amino-6-[1-(2,6-dichloro-3-fluoro-phenyl)-ethoxy]-pyrazin-2-yl}-phenyl)-((3R,5S)-3,5-dimethyl-piperazin-1-yl)-methanone; 4-{5-amino-6-[1-(2,6-dichloro-phenyl)-ethoxy]-pyrazin-2-yl}-benzoic acid; (4-{5-amino-6-[1-(2,6-dichloro-phenyl)-ethoxy]-pyrazin-2-yl}-phenyl)-(4-pyrrolidin-1-yl-piperidin-1-yl)-methanone; 4-{5-amino-6-[1-(2,6-dichloro-phenyl)-ethoxy]-pyrazin-2-yl}-N-(2-morpholin-4-yl-ethyl)-benzamide; (4-{5-amino-6-[1-(2,6-dichloro-phenyl)-ethoxy]-pyrazin-2-yl}-phenyl)-((3R,5S)-3,5-dimethyl-piperazin-1-yl)-methanone; 4-{5-amino-6-[1-(2,6-dichloro-phenyl)-ethoxy]-pyrazin-2-yl}-N-(1-methyl-piperidin-4-yl)-benzamide; (4-{5-amino-6-[1-(2,6-dichloro-phenyl)-ethoxy]-pyrazin-2-yl}-phenyl)-((R)-2-pyrrolidin-1-ylmethyl-pyrrolidin-1-yl)-methanone; (4-{5-amino-6-[1-(2,6-dichloro-phenyl)-ethoxy]-pyrazin-2-yl}-phenyl)-((S)-2-pyrrolidin-1-ylmethyl-pyrrolidin-1-yl)-methanone; (4-{5-amino-6-[1-(2,6-dichloro-phenyl)-ethoxy]-pyrazin-2-yl}-phenyl)-(4-methyl-piperazin-1-yl)-methanone; (4-{5-amino-6-[1-(2,6-dichloro-phenyl)-ethoxy]-pyrazin-2-yl}-phenyl)-((R)-3-aminopyrrolidin-1-yl)-methanone; (4-{5-amino-6-[1-(2,6-dichloro-phenyl)-ethoxy]-pyrazin-2-yl}-phenyl)-((S)-3-aminopyrrolidin-1-yl)-methanone hydrogen chloride; 4-{5-amino-6-[1-(2,6-dichloro-phenyl)-ethoxy]-pyrazin-2-yl}-N-(2-pyrrolidin-1-yl-ethyl)-benzamide; 4-{5-amino-6-[1-(2,6-dichloro-phenyl)-ethoxy]-pyrazin-2-yl}-N-(3-pyrrolidin-1-yl-propyl)-benzamide; 3-{5-amino-6-[1-(2,6-dichloro-phenyl)-ethoxy]-pyrazin-2-yl}-benzoic acid; 3-{5-amino-6-[1-(2,6-dichloro-phenyl)-ethoxy]-pyrazin-2-yl}-N-(1-methyl-piperidin-4-yl)-benzamide; 3-{5-amino-6-[1-(2,6-dichloro-phenyl)-ethoxy]-pyrazin-2-yl}-N-(2-pyrrolidin-1-yl-ethyl)-benzamide; (3-{5-amino-6-[1-(2,6-dichloro-phenyl)-ethoxy]-pyrazin-2-yl}-phenyl)-((3R,5S)-3,5-dimethyl-piperazin-1-yl)-methanone; 3-{5-amino-6-[1-(2,6-dichloro-phenyl)-ethoxy]-pyrazin-2-yl}-N-(2-morpholin-4-yl-ethyl)-benzamide; (3-{5-amino-6-[1-(2,6-dichloro-phenyl)-ethoxy]-pyrazin-2-yl}-phenyl)-((S)-2-pyrrolidin-1-ylmethyl-pyrrolidin-1-yl)-methanone; (3-{5-amino-6-[1-(2,6-dichloro-phenyl)-ethoxy]-pyrazin-2-yl}

phenyl)-(4-pyrrolidin-1-yl-piperidin-1-yl)-methanone; N-[2-(4-acetyl-piperazin-1-yl)-ethyl]-4-{5-amino-6-[1-(2,6-dichloro-phenyl)-ethoxy]-pyrazin-2-yl}-benzamide; N-[2-(4-acetyl-piperazin-1-yl)-ethyl]-3-{5-amino-6-[1-(2,6-dichloro-phenyl)-ethoxy]-pyrazin-2-yl}-benzamide; (3-{5-amino-6-[1-(2,6-dichloro-phenyl)-ethoxy]-pyrazin-2-yl}-phenyl)-((R)-2-pyrrolidin-1-ylmethyl-pyrrolidin-1-yl)-methanone; 3-{5-amino-6-[1-(2,6-dichloro-phenyl)-ethoxy]-pyrazin-2-yl}-N-(3-pyrrolidin-1-yl-propyl)-benzamide; (3-{5-amino-6-[1-(2,6-dichloro-phenyl)-ethoxy]-pyrazin-2-yl}-phenyl)-((S)-3-amino-pyrrolidin-1-yl)-methanone; (3-{5-amino-6-[1-(2,6-dichloro-phenyl)-ethoxy]-pyrazin-2-yl}-phenyl)-((R)-3-amino-pyrrolidin-1-yl)-methanone hydrochloride salt; (3-{5-amino-6-[1-(2,6-dichloro-phenyl)-ethoxy]-pyrazin-2-yl}-phenyl)-(4-methyl-piperazin-1-yl)-methanone; 1-(4-{5-amino-6-[1-(2-chloro-3,6-difluoro-phenyl)-ethoxy]-pyrazin-2-yl}-phenyl)-3-(2-morpholin-4-yl-ethyl)-urea; (R)-2-pyrrolidin-1-ylmethyl-pyrrolidine-1-carboxylic acid (4-{5-amino-6-[1-(2-chloro-3,6-difluoro-phenyl)-ethoxy]-pyrazin-2-yl}-phenyl)-amide; 1-(4-{5-amino-6-[1-(2-chloro-3,6-difluoro-phenyl)-ethoxy]-pyrazin-2-yl}-phenyl)-3-(2-pyrrolidin-1-yl-ethyl)-urea; 4-methyl-piperazine-1-carboxylic acid (4-{5-amino-6-[1-(2-chloro-3,6-difluoro-phenyl)-ethoxy]-pyrazin-2-yl}-phenyl)-amide; 1-(4-{5-amino-6-[1-(2-chloro-3,6-difluoro-phenyl)-ethoxy]-pyrazin-2-yl}-phenyl)-3-(2-hydroxy-ethyl)-urea; (S)-3-amino-pyrrolidine-1-carboxylic acid (4-{5-amino-6-[1-(2-chloro-3,6-difluoro-phenyl)-ethoxy]-pyrazin-2-yl}-phenyl)-amide; 1-(4-{5-amino-6-[1-(2-chloro-3,6-difluoro-phenyl)-ethoxy]-pyrazin-2-yl}-phenyl)-3-(1-methyl-piperidin-4-yl)-urea; 4-methyl-piperazine-1-carboxylic acid (4-{5-amino-6-[1-(2,6-dichloro-3-fluoro-phenyl)-ethoxy]-pyrazin-2-yl}-phenyl)-amide; 1-(4-{5-amino-6-[1-(2,6-dichloro-3-fluoro-phenyl)-ethoxy]-pyrazin-2-yl}-phenyl)-3-(2-hydroxy-ethyl)-urea; (S)-3-amino-pyrrolidine-1-carboxylic acid (4-{5-amino-6-[1-(2,6-dichloro-3-fluoro-phenyl)-ethoxy]-pyrazin-2-yl}-phenyl)-amide; 1-(4-{5-amino-6-[1-(2,6-dichloro-3-fluoro-phenyl)-ethoxy]-pyrazin-2-yl}-phenyl)-3-(1-methyl-piperidin-4-yl)-urea; 5-[5-amino-6-(2-chloro-3,6-difluoro-benzyloxy)-pyrazin-2-yl]-thiophene-2-carboxylic acid; {5-[5-amino-6-(2-chloro-3,6-difluoro-benzyloxy)-pyrazin-2-yl]-thiophen-2-yl}-(4-methyl-piperazin-1-yl)-methanone; {5-[5-amino-6-(2-chloro-3,6-difluoro-benzyloxy)-pyrazin-2-yl]-thiophen-2-yl}-(4-pyrrolidin-1-yl-piperidin-1-yl)-methanone; {5-[5-amino-6-(2-chloro-3,6-difluoro-benzyloxy)-pyrazin-2-yl]-thiophen-2-yl}-((3R,5S)-3,5-dimethyl-piperazin-1-yl)-methanone; {5-[5-amino-6-(2-chloro-3,6-difluoro-benzyloxy)-pyrazin-2-yl]-thiophen-2-yl}-((R)-2-pyrrolidin-1-ylmethyl-pyrrolidin-1-yl)-methanone; 5-[5-amino-6-(2-chloro-3,6-difluoro-benzyloxy)-pyrazin-2-yl]-thiophene-2-carboxylic acid (2-morpholin-4-yl-ethyl)-amide; 3-[1-(2,6-dichloro-3-fluorophenyl)ethoxy]-5-{5-[(4-methylpiperazin-1-yl)carbonyl]pyridin-2-yl}pyrazin-2-amine trifluoroacetate; 3-[1-(2,6-dichloro-3-fluoro-phenyl)-ethoxy]-5-pyridin-4-yl-pyrazin-2-ylamine; 3-[1-(2,6-dichloro-3-fluoro-phenyl)-ethoxy]-5-(1H-pyrrol-2-yl)-pyrazin-2-ylamine; (6-{5-amino-6-[1-(2,6-dichloro-3-fluoro-phenyl)-ethoxy]-pyrazin-2-yl}-pyridin-3-yl)-(4-methyl-piperazin-1-yl)-methanone; (2-{5-amino-6-[1-(2,6-dichloro-3-fluoro-phenyl)-ethoxy]-pyrazin-2-yl}-pyridin-4-yl)-(4-methyl-piperazin-1-yl)-methanone; (6-{5-amino-6-[1-(2,6-dichloro-3-fluoro-phenyl)-ethoxy]-pyrazin-2-yl}-pyridin-2-yl)-(4-methyl-piperazin-1-yl)-methanone; (5-{5-amino-6-[1-(2,6-dichloro-3-fluoro-phenyl)-ethoxy]-pyrazin-2-yl}-pyridin-3-yl)-(4-methyl-piperazin-1-yl)-methanone; (4-{5-amino-6-[1-(2,6-dichloro-3-fluoro-phenyl)-ethoxy]-pyrazin-2-yl}-pyridin-2-yl)-(4-methyl-piperazin-1-yl)-methanone; 6-{5-amino-6-[1-(2,6-dichloro-3-fluoro-phenyl)-ethoxy]-pyrazin-2-yl}-N-(2-morpholin-4-yl-ethyl)-nicotinamide; 5-{5-amino-6-[1-(2,6-dichloro-3-fluoro-phenyl)-ethoxy]-pyrazin-2-yl}-N-(2-morpholin-4-yl-ethyl)-nicotinamide; 6-{5-amino-6-[1-(2,6-

dichloro-3-fluoro-phenyl)-ethoxy]-pyrazin-2-yl)-N-(3-morpholin-4-yl-propyl)-nicotinamide; 5-{5-amino-6-[1-(2,6-dichloro-3-fluoro-phenyl)-ethoxy]-pyrazin-2-yl)-N-(3-morpholin-4-yl-propyl)-nicotinamide; (6-{5-amino-6-[1-(2,6-dichloro-3-fluoro-phenyl)-ethoxy]-pyrazin-2-yl)-pyridin-3-yl)-(4-isopropyl-piperazin-1-yl)-methanone; and pharmaceutically acceptable salts, hydrates and solvates thereof.

5

40. A compound selected from the group consisting the compounds shown in Table 5 and pharmaceutically acceptable salts, hydrates and solvates thereof.

10

41. A compound selected from the group consisting the compounds shown in Table 6 and pharmaceutically acceptable salts, hydrates and solvates thereof.

42. A compound selected from the group consisting the compounds shown in Table 7 and pharmaceutically acceptable salts, hydrates and solvates thereof.

15

43. A compound selected from the group consisting the compounds shown in Table 8 and pharmaceutically acceptable salts, hydrates and solvates thereof.

20

44. A method of treating abnormal cell growth in a mammal, the method comprising administering to the mammal a therapeutically acceptable amount of a compound, salt, hydrate or solvate of claim 1.

45. The method of claim 44, wherein the abnormal cell growth is cancer.

25

46. The method of claim 45, wherein the cancer is selected from lung cancer, bone cancer, pancreatic cancer, skin cancer, cancer of the head or neck, cutaneous or intraocular melanoma, uterine cancer, ovarian cancer, rectal cancer, cancer of the anal region, stomach cancer, colon cancer, breast cancer, carcinoma of the fallopian tubes, carcinoma of the endometrium, carcinoma of the cervix, carcinoma of the vagina, carcinoma of the vulva, Hodgkin's Disease, cancer of the esophagus, cancer of the small intestine, cancer of the endocrine system, cancer of the thyroid gland, cancer of the parathyroid gland, cancer of the adrenal gland, sarcoma of soft tissue, cancer of the urethra, cancer of the penis, prostate cancer, chronic or acute leukemia, lymphocytic lymphomas, cancer of the bladder, cancer of the kidney or ureter, renal cell carcinoma, carcinoma of the renal pelvis, neoplasms of the central nervous system (CNS), primary CNS lymphoma, spinal axis tumors, brain stem glioma, pituitary adenoma, and combinations thereof.

30

35

47. The method of 45, wherein the cancer is selected from gastrointestinal stromal tumors, renal cell carcinoma, breast cancer, colorectal cancer, non-small cell lung cancer, neuroendocrine tumors, thyroid cancer, small cell lung cancer, mastocytosis, glioma, sarcoma, acute myeloid leukemia, prostate cancer, lymphoma, and combinations thereof.

48. The method of claim 44, wherein the method further comprises co-administering an anti-tumor agent selected from the group consisting of mitotic inhibitors, alkylating agents, anti-metabolites, intercalating antibiotics, growth factor inhibitors, cell cycle inhibitors, enzymes, topoisomerase inhibitors, biological response modifiers, antibodies, cytotoxics, anti-hormones, anti-androgens and mixtures thereof.